

Cucumber Report

Apr 2, 2024, 2:47:11 PM

Start : Apr 02, 2:46:55.858 PM

End : Apr 02, 2:47:11.496 PM

Duration : 15.638 s

Features




Scenarios

Steps

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 2
FAILED - 2
SKIPPED - 1



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Tag finds article via its name</u>	5.358 s	1	0	1	0	3	1	1	1
<u>Tag in open article</u>	10.269 s	1	0	1	0	2	1	1	0

#	Feature Name	Scenario Name
1	<u>Tag finds article via its name</u>	<u>User is able to find article via tag name</u>
2	<u>Tag in open article</u>	<u>User has tag added in open article</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag	2	0	2	0	2	0	2	0





#	Feature Name	T	P	F	S	Duration
1	<u>Tag finds article via its name</u>	1	0	1	0	5.358 s
2	<u>Tag in open article</u>	1	0	1	0	10.269 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Tag finds article via its name</u>	<u>User is able to find article via tag name</u>	3	1	1	1	5.357 s
2	<u>Tag in open article</u>	<u>User has tag added in open article</u>	2	1	1	0	10.269 s


Tag finds article via its name

FAILED	DURATION - 5.358 s	Scenarios		Steps	
/ 2:46:55.858 PM // 2:47:01.216 PM /		Total - 1		Total - 3	
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	



User is able to find article via tag name

<div>FAILED</div> <div>DURATION - 5.357 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 2:46:55.859 PM // 2:47:01.216 PM /</div>				
<div>Tag finds article via its name</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given User opens article "https://hotnews.bg/article/2024030112005165237" to ger articles via tag name	PASSED	2.367 s
2	And User scrolls down to tag ергенът and clicks on it org.openqa.selenium.ElementClickInterceptedException: Element is not clickable at point (378,402) because another element <div> obscures it Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-26-generic', java.version: '17.0.10' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [af4bae2e-cad0-4d70-be1a-06866cc87b66, clickElement {id=7d361a96-a0be-4836-ba91-5f0f9fb0602b}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.1, moz:accessibilityChecks: false, moz:buildID: 20240321230221, moz:debuggerAddress: 127.0.0.1:9161, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 6.5.0-26-generic, moz:processID: 186946, moz:profile: /tmp/rust_mozprofileQ1uJSc, moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:cdp: ws://127.0.0.1:9161/devtool..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on linux (af4bae2e-cad0-4d70-be1a-06866cc87b66)] -> xpath: //a[contains(.,'ергенът')]] Session ID: af4bae2e-cad0-4d70-be1a-06866cc87b66 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)	FAILED	0.515 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at basePage.BasePage.waitElementAndClickOnIt(BasePage.java:78) at pageObjects.OpenArticlePage.clickOnTagNameToOpenTagPage(OpenArticlePage.java:67) at stepDefinitions.testCases.openArticleTCs.TagFindsArticlesSteps. user_scrolls_down_to_tag_ергенът_and_clicks_on_it(TagFindsArticlesSteps.java:28) at ?.User scrolls down to tag ергенът and clicks on it(classpath:features/TagFeature/TagFindsArticles.feature:8) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepDefinitions.hooks.Hooks.captureExceptionImage(io.cucumber.java.Scenario)</p> <p>1712058420531</p> 	PASSED	0.110 s
3	Then User is navigated to tag page with title "ЕРГЕНЪТ" that contains articles with this name	SKIPPED	0.001 s

Tag in open article

FAILED DURATION - 10.269 s / 2:47:01.227 PM // 2:47:11.496 PM /	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
--	--	---	--	---

User has tag added in open article

<div><div>FAILED</div><div>DURATION - 10.269 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 2</div><div>Pass - 1</div><div>Fail - 1</div><div>Skip - 0</div></div>	<div></div>
<div>/ 2:47:01.227 PM // 2:47:11.496 PM /</div>				
<div>Tag in open article</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given User opens url "https://hotnews.bg/article/2024030112005165237" to get the TAG	PASSED	1.598 s
2	And User scrolls down and tag is successfully added with name "ергенът" org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[FirefoxDriver: firefox on linux (df09f10f-d48a-463e-9c66-db8a2a1a231c)] -> xpath: //a[@href='/tag/ergenut']] (tried for 3 second(s) with 500 milliseconds interval) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-26-generic', java.version: '17.0.10' Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.1, moz:accessibilityChecks: false, moz:buildID: 20240321230221, moz:debuggerAddress: 127.0.0.1:8019, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 6.5.0-26-generic, moz:processID: 187423, moz:profile: /tmp/rust_mozprofileXuvv7b, moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:cdp: ws://127.0.0.1:8019/devtool..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: df09f10f-d48a-463e-9c66-db8a2a1a231c at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at basePage.BasePage.waitForElementToBeVisible(BasePage.java:68) at pageObjects.OpenArticlePage.getTagNamedInOpenArticle(OpenArticlePage.java:58) at stepDefinitions.testCases.openArticleTCs.TagListedInOpenArticleSteps. user_scrolls_down_and_tag_is_successfully_added_with_name(TagListedInOpenArticleSteps.java:23) at ?.User scrolls down and tag is successfully added with name "ергенът"(classpath:features/TagFeature/TagListedInOpenArticle.feature:8) * Not displayable characters are replaced by '?'.	FAILED	6.378 s
	AFTER_STEP - stepDefinitions.hooks.Hooks.captureExceptionImage(io.cucumber.java.Scenario)	PASSED	0.151 s
	1712058430816		
	