MachineCare

Maintenance visibility for DIMM and AOI lines

Working local pilot | Representative equipment and component data

Decision requested: approve a scoped validation pilot and IT review.

One record from request to replacement

Equipment context > Part request > Review / reservation

Physical completion > Stock deduction > Traceable history

Shared inventory and purchasing give maintenance leads a common view.
No downtime, savings or ROI claim has been measured yet.

The line model now reflects your layout

EACH LINE: DIMM PRESS 1 + DIMM PRESS 2 + AOI

B01 / L01 2 DIMM presses 1 AOI
B01 / L02 2 DIMM presses 1 AOI
B03 / L02 2 DIMM presses 1 AOI

6 DIMM + 3 AOI across 3 configured lines. Existing ACOS and conveyor retained: 11 total assets.

DIMM catalog: ten supplied references

Load cell / cylinders / solenoid / reed switches / optical sensors
Manufacturers supplied: Delta Transducers, Airtac and Panasonic

Example: Finger cylinder | HFD12X50 | 4 used per DIMM
Load cell: serial reference 2511231, not a general part number

122 illustrative opening spare units across the ten DIMM entries.
Installed quantities and shared spare balances are separate.

AOI: robot cell and safety components

TM robot Model not supplied | 1 per AOI confirmed
PILZ small light curtain PSEN op113H-s-30-030 | 4 per AOI
PILZ large light curtain PESN op113H-s-30-075 | 2 per AOI
PILZ PLC PNOZ m bo.1 Ident-772104 | 1 per AOI confirmed

Identifiers preserved exactly as supplied. Validate against nameplates.
Catalog entries do not validate safety functions or inspection intervals.

AOI: signaling, power and enclosure

Tower light ASTLF-110-4-5FT-CM | 2 per AOI
Switching supply s-120-24 | 1 per AOI confirmed
VEVOR control box Serial 240108586510146 | 1 per AOI confirmed

Tower-light and power-supply manufacturers remain unknown.
Control-box serial is a reference, not every AOI's asset serial.
Seven AOI catalog entries; 14 illustrative opening spare units.

Known information versus demo assumptions

SUPPLIED: component names, stated manufacturers, identifiers and explicit counts
CONFIRMED: two DIMM presses and one AOI on each line

ILLUSTRATIVE: spare stock, reorder levels, new asset tags / station / status
UNKNOWN: actual prices, bins, supplier details, lead times and service intervals

$0 = unknown-price placeholder. 365 days = demo interval, not an instruction.
20 catalog entries total: 17 supplied component references + 3 earlier samples.

Ten-minute live walkthrough

1 Equipment: show a line with two DIMMs and one AOI
2 Inventory: search HFD12X50 and PSEN; distinguish installed from spare counts
3 Demo copy only: request one finger cylinder and show reservation
4 Demo copy only: record completion, stock change and history
5 Show low-stock planning, order stages and a CSV report

Use the PDF fallback if the browser is unavailable.

What works today

Scoped Administrator / Lead / Technician permissions
Equipment registry, shared catalog and compatibility
Requests, review, reservations, completion and historical snapshots
Stock receipts / adjustments, purchasing and partial deliveries
In-app alerts, audit / stock viewers and CSV generation

Backup and email-worker code exists; unattended services are not activated.

Production gates: platform and assurance

IT: approved hosting, HTTPS, service identity, access controls and secrets
Engineering: supported patched runtime / SDK and deployment testing
Security: identity / SSO-MFA decision, abuse controls and independent review
Operations: monitored startup services and protected off-host backups
Acceptance: authenticated browser workflows, concurrency and recovery tests

Current server is loopback-only. Production date depends on these gates.

Production gates: maintenance decisions

Validate physical stock, actual assets, bins, prices and replacement intervals
Confirm AOI model spellings and counts; obtain missing robot details
Decide multi-bin rules, backdating, emergency review and corrections
Approve email recipients / SMTP and supplier-ordering process if required
Agree support ownership, pilot scope and measurable acceptance criteria

Recommended owners: maintenance lead + IT/security + application owner.

PROPOSED NEXT STEP

The decision for tomorrow

Approve a limited, supervised pilot on one validated line.

Name a maintenance data owner and an IT/security reviewer.
Agree success measures: traceability, stock accuracy and operator usability.
Review findings before expanding access or committing a production date.

Today: working local pilot. Next: verified data and user acceptance.