MachineCare

Equipment. Parts. Every replacement.

A shared view for maintenance teams
DIMM presses + AOI robot cells

Proposal: one-line validation pilot

Screenshot capture pending

A connected maintenance record

Know the equipment

Find the machine, line and compatible component.

Know the stock

See physical, reserved and available quantities.

Know the history

Connect completion to the person, part and cost snapshot.

ONE WORKFLOW Request > Review > Reserve > Complete > Trace

Two DIMM presses + one AOI on every line

B01 / L01	DIMM 1	DIMM 2	AOI / TM robot
B01 / L02	DIMM 1	DIMM 2	AOI / TM robot
B03 / L02	DIMM 1	DIMM 2	AOI / TM robot

6 DIMMs + 3 AOIs + existing ACOS & conveyor = 11 equipment records

Three roles, clear operational boundaries

Administrator

Accounts and access
Buildings and lines
System administration
Operational work

Lead

Assigned equipment
Catalog and stock
Review and completion
Purchasing and audit

Technician

Assigned machines
Replacement requests
Own approved completion
Scoped history

The overview puts priorities in one place

Screenshot capture pending

Start with the exceptions

1. Equipment status and stock alerts
2. Pending work and purchasing visibility
3. Recent replacements with traceability

Find the line, then the machine

Screenshot capture pending

Navigate the plant structure

1. Building > line > station > machine
2. DIMM and AOI compatibility
3. Search and scope-aware access

A real DIMM component in shared inventory

Screenshot capture pending

Finger cylinder / HFD12X50

1. Airtac model supplied by maintenance
2. 4 installed per DIMM press
3. Demo stock is separate from installed quantity

AOI references are now part of the catalog

Screenshot capture pending

PILZ / robot-cell components

1. 7 AOI component entries
2. Exact supplied models and serial references
3. Two illustrative spare units per entry

Installed quantities are not spare inventory

ON ONE LINE

4 x 2 = 8

Finger cylinders installed
4 per DIMM / 2 DIMMs

IN SHARED STORES

8 demo spares

Illustrative opening balance
Verify with a physical count

From request to an auditable replacement

01

Request

Machine + compatible part

02

Review

Early work needs explanation

03

Reserve

Approval holds availability

04

Complete

Confirm physical work

05

Record

Ledger + history snapshots

APPROVAL reserves stock. Only COMPLETION deducts physical inventory.

Review work before recording completion

Screenshot capture pending

Visibility before deduction

1. Pending versus approved work
2. Early-work explanations and review
3. Completion and cancellation controls

History keeps the replacement context

Screenshot capture pending

A record you can explain

1. Who completed the work and when
2. Part, quantity and captured location
3. Historical cost snapshot retained

Purchasing connects shortages to receipts

Screenshot capture pending

Ordering is not receiving

1. Lead requests start approved
2. Track orders and partial deliveries
3. Only receipts add physical stock

Reports make the records usable

Screenshot capture pending

From operational view to CSV

1. Maintenance outlook and repeated early work
2. Inventory, purchasing and history exports
3. Role-based visibility and filters

Stock movements remain explainable

Screenshot capture pending

Every movement has context

1. Opening balances, receipts and adjustments
2. Completion deductions
3. Actor, reason and running balance

Be precise about what the data tells us

SUPPLIED / CONFIRMED

Names and stated makers
Model / serial references
Installed component counts
2 DIMMs + 1 AOI per line

ILLUSTRATIVE

Spare stock and targets
New tags and stations
New operating statuses
Demo replacement intervals

STILL TO VERIFY

Actual bins and prices
Suppliers and lead times
Nameplate spellings
Physical inventory

Working pilot; integrations need activation

Flutter web

Operator / Lead / Admin

Local API

Permissions + transactions

SQLite

Inventory + history + audit

AVAILABLE CODE

Backups / alerts / optional TLS email

NOT AN ACTIVATED SERVICE

Needs configuration, owners and testing

Six gates before production deployment

01 / DATA

Validate assets, stock, bins, prices and intervals.

02 / HOSTING

Approved server, HTTPS and deployment model.

03 / SECURITY

Identity, access controls, secrets and review.

04 / RECOVERY

Protected off-host backups and restore drill.

05 / OPERATIONS

Monitored services, patching and support.

06 / ACCEPTANCE

Browser roles, exports, load and user sign-off.

Agree the rules before adding complexity

Multi-bin stock

Allocation, transfers and reservation location.

Backdated work

Allowed dates, time zones and interval effects.

Emergency work

Override roles, limits and review deadline.

Corrections

Approval and reversal of stock/history effects.

A staged path from demo to adoption

NOW

Graphical demonstration
Review the workflow

NEXT

Validate one line
Reconcile real inventory

THEN

IT + security gates
Role-based acceptance

RELEASE

Owner sign-off
Monitored operation

Approve a focused validation pilot

1. Choose one validated line
2. Name maintenance and IT owners
3. Agree acceptance measures

A working local pilot today. A controlled release after validation.

DIMM component reference

Component	Manufacturer	Supplied identifier	Per DIMM
Load cell	Delta Transducers	Serial 2511231	5
Finger cylinder	Airtac	HFD12X50	4
Vertical cylinder	Airtac	HLQ12X50S	5
Solenoid valve	Airtac	7V110-6	10
Tray cylinder	Airtac	TCL25X20S	2
Tray clamp cylinder	Unknown	HLS16X20SAS	4
Finger reed switch	Airtac	DMSH A11DW	8
Vertical reed switch	Airtac	D-M98W	10
Flag sensor	Panasonic	PM-T45	8
Photoelectric sensor	Panasonic	CX-441	12

AOI component reference

Component	Manufacturer	Supplied identifier	Per AOI
TM robot	TM (as supplied)	Model not supplied	1
Small light curtain	PILZ	PSEN op113H-s-30-030	4
Large light curtain	PILZ	PESN op113H-s-30-075	2
PLC PNOZ m bo.1	PILZ	Ident-772104	1
Tower light	Unknown	ASTLF-110-4-5FT-CM	2
Switching power supply	Unknown	s-120-24	1
Control box	VEVOR	Serial 240108586510146	1