


Git: marinagogu4@gmail.com	Fecha: 24/09/2024
ALUMNO: Marina González Gutiérrez	SERVIDOR:
Nota:	GRUPO: 2DAW

	Servicio/configuración	Imagen demostrativa (copiar una imagen o un bloque de texto por cada punto)
1.	Git	<ul style="list-style-type: none"> Configuración de git (nombre y correo). <pre> marinagg@A210P34 MINGW64 /d/usud2/GitEx \$ git config --global user.name "Marina González" marinagg@A210P34 MINGW64 /d/usud2/GitEx \$ git config --global user.email "marinagogu4@gmail.com" marinagg@A210P34 MINGW64 /d/usud2/GitEx \$ git config --list diff.astextplain.textconv=astextplain filter.lfs.clean=git-lfs clean -- %f filter.lfs.smudge=git-lfs smudge -- %f filter.lfs.process=git-lfs filter-process filter.lfs.required=true http.sslbackend=openssl http.sslcainfo=D:/usud2/Git/mingw64/etc/ssl/certs/ca-bundle.crt core.autocrlf=true core.fscache=true core.symlinks=false pull.rebase=false credential.helper=manager credential.https://dev.azure.com.usehttppath=true init.defaultbranch=master user.name=Marina González user.email=marinagogu4@gmail.com difftool.sourcetree.cmd='' mergetool.sourcetree.cmd='' mergetool.sourcetree.trustexitcode=true credential.helperselector.selected=manager core.editor="C:\Users\marinagg\AppData\Local\Programs\Microsoft VS Code\bin\code" --wait </pre>
2.	GitHub	<ul style="list-style-type: none"> Captura de repositorio recién creado. <pre> marinagg@A210P34 MINGW64 /d/usud2/GitEx \$ git init Initialized empty Git repository in D:/usud2/GitEx/.git/ marinagg@A210P34 MINGW64 /d/usud2/GitEx (master) \$ </pre> Clonado de repositorio <pre> marinagg@A210P34 MINGW64 /d/usud2/GitEx (master) \$ git clone https://github.com/MarinaGonzalezGutierrez/hola-mundo Cloning into 'hola-mundo'... remote: Enumerating objects: 3, done. remote: Counting objects: 100% (3/3), done. remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0) Receiving objects: 100% (3/3), done. marinagg@A210P34 MINGW64 /d/usud2/GitEx (master) \$ </pre> Estado de repositorio local. <pre> marinagg@A210P34 MINGW64 /d/usud2/GitEx/hola-mundo (main) \$ git status On branch main Your branch is up to date with 'origin/main'. Changes to be committed: (use "git restore --staged <file>..." to unstage) new file: holamundo.py </pre> Añadido del fichero hola.py al área de ensayo <pre> marinagg@A210P34 MINGW64 /d/usud2/GitEx/hola-mundo (main) \$ git add . warning: in the working copy of 'holamundo.py', LF will be replaced by CRLF the next time Git touches it </pre>

		<div><pre>marinagg@A210P34 MINGW64 /d/usud2/GitEx/hola-mundo (main) ● \$ git add holamundo.py</pre></div> <ul style="list-style-type: none">• Commit de la primera versión. <div><pre>marinagg@A210P34 MINGW64 /d/usud2/Ciente (main) \$ git commit -m "Primer commit" On branch main Your branch is up to date with 'origin/main'. nothing to commit, working tree clean</pre></div> <div><pre>marinagg@A210P34 MINGW64 /d/usud2/GitEx/hola-mundo (main) ● \$ git commit -m "Primer commit Hola-Mundo" [main 6f3bba8] Primer commit Hola-Mundo 1 file changed, 1 insertion(+) create mode 100644 holamundo.py</pre></div> <ul style="list-style-type: none">• Subida de cambios al repositorio. <div><pre>marinagg@A210P34 MINGW64 /d/usud2/GitEx/hola-mundo (main) ● \$ git push origin main Enumerating objects: 4, done. Counting objects: 100% (4/4), done. Delta compression using up to 8 threads Compressing objects: 100% (2/2), done. Writing objects: 100% (3/3), 330 bytes 330.00 KiB/s, done. Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0) To https://github.com/MarinaGonzalezGutierrez/hola-mundo 15caf6c..6f3bba8 main -> main marinagg@A210P34 MINGW64 /d/usud2/GitEx/hola-mundo (main) ● \$ git push Everything up-to-date</pre></div> <div></div>
3.	Bitbucket	<ul style="list-style-type: none">• Captura de repositorio recién creado. <div><pre>marinagg@A210P34 MINGW64 /d/usud2/GitEx (master) ● \$ mkdir holabb-mundo/</pre></div> <ul style="list-style-type: none">• Inicialización del repositorio local.

```
marinagg@A210P34 MINGW64 /d/usud2/GitEx/holabb-mundo (master)
● $ git init
Initialized empty Git repository in D:/usud2/GitEx/holabb-mundo/.git/
```

- Añadido de archivos

```
marinagg@A210P34 MINGW64 /d/usud2/GitEx/holabb-mundo (master)
● $ echo "print('Hola desde DWEC (DAW)')"> holamundo.py
```

- Commit

```
marinagg@A210P34 MINGW64 /d/usud2/GitEx/holabb-mundo (master)
● $ git commit -m "Primer commit en BitBucket"
[master (root-commit) b0d2d03] Primer commit en BitBucket
1 file changed, 1 insertion(+)
create mode 100644 holamundo.py
```

- Añadido de URL

```
marinagg@A210P34 MINGW64 /d/usud2/GitEx/holabb-mundo (master)
● $ git remote add origin https://marinagogu4@bitbucket.org/marinagogu/holabb-mundo.git
```

- Subida al repositorio remoto

```
marinagg@A210P34 MINGW64 /d/usud2/GitEx/holabb-mundo (master)
● $ git push -u origin master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 267 bytes | 267.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://bitbucket.org/marinagogu/holabb-mundo.git
 * [new branch]      master -> master
branch 'master' set up to track 'origin/master'.
```

marinagogu / holabb-project

holabb-mundo

Here's where you'll find this repository's source files. To give your users an idea of what they'll find here, [add a description to your repository](#).

🔗 master ▾

Files ▾ Filter files 🔍

📁 /

Name	Size	Last commit	Message
📄 holamundo.py	31 B	9 minutes ago	Primer commi

```
marinagg@A210P34 MINGW64 /d/usud2/GitEx (master)
$ dir
hola-mundo

marinagg@A210P34 MINGW64 /d/usud2/GitEx (master)
$ |
```

```
marinagg@A210P34 MINGW64 /d/usud2/GitEx (master)
$ cd hola-mundo/

marinagg@A210P34 MINGW64 /d/usud2/GitEx/hola-mundo (main)
$ |
```

```
marinagg@A210P34 MINGW64 ~
$ cd /d/usud2

marinagg@A210P34 MINGW64 /d/usud2
$ mkdir GitEx

marinagg@A210P34 MINGW64 /d/usud2
$ cd GitEx

marinagg@A210P34 MINGW64 /d/usud2/GitEx
$ |
```

```
marinagg@A210P34 MINGW64 /d/usud2/GitEx/hola-mundo (main)
$ dir
README.md
```

```
marinagg@A210P34 MINGW64 /d/usud2/GitEx/hola-mundo (main)
● $ git push origin main
Everything up-to-date
```

```
marinagg@A210P34 MINGW64 /d/usud2/GitEx/hola-mundo (main)
$ cat README.md
# hola-mundo
Proyecto Hola Mundo
```

```
marinagg@A210P34 MINGW64 /d/usud2/GitEx/hola-mundo (main)
$ echo "print('Hola desde DWEC (DAW)')" > holamundo.py
```

```
marinagg@A210P34 MINGW64 /d/usud2/GitEx/hola-mundo (main)
$ dir
README.md holamundo.py
```

```
marinagg@A210P34 MINGW64 /d/usud2/GitEx/hola-mundo (main)
$ python -v
bash: python: command not found
```

```
marinagg@A210P34 MINGW64 /d/usud2/GitEx/hola-mundo (main)
● $ cd ..

marinagg@A210P34 MINGW64 /d/usud2/GitEx (master)
● $ mkdir holabb-mundo/

marinagg@A210P34 MINGW64 /d/usud2/GitEx (master)
⊗ $ cs holabb-mundo/
bash: cs: command not found

marinagg@A210P34 MINGW64 /d/usud2/GitEx (master)
● $ cd holabb-mundo/

marinagg@A210P34 MINGW64 /d/usud2/GitEx/holabb-mundo (master)
● $ ls
```

```
marinagg@A210P34 MINGW64 /d/usud2/GitEx (master)
● $ cd holabb-mundo/

marinagg@A210P34 MINGW64 /d/usud2/GitEx/holabb-mundo (master)
● $ ls

marinagg@A210P34 MINGW64 /d/usud2/GitEx/holabb-mundo (master)
● $ git init
Initialized empty Git repository in D:/usud2/GitEx/holabb-mundo/.git/
```

```
marinagg@A210P34 MINGW64 /d/usud2/GitEx/holabb-mundo (master)
● $ git init
Initialized empty Git repository in D:/usud2/GitEx/holabb-mundo/.git/

marinagg@A210P34 MINGW64 /d/usud2/GitEx/holabb-mundo (master)
○ $ echo "print("Hola desde DWEC (DAW)')"> holamundo.py
bash: syntax error near unexpected token `('

marinagg@A210P34 MINGW64 /d/usud2/GitEx/holabb-mundo (master)
● $ echo "print('Hola desde DWEC (DAW)')"> holamundo.py

marinagg@A210P34 MINGW64 /d/usud2/GitEx/holabb-mundo (master)
● $ git add .
warning: in the working copy of 'holamundo.py', LF will be replaced by CRLF the next time Git touches it
```

```
marinagg@A210P34 MINGW64 /d/usud2/GitEx/holabb-mundo (master)
● $ ls
holamundo.py

marinagg@A210P34 MINGW64 /d/usud2/GitEx/holabb-mundo (master)
● $ git add *
```

```
marinagg@A210P34 MINGW64 /d/usud2/GitEx/holabb-mundo (master)
● $ git commit -m "Primer commit en BitBucket"
[master (root-commit) b0d2d03] Primer commit en BitBucket
1 file changed, 1 insertion(+)
create mode 100644 holamundo.py
```