

Info
<ul style="list-style-type: none"> - action: Action - hq: Headquarter - member participation: int - member participation: int - participation: boolean
+ info (a: Action, h: HQ, m: int, n: int, p: boolean)

Headquarter
<ul style="list-style-type: none"> - name: string - email: string - members: list < member > - head: Delegate - cities: list < city > - organization: Organization - participation: list < info >
+ Headquarter (n: string, e: email, o: organization)
+ add member (m: member)
+ set head (d: delegate)
+ get action (d: date): Action
+ get organization(): organization

Action
<ul style="list-style-type: none"> - function: string - date: Date - time: int - action: list < info >
+ Action (f: string, d: date, t: int)
+ add headquarter (h: HQ)

Delegate
<ul style="list-style-type: none"> - Regular: list < Regular > - Head: Headquarter
+ Delegate (n: string, t: int, e: email, h: HQ)
+ set head (h: HQ)
+ add Regular (r: Regular)
+ get Regular (q: QRLibrary): string
+ get Delegate (q: QRLibrary): string
+ sing Delegate (d: Delegate, q: QRLibrary): boolean
+ sing Regular (r: Regular, q: QRLibrary): boolean
+ function Action (a: Action)
+ sing Action (d: Date)

Regular
<ul style="list-style-type: none"> - responsibility: Delegate - Vehicle: list < Vehicle >
+ Regular (n: string, e: string, h: HQ)
+ add Vehicle (v: Vehicle)
+ participation (a: action): Boolean

Organization
<ul style="list-style-type: none"> - name: string - HQ: list < Headquarter > - actions: list < Action >
+ Organization (n: string)
+ add Action (a: Action)
+ get Action (d: date): Action

Members
<ul style="list-style-type: none"> - name: string - telef: int - email: string - responsibility: Responsibility - headquarter: HQ
+ Member (n: string, t: int, e: string, h: HQ)
+ set Responsibility (d: responsibility)
+ get Headquarter(): HQ

City
<ul style="list-style-type: none"> - name: string - citizen: int - HQ: list < Headquarter >
+ City (n: string, c: int)
+ add HQ (h: HQ)

Availability
<ul style="list-style-type: none"> - dia: list < string > - hora: list < int >
+ add Availability (d: string, h: int)

Vehicle
<ul style="list-style-type: none"> - type: string - capacity: int
+ Vehicle (t: string, c: int)

Mar Morno
 Marina Castellana
 15.204 (53)

Religion 4 15
Cardinalat 1 11
athlets 15 115
Melodes 13 115
Thurs 05 105
Vinhakt 05 05

28