THOMAS S. COPPERMAN, MD

Eye Associates Northwest Surgery Center 1455 NW Leary Way, Suite 300, Seattle, WA 98107

EMERGENCY NUMBER 206-215-2020, 24 HOURS

PREPARATION INSTRUCTIONS CO2 Resurfacing

Items you will need:

- 1. Sunblock Water Based Type (1st ingredient is Water) Neutrogena Ultrasheer
- 2. Facial Cleanser- Cetaphil or CeraVe gentle cleanser
- 3. Aquaphor healing ointment
- 4. Benadryl (for itching) and Tylenol (for pain)

Ten Days Prior

- 1. We ask that you stop all over the counter blood thinning medications that were not prescribed by a doctor:
 - a. Aspirin, ibuprofen, Aleve, Advil, and Excedrin
- 2. If you take a blood thinner prescribed by a physician please inform Dr. Copperman and his office will coordinate stopping depending on the type of prescription

One Week Prior

- 1. Discontinue over the counter retinoid/BHA/AHA topical skin care products if you use them
- 2. Practice using sunblock every morning.

Day of Procedure

- 1. Take any thyroid, heart or blood pressure medications you regularly take with a small sip of water.
- 2. Wash your face but DO NOT WEAR ANY LOTIONS, SUNBLOCK OR MAKEUP.
- 3. Wear loose, comfortable clothing.
- 4. If you wear glasses, bring a case for storage. Do not wear contacts.





THOMAS S. COPPERMAN, MD

Eye Associates Northwest Surgery Center 1455 NW Leary Way, Suite 300, Seattle, WA 98107

EMERGENCY NUMBER 206-215-2020, 24 HOURS AFTER LASER CARE

1. Wash your hands frequently and before each time you cleanse the treated area.

2. Cleaning your face:

- a. Wash the resurfaced area (2) two times per day with your **GENTLE CLEANSER** and pat dry. The first wash should be the evening on the day of your surgery.
- b. Apply thin layer (nickel size amount) of AQUAPHOR to the area after you have cleansed
- c. Throughout the remainder of the day, you must apply the **AQUAPHOR** to keep the skin moist at all times. This is a very important step to the healing process.
- d. Continue this process until your first follow up appointment
- 3. You may use cool compresses for 15min of the hour as needed. Avoid direct application of ice to skin. Recommend clean cold washcloths or ice packs
- 4. Keep your head elevated for the first week after your procedure to minimize swelling. Sleep on 2 pillows or a wedge.
- 5. You may take Benadryl up to 3 times per day to reduce swelling and itching. It is recommended that you take this before bed as well, to minimize swelling overnight.
- 6. At or around the end of the first week post-surgery, Dr. Copperman will instruct you to decrease the Aquaphor to bedtime and begin using your water-based sunblock and continue to use for at least three months. You may resume wearing makeup at this point as well.
- 7. Please call us if you experience: Temperature above 100.4, Yellowish discharge over the treated area, Pain that is not controlled with pain medication

No retinol or acid-based skin products (Retin A/Retrinal, Glycolic, AHA/BHA, etc) for 4 weeks post treatment