AD 1.6.18 MEGARA

AD 1.6.18.1 AERODROME NAME AND INDICATORS

1. Location Indicator	2. Name	3. Grouping Indicator
LGMG	MEGARA	MIL

AD 1.6.18.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	375853N 0232158E
2	Direction and distance from (city)	BRG 240°, 10 NM from LGEL AD
3	Elevation/Reference temperature	3.66 M (12 FT) / 34.00°C
4	Geoid undulation at AD ELEV PSN	NIL
5	MAG VAR/Annual change	NIL / NIL
6	AD Administration, address, telephone, telefax, telex, AFS	Hellenic Army Hellenic Aviation Service Provider (HASP) Megara Aerodrome TEL: +30 22960 28375 (Hellenic Army) +30 22960 21540 (HASP) +30 22960 80924 (MET Office) +30 22960 28821 (FUEL COMPANY) FAX: +30 22960 81672 (Hellenic Army) +30 22960 23601 (HASP) +30 22960 83078 (MET Office) AFTN: LGMGYXYX (MIL) LGMGYFYX (HASP)
7	Types of traffic permitted (IFR/VFR)	VFR
8	Remarks	Also HASP AD for general aviation light aircraft with a MTOW below 5700 KG arriving to LGMG from Greek airports and departing accordingly.

AD 1.6.18.3 OPERATIONAL HOURS

1	AD Administration	HJ, HO (Hellenic Army) HO (HASP)
5	ATS Reporting Office (ARO)	HJ (HAF) HO (HASP TEL: +30 22960 23601)
12	Remarks	HJ, SR – SS ON WORKING DAYS HO On SAT – SUN AND HOL On MON-THU 5 HR after SS during scheduled training flights. Rest hours 1 HR PNR.

AD 1.6.18.4 HANDLING SERVICES AND FACILITIES

2	Fuel/oil types	Fuel: Jet A1, AVGAS 100 LL by BP
7	Remarks	Fuel Jet A1 and AVGAS 100LL available for civil aircraft daily during AD operation hours except Mondays

AD 1.6.18.5 PASSENGER FACILITIES

NIL

AD 1.6.18.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	CIV CAT: 2 MIL CAT: 3
4	Remarks	NIL

AD 1.6.18.7 SEASONAL AVAILABILITY - CLEARING

NIL

AD 1.6.18.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

NIL

AD 1.6.18.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

NIL

AD 1.6.18.10 AERODROME OBSTACLES

1	In approach/TKOF areas: Obstacle type/ Elevation/ Markings/ LGT	Radio mast height 594 FT MSL, BRG 103° at 2.2 NM from THR RWY 26. Hills elev. 374 FT (highest), BRG 097°- 260° at distances varying from 0.5 NM to 2.5 NM from THR RWY 26.
2	In circling area and at AD: Obstacle type/ Elevation/ Markings/ LGT	NIL
3	Remarks	NIL

AD 1.6.18.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	MEGARA
2	Hours of service MET Office outside hours	HJ / HO NATIONAL METEOROLOGICAL CENTRE ATHINAI
3	Office responsible for TAF preparation Periods of validity	NATIONAL METEOROLOGICAL CENTRE ATHINAI 9 HR
4	Trend forecast Interval of issuance	NO TREND
5	Briefing/consultation provided	Personal consultation
6	Flight documentation Language(s) used	Tabular forms Greek, English
7	Charts and other information available for briefing or consultation	SWH, SWL, W, T, MW
8	Supplementary equipment available for providing information	Online data connection to the data Bank of the Hellenic National Meteorological Service
9	ATS units provided with information	MEGARA TWR
10	Additional information (limitation of service, etc.)	All data over FL100 are issued by World Area Forecast Centres. TEL: +30 22960 80924, +30 6983526351.

AD 1.6.18.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY (M)	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
08R	NIL	1205 x 38	LCN 25 Asphalt	NIL	NIL
26L	NIL	1205 x 38	LCN 25 Asphalt	NIL	NIL

Designations RWY NR	Slope of RWY-SWY	SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	RESA dimensions (M)	OFZ	Remarks
1	7	8	9	10	11	12	13
08R	- 0.16 %	NIL	NIL	NIL	NIL	NIL	NIL
26L	- 0.16 %	NIL	NIL	NIL	NIL	NIL	

AD 1.6.18.13 DECLARED DISTANCES

RWY Designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
08R	1205	1205	1205	1205	NIL
26L	1205	1205	1205	1205	NIL

AD 1.6.18.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	APCH LGT	THR LGT	VASIS (MEHT) PAPI	TDZ, LGT	RWY Centre-line LGT	RWY Edge LGT	RWY End LGT	SWY LGT	Other LGT	Remarks
1	2	3	4	5	6	7	8	9	10	11
08R	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL
26L	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL		

AD 1.6.18.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

See column 10 in **AD 1.6.18.14** above

AD 1.6.18.16 HELICOPTER LANDING AREA

NIL

AD 1.6.18.17 ATS AIRSPACE

1	Designation and lateral limits	MEGARA MIL ATZ: A circle, 3 NM radius centred at 375853N 0232158E.
2	Vertical limits	MIL ATZ: SFC to 2000 FT ALT.
3	Airspace classification	Class D
4	ATS unit call sign Language(s)	MIL ATZ: MEGARA TOWER Greek, English.
5	Transition altitude	NIL
6	Remarks	MIL ATZ within ATHINAI TMA (see **ENR 2.1.5.2**)

AD 1.6.18.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Frequency / VHF CH	Operational hours	Remarks
1	2	3	4	5
TWR	MEGARA TOWER	130.875 122.100 282.150 MHz 121.500 243.000 MHz	HJ HJ HJ HJ HJ	Primary freq. Coverage FL 040 / 25 NM. RGA. MIL RGA. Emergency. MIL Emergency.
All ATS Communication Facilities under responsibility of Hellenic Army.				

AD 1.6.18.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid MAG VAR CAT of ILS/MLS (For VOR/ILS/MLS, give declination)	ID	Frequency (CH)	Hours of operation	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
MEGARA NDB (5°E/2024)	MGR	405 kHz	HJ	375856.40N 0232126.20E	-	Coverage 75 NM
All Radio Navigation and Landing Aids under responsibility of Hellenic Army.						

AD 1.6.18.20 LOCAL TRAFFIC REGULATIONS

1.6.18.20.1 Airport regulations

1.6.18.20.1.1 Overnight parking permission request should be addressed to Megara Airport Authority in writing (email: megap@hasp.gov.gr) at least 72 hours in advance and during airport working hours. Request should include ACFT type, registration number, nationality, name of owner, date of arrival/departure (when applicable) and contact details.

1.6.18.20.1.2 Taking photos and videos of the military aircraft and facilities is strictly prohibited by Greek law.

AD 1.6.18.21 NOISE ABATEMENT PROCEDURES

NIL

AD 1.6.18.22 FLIGHT PROCEDURES

1.6.18.22.1 General

1.6.18.22.1.1 For IFR and VFR flights within ATHINAI TMA see **ENR 2.1.5.2** and **ENR 1.2.11.1 c) Note 2**, as well as **LGAV AD 2.22.3, LGAV AD 2.22.4**, **LGAV AD 2.22.5** and relevant charts in **LGAV AD 2.24**.

1.6.18.22.1.2 All arriving ACFT should report 5 NM inbound and at least 1500 FT AMSL to receive weather and traffic information.

1.6.18.22.1.3 Daily delays up to 30 MIN may be encountered for ARR and DEP ACFT due to parachute drops.

AD 1.6.18.23 ADDITIONAL INFORMATION

1.6.18.23.1 Bird concentrations in the vicinity of the airport

1.6.18.23.1.1 Concentration of birds in the vicinity of the AD. Caution advised. See also **ENR 5.6.5**.

AD 1.6.18.24 CHARTS RELATED TO AERODROME

NIL