



FINMAN INSTALLATION
&
CONFIGURATION
MANUAL/GUIDE

FinMan Installation & Configuration Manual

WIN XP

System requirements

FinMan is a client server application built using Microsoft Visual Basic 6, the system uses SQL Server ODBC Drivers to connect to an SQL Server Database.

This database can reside on any platform that the SQL database has been ported to, of course with the caveats stated by Microsoft (developers of the SQL Server Database)

Hardware requirements

The minimum requirement for our application in single user mode -

Pentium 1000 MHz

256 MB RAM

2.1 GB Disk

The configuration outlined is more than sufficient for the implementation being discussed.

System Software

Client - Windows 95/98/ME or NT/2K/XP

Server - Windows NT/2K, Linux, UNIX

Database – SQL Server 2012

Informix ODBC Drivers

FinMan Installation & Configuration Manual

WIN XP

Installation of FinMan Client

FinMan client setup can be split into distinct groups: –

- a.) The System Setup (SQL server ODBC drivers configuration)
- b.) The Application Setup - (Finman Specific libraries directories etc.)

The System Setup

This is primarily the configuring of the SQL Server ODBC driver.

A. System Setup

1. To configure ODBC hold windows key and press R on the keyboard
2. For 64 bit PCs type **C:\Windows\SysWOW64\odbcad32.exe** as shown in Figure 1 below




Figure 1

3. For 32 bit PCs type **odbcad32.exe** only.
 4. Click on **System DSN**
 5. Highlight current informix ODBC driver and click **remove**
 6. Click on **Add** to create new ODBC driver
 7. Select data source **SQL Server** as shown in Figure 3
- Then click finish

FinMan Installation & Configuration Manual

WIN XP




Figure 2




Figure 3

8. Insert data source name as shown in Figure 4 below
9. Insert the name of the server to be connected to

FinMan Installation & Configuration Manual

WIN XP




Figure 4

10. Select option shown in Figure 5 below
11. Insert login ID and password




Figure 5

12. Click next
13. Test connection

FinMan Installation & Configuration Manual

WIN XP




Figure 6

14. Delete **pas** folder on C:drive and replace with the copy on the server
15. Replace **menu.exe** in C:\program files\menu with the copy from the finman shared folder on the server
16. Browse to **\\server ip\finman** and check the remember credentials option

FinMan Installation & Configuration Manual


WIN XP

B. Application Setup

This is the installation of the FiMan software (Finman Specific libraries directories etc.)

1. The installation


- Select: Start > Run > and type <\\servername\\finman\\Install>
- Select the Setup.exe to Install FinMan Application



FinMan Installation & Configuration Manual

WIN XP


FinMan Setup screen




- Select: **OK** and continue

FinMan Installation & Configuration Manual

WIN XP




- Select: **The Install FinMan** button and continue



- Select: **OK** and continue

FinMan Installation & Configuration Manual
WIN XP



- Select: **menu**
Menu should be selected by default
- Select: **continue**

Prepare pas directory

- Select: Start > Run > and type [\\servername \finman\install](http://servername/finman/install)
- Copy entire pas directory to the c:\ drive

Register Grid32.ocx


Select: Start > Run > and type ***regsvr32 c:|pas|grid32.ocx***

FinMan Installation & Configuration Manual

WIN XP

2. Finally


- Select: Start > Run > and type [\\servername \finman\install](#)
- Copy finman_start.bat to c:\pas



FinMan Installation & Configuration Manual

WIN XP


- Create shortcut to c:\pas\finman_start.bat



FinMan Installation & Configuration Manual

WIN XP

- Move shortcut to C:\Documents and Settings\All Users\Start Menu\Programs\Startup



Configuration File (c:\pas\dblist.rmp)

In addition to the finman.rmp file we have added a dblist.rmp file, this file allows you to switch between active databases by swapping finman.rmp files with other pre-configured .rmp files. The dblist file should only be placed on PCs that belong to users that should have access to multiple databases.

To adjust the database that should be viewable simply removes the lines that do not apply, the dblist file looks like this –

Finman_mof – Ministry of Finance

Finman_tad – Tax Appeals Department

Finman_taad – Tax Administration and Audit Department

Finman_tasd – Tax Administration Services Department

Finman_osc – Office of the Services Commission

The list on the left refers to the configuration file applicable on the right a descriptive text for the corresponding file.

So there are files in pas called finman.rmp, finman_tad.rmp etc.