





Background

- What's `tracing`?
 - A cool async-friendly
 structured logging framewoneed to pass a logger
- Why did we want to migrate
 Lighthouse from `slog` to
 `tracing` though?



so, what have I done so far?

- https://github.com/sigp/lighthouse/pull/ 6339
- Migrated the entire codebase from `slog` to `tracing`
- Re-implemented the custom-formatter
- Re-implemented the SSE Logging component
- File Logging



so, what have I done so far?

- Migrated the entire codebase from `slog` to `tracing`
- Re-implemented the custom-formatter
- Re-implemented the SSE Logging component
- File Logging
- https://github.com/sigp/lighthouse/pull/ 6339

```
Nov 04 03:07:32.966 INFO Deterministic long lived subnets enabled
                                                                       subnets_per_node=2 subscription_duration_in_epochs
Nov 04 03:07:32.967 INFO Subscribing to long-lived subnets
                                                                       subnets=[SubnetId(4), SubnetId(5)]
Nov 04 03:07:32.981 INFO UPnP not available
                                                                       listen address=127.0.0.1:5052
Nov 04 03:07:33.094 INFO HTTP API started
Nov 04 03:07:34.292 INFO Execution payloads are pruned
Nov 04 03:07:34.681 INFO Could not UPnP map Discovery port
                                                                       error=Gateway does not support UPnP
Nov 04 03:07:34.703 INFO Sync state updated
                                                                       old state=Stalled new state=Syncing Finalized Chai
Nov 04 03:07:34.704 INFO Sync state updated
                                                                       old_state=Syncing Finalized Chain new_state=Stalle
Nov 04 03:07:34.906 INFO Sync state updated
                                                                       old_state=Stalled new_state=Syncing Finalized Chai
Nov 04 03:07:41.001 INFO Syncing
                                                                       peers="2" distance="10312967 slots (204 weeks 4 da
ys)" est_time="--"
Nov 04 03:07:41.001 WARN Not ready for Bellatrix
                                                                       info=The --execution-endpoint flag is not specifie
d, this is a requirement for Bellatrix
Nov 04 03:07:41.002 WARN Not ready for Capella
                                                                       hint="try updating the execution endpoint" info=Th
e --execution-endpoint flag is not specified, this is a requirement post-merge
Nov 04 03:07:41.002 WARN Not ready for Deneb
                                                                       hint="try updating the execution endpoint" info=Th
e --execution-endpoint flag is not specified, this is a requirement post-merge
Nov 04 03:07:42.268 CRIT Failed to update execution head
                                                                       error=ExecutionLayerMissing
Nov 04 03:07:42.268 CRIT Failed to prepare proposers after fork choice error=ExecutionLayerMissing
Nov 04 03:07:47.422 CRIT Failed to update execution head
                                                                       error=ExecutionLayerMissing
```



- Keeping the format same:
 - It was really important to keep the same exact formatting from slog to tracing, as internal infra and external users rely on that formatting for their staking setup

```
24-10-01T17:35:18.942880Z INFO beacon_node::config: Data directory initialised datadir="/Users/eitan/.lighthouse/mainnet"
24-10-01T17:35:18.948332Z INFO beacon_node::config: Deposit contract deploy_block=11184524 address="0x00000000219ab540356cbb839cbe05303d7705"
   H-10-01T17:35:19.692247Z INFO store::hot_cold_store: Hot-Cold DB initialized split.slot=Slot(9238336) split state=0x6acaee431414564856aae180
 24-10-01T17:35:19.692393Z INFO store::hot_cold_store: Blob DB initialized path="/Users/eitan/.lighthouse/mainnet/beacon/blobs_db" oldest_blob
 24—10—01T17:35:19.692484Z <u>INF</u>O beacon_chain::schema_change::migration_schema_v20: Upgrading from v19 to v20
  24-10-01T17:35:19.692636Z INFO beacon_chain::schema_change::migration_schema_v21: Upgrading from v20 to v21
 24-10-01T17:35:30.535207Z INFO beacon_chain::schema_change::migration_schema_v21: Public key decompression in progress keys_decompressed=2000
C2024-10-01T17:35:38.332822Z INFO lighthouse: Shutting down.. reason=Success("Received SIGINT")
  4-10-01T17:35:41.194615Z INFO beacon_chain::schema_change::migration_schema_v21: Public key decompression in progress keys_decompressed=4000
  24-10-01T17:35:51.933597Z INFO beacon_chain::schema_change::migration_schema_v21: Public key decompression in progress keys_decompressed=6000
 Nov 02 06:38:15.053 INFO Configured network
                                                                                 network_name="mainnet"
 Nov 02 06:38:15.219 INFO Data directory initialised
                                                                                 datadir=/Users/sayanchowdhury/.lighthouse/mainnet
 Nov 02 06:38:15.325 INFO Deposit contract
                                                                                 deploy_block=11184524 address="0x00000000219ab540356cbb
 39cbe05303d7705fa"
 Nov 02 06:38:15.414 INFO Hot-Cold DB initialized
                                                                                 split.slot=1888 split_state=0x880dfd874554d6c4f0cf4c075
 6b1c0eb05f8a28405810c410ffe171d03eddc8 service="freezer db"
 Nov 02 06:38:15.415 INFO Blob DB initialized
                                                                                 path="/Users/sayanchowdhury/.lighthouse/mainnet/beacon/b
 lobs db" oldest blob slot=Some(Slot(8626176)) oldest data column slot=None service="freezer db"
 Nov 02 06:38:21.852 INFO Starting beacon chain
                                                                                 method="resume"
Nov 02 06:38:23.302 INFO Block production disabled
                                                                                 reason="no eth1 backend configured"
 Nov 02 06:38:23.305 WARN State cache missed
                                                                                 state root=0x002ffaaa87e287277119814747670a43d3f9760d34
```

head state=0x002ffaaa87e287277119814747670a43d3f9760d34

enr="enr:-Le4QMFAMKU1ANNSwUxdZgaSA3Un3aqEB2qiYNkpTvaphi

-CaWSCdiSEcXVpY4IiKYlzZWNwM

024-l0-01T17:35:18,938535Z_INFO environment: Logging to file *path=*"/Users/eitan/.lighthouse/mainnet/beacon/logs/beacon.log" ailed to initialize dependency logging a global default trace dispatcher has already been set

24–10–01T17:35:18.942427Z INFO lighthouse: Lighthouse started version="Lighthouse/v5.3.0–4ca9e28+" 24–10–01T17:35:18.942436Z INFO lighthouse: Configured network network_name="mainnet"

563dd42df06297cbe114f block_root=0xf82164df4c442eb9fa8658d4281ba75a9392d676ad95cdcbbd0ff5ccca558822

UX0_lVA40ApP9krQN3twxRPwoUqZExzLnUA95g2L8jdmCBDqHYXR0bmV0c4gAAAAAAAAAAIRldGgykGqVoakEAAAA__

563dd42df06297cbe114f head_block=0xf82164df4c442eb9fa8658d4281ba75a9392d676ad95cdcbbd0ff5ccca558822 head_slot=1951

U2azGhA9NkxQ-CbfzKtVnE7fIGz2X0JpaYYE_nEYL8cA1ulP40iHN5bmNuZXRzAIN0Y3CCIyq" seq=1082 id=0xa721..b232 ip4=None udp4=None tcp4=Son

Nov 02 06:38:24.047 INFO Beacon chain initialized

Nov 02 06:38:24.051 INFO UPnP Attempting to initialise routes

e(9000) tcp6=None udp6=None quic4=Some(9001) quic6=None service="libp2p"

Nov 02 06:38:24.049 INFO Timer service started

Nov 02 06:38:24.075 INFO Discv5 Service started

Nov 02 06:38:24.071 INFO ENR Initialised

- Keeping the format same:
 - tracing doesn't provide `crit!`, so
 we had to build a custom
 implementation
 - which was basically a wrapper around `tracing`'s error macro

```
Nov 02 06:35:06.591 CRIT Failed to update execution head
Nov 02 06:35:06.591 CRIT Failed to prepare proposers after fork choice
Nov 02 06:35:08.123 CRIT Failed to update execution head
Nov 02 06:35:08.023 CRIT Failed to update execution head
Nov 02 06:35:09.693 CRIT Failed to update execution head
Nov 02 06:35:09.693 CRIT Failed to update execution head
Nov 02 06:35:109.693 CRIT Failed to update execution head
Nov 02 06:35:12.771 CRIT Failed to update execution head
Nov 02 06:35:12.771 CRIT Failed to update execution head
Nov 02 06:35:12.771 CRIT Failed to prepare proposers after fork choice
Nov 02 06:35:12.771 CRIT Failed to prepare proposers after fork choice
Nov 02 06:35:12.771 CRIT Failed to prepare proposers after fork choice
Nov 02 06:35:12.771 CRIT Failed to prepare proposers after fork choice
Nov 02 06:35:12.771 CRIT Failed to prepare proposers after fork choice
Nov 02 06:35:12.771 CRIT Failed to prepare proposers after fork choice
Nov 02 06:35:12.771 CRIT Failed to prepare proposers after fork choice
Nov 02 06:35:12.771 CRIT Failed to prepare proposers after fork choice
Nov 02 06:35:12.771 CRIT Failed to prepare proposers after fork choice
Nov 02 06:35:12.771 CRIT Failed to prepare proposers after fork choice
Nov 02 06:35:12.771 CRIT Failed to prepare proposers after fork choice
Nov 02 06:35:12.771 CRIT Failed to prepare proposers after fork choice
Nov 02 06:35:12.771 CRIT Failed to prepare proposers after fork choice
Nov 02 06:35:12.771 CRIT Failed to prepare proposers after fork choice
Nov 02 06:35:12.771 CRIT Failed to prepare proposers after fork choice
Nov 02 06:35:12.771 CRIT Failed to prepare proposers after fork choice
Nov 02 06:35:12.771 CRIT Failed to prepare proposers after fork choice
Nov 02 06:35:12.771 CRIT Failed to prepare proposers after fork choice
Nov 02 06:35:12.771 CRIT Failed to prepare proposers after fork choice
Nov 02 06:35:12.771 CRIT Failed to prepare proposers after fork choice
Nov 02 06:35:12.771 CRIT Failed to prepare proposers after fork choice
```

- SSE Logging (with slog)
 - With slog, the implementation was way too complex.
 - They were using slog_async ,
 - it collects all the logs into a single task. And then task could then print and write to files asynchronously.
 - HTTP API was in a separate task. There was no way for the HTTP API to see any of the logs
 - They modified the slog_async task thing to create a channel.
 - The HTTP API optionally gets this channel, then the slog task could clone the logs and dump them into the channel.
 - For some reason, slog records that didn't allow sending the data through the channel
 - So they had to make the `AsyncRecord` thing

- SSE Logging(with tracing)
 - It was super easy to implement with `tracing`
 - Had to remove that code totally first
 & then re-implement the SSE
 Logging component from scratch


sta:("fields":("distance":18311658 slots (204 weeks 4 days)","est_time":"2 weeks 5 days","message":"Syncing","peers":"1","speed":"6.00 slots/sec"),"level":"INFO","target 'client::notifier","time":"Nov 03 20:45:53.002")
sts:("fields":("info":"Theexecution-endpoint flag is not specified, this is a requirement for Bellatrix","message":"Not ready for Bellatrix"),"level":"MARN","target":"ient::notifier","time":"Nov 03 20:45:53.002")
sta:("fields":("hint":"try updating the execution endpoint","info":"The —execution-endpoint flag is not specified, this is a requirement post-merge","message":"Not ready or Capella"),"level":"MARM","target":"client::notifier","time":"Nov 83 20:46:53.002")
sta:("fields":("hint":"try updating the execution endpoint","info":"The —execution-endpoint flag is not specified, this is a requirement post-merge","message":"Not ready or Deneb"),"level":"NARN","target":"client::notifier","time':"Nov 83 20:45:53.082"}
sta:("fields":("distance":18311859 slots (204 weeks 4 days)","est_time":"3 weeks 1 days","message":"Syncing","peers":"2","speed":"5.33 slots/sec"},"level":"INFO","target 'client::notifier","time":"Nov 03 20:46:05.001")
sts:("fields":("info":"Theexecution-endpoint flag is not specified, this is a requirement for Bellatrix","message":"Not ready for Bellatrix"),"level":"MARN","target":"ient::notifier","time":"Nov 03 20:46:05.001")
sta:("fields":("hint":"try updating the execution endpoint","info":"The —execution-endpoint flag is not specified, this is a requirement post-merge","message":"Not ready or Capella"),"level":"MARM","target":"client::notifier","time":"Nov 83 20:46:85.001")
sta:("fields":("hint":"try updating the execution endpoint","info":"The —execution-endpoint flag is not specified, this is a requirement post-merge","message":"Not ready or Deneb"),"level":"NARN","target":"client::notifier","time":"Nov 83 20:46:05.083")
sta:("fields":("distance":18311860 slots (204 weeks 4 days)","est_time":"12 weeks 5 days","message":"Syncing","peers":"6","speed":"1.33 slots/sec"),"level":"INFO","targe "client::notifier", 'time":"Nov 03 20:46:17.801")
sts:("fields":("info":"The —execution-endpoint flag is not specified, this is a requirement for Bellatrix","message":"Not ready for Bellatrix"),"level":"MARN","target":"ient::notifier","time":"Nov 03 20:46:17.001")
ata:("fields":("hint":"try updating the execution endpoint","info":"The —execution-endpoint flag is not specified, this is a requirement post-merge","message":"Not ready or Capella"),"level":"MARM","target":"client::notifier","time":"Nov 03 20:46:17.001")


data:{"fields":{"hint":"try updating the execution endpoint","info":"The --execution-endpoint flag is not specified, this is a requirement post-merge" for Deneb"},"level":"MARN","target":"client::notifier","time":"Nov 03 20:46:17.001"}

- spans vs slog::o! macro
 - Both work differently
 - slog::o! attaches static metadata to loggers
 - good for adding consistent information across logs
 - Spans creates scoped, dynamic contexts tied to specific code blocks
 - good for tracking execution flow

- https://github.com/ThreeHrSleep/lighthouse/pu ll/1(for the slasher service)
- https://github.com/ThreeHrSleep/lighthouse/pu

- Misc.
 - We thought about doing this change across multiple PRs, but breaking it up into chunks would've broken SSE logging.
 - Quite a bit of back & forth
 - Severe skill issues
 - I was really really bad at Rust





Next Steps

Adding more spans

More feedback-fix iterations

More testing/QA

Flags to enable/disable additional context

Need to add more spans so that service names show up in the logs like before still lots of iterations left

Need to make sure we introduce least amount of breaking changes


For better debugging experience.



Overall Experience

Last five months were absolute blast

- Working with Lighthouse team was awesome
- Got better at Rust (arguably)
- Loved the Office hours/AMAs



Huge Thanks to

- Age,Eitan,Mac
- Josh & Mário





Huge Thanks to

- Age,Eitan,Mac
- Josh & Mário

