


Secure Multiparty Computation

Multiple parties want to **compute** a public function **without disclosing** their inputs.



P


n parties

 $\mathcal{A} \subset \mathcal{P}$

- n-1 adversaries
- Passive and static

Multiparty Homomorphic Encryption – Intuition

Multiparty Homomorphic Encryption (MHE) extends Homomorphic Encryption (HE) with an **access-structure**.



Background: Ring Learning with Error (RLWE) [LPR10]

RLWE distribution:

Let:

$$\mathcal{R}_Q = \mathbb{Z}_Q\left[X
ight]/\left(X^N+1
ight)$$
 be a polynomials ring of degree N-1 with coefficients $\operatorname{mod} Q$

 χ_Q be the uniform distribution over \mathcal{R}_Q

 χ_{σ} be an error distribution over \mathcal{R}_Q with standard deviation σ

 χ_h be a ternary distribution value over \mathcal{R}_Q with h non zero coefficients

the ring learning-with-error distribution over s is defined as:

$$\mathsf{RLWE}_s = (-as + e, a) \quad a \leftarrow \chi_Q \quad s \leftarrow \chi_h \quad e \leftarrow \chi_\sigma$$


Given a polynomial number of independent samples from the RLWE_s distribution:

- **Search**: find *s* or *e*.
- **Decision**: distinguish from $(b \leftarrow \chi_Q, a)$

Background: (Symmetric) HE From RLWE

A simplified RLWE-based HE scheme.

Let
$$f:\mathcal{R}_Q o\mathcal{R}_Q$$



Scheme's operations are affine functions of the secret-key.

Background: Gadget Ring Learning with Error (GRLWE)

$$\begin{array}{ll} \underline{\mathsf{Gadget\ Ciphertext:}} & \mathsf{GRLWE}_s\left(m\right) = \left(-\mathbf{a}s + P \cdot m \cdot \mathbf{w} + \mathbf{e}, \, \mathbf{a}\right) \in \mathcal{R}_{QP}^{\beta \times 2} \\ \mathbf{w} = \left(w_0, \, w_1, \, \ldots, \, w_{\beta-1}\right) \mathrm{with} \; ||w_i|| \leq B \quad \mathbf{a} = \left(a_0, \, a_1, \, \ldots, \, a_{\beta-1}\right) \; \leftarrow \chi_{QP}^{\beta} \\ x = \sum_{i=0}^{\beta-1} w_i^{-1}\left(x\right) \cdot w_i \qquad \qquad \mathbf{e} = \left(e_0, \, e_1, \, \ldots, \, e_{\beta-1}\right) \; \leftarrow \chi_{\sigma}^{\beta} \end{array}$$

Gadget Product:
$$\begin{array}{l}
\mathcal{R}_{QP}^{\beta\times2}\otimes\mathcal{R}_{Q}\to\mathcal{R}_{Q}^{2} \\
\hline
GRLWE_{s}\left(m_{0}\right)\otimes m_{1} = \left\lceil P^{-1}\cdot\left\langle \mathbf{w}^{-1}\left(m_{1}\right),\,\mathsf{GRLWE}_{s}\left(m_{0}\right)\right\rangle \right] \\
&= \left\lceil P^{-1}\cdot\sum_{i=0}^{\beta-1}w_{i}^{-1}\left(m_{1}\right)\cdot\left(-a_{i}s+P\cdot m_{0}\cdot w_{i}+e_{i},a_{i}\right)\right\rceil \\
&= \left(-bs+m_{0}m_{1}+e',b\right) \\
&= \mathsf{RLWE}_{s}\left(m_{0}m_{1}\right)
\end{array}$$

Secret-key operations are affine functions of the secret key

All operations affine functions of the secret-key: (-as + e) + x

Setup phase:

Public Encryption Key Generation: $\mathsf{RLWE}_s\left(0\right) = \left(-as + e, a\right)$

Public Rotation Key Generation for $\mathsf{rot}_{\mathsf{k}}(\cdot)$: $\mathsf{GRLWE}_s\left(\pi_k\left(s\right)\right) = \left(-s\mathbf{a} + \mathbf{e} + \pi_k\left(s\right) \cdot \mathbf{w} \,,\, \mathbf{a}\right)$

Public Relinearization Key Generation: $\mathsf{GRLWE}_s\left(s^2\right) = \left(-s\mathbf{a} + \mathbf{e} + P \cdot \boxed{s^2} \cdot \mathbf{w} \,,\, \mathbf{a}\right)$

Compute phase:

Decrypt: $sc_1 + e + c_0$


Re-encrypt: $\left(\left(s-s'\right)\cdot c_1+e+c_0,\,c_1\right)$

Issue: not linear

MHE Scheme Construction – Secret-key Operations

Affine secret-key operations can be implemented as single-round protocols (Generalizing [AJLT+12][MTBH+21]).

→ We refer to these protocols as having Public Aggregatable Transcripts (PAT)



Helper-Assisted, MHE-based MPC

The MHE-based MPC protocol has many practical advantages. [мтвн+21]

One-time setup

- ✓ Amortizable cost
- ✓ Session-like paradigm

Low communication complexity


- √ 2 (because of Rlk) + 2 rounds
- ✓ Non-interactive Eval

Public Transcript

- ✓ Delegated public share aggregation
- ✓ Sublinear MPC

Delegated evaluation

✓ In classic passive-adversary setting



Implementation

Both the N-out-of-N- and the T-out-of-N-threshold scheme are implemented in Lattigo [MBTH20]



Systematically used by the winners of the iDASH Privacy & Security Workshop: Secure Genome Analysis Competition


➤ I (<u>github/Pro7ech</u>) and another team tied for first place in the 2024 competition, <u>we both used Lattigo</u>


Practical Challenges of MHE-based MPC


..., but the way to practice is full of challenges.

Christian Mouchet, Sylvain Chatel, Apostolos Pyrgelis, Carmela Troncoso, *Helium: Scalable MPC among Lightweight Participants and under Churn*, ACM SIGSAC, 2024

https://github.com/ChristianMct/helium







$$egin{aligned} egin{aligned} egin{aligned} \mathsf{Pk} &= \mathsf{RLWE}_s\left(0
ight) = \sum_{i=1}^n \mathsf{RLWE}_{s_i}\left(0
ight) \end{aligned}$$
 $\mathsf{Rot}_k = \mathsf{GRLWE}_s\left(\pi_k\left(s
ight)
ight) = \sum_{i=1}^n \mathsf{GRLWE}_{s_i}\left(\pi_k\left(s_i
ight)
ight)$ $egin{aligned} \mathsf{RIk} &= \mathsf{GRLWE}_s\left(s^2
ight) = \sum_{i=1}^n \mathsf{GRLWE}_{\mathsf{pk}}\left(0
ight) + \left(0,\,s_i\mathbf{w}
ight) \end{aligned}$

Rlk requires Pk to be generated!

It would be really great if we could reduce the setup & encryption to a single PAT

Condition: A predetermined set of parties ${\cal P}$ and inputs

Enables:

- ullet Each $\mathcal{P}_i \in \mathcal{P}$ sends a single **PAT** to the server \mathcal{S}
- S can chose any $P' \subseteq P$, aggregate the associated **PAT**s to produce the evaluation keys and ciphertexts and can run an arbitrary circuit
- ullet Decryption only requires the collaboration of $\mathcal{P}' \subseteq \mathcal{P}$

RIk is important both for relinearization (ciphertext compactness) and expanding GRLWE ciphertexts to RGSW ciphertexts (used in FHEW bootstrapping)

Looking more at the structure of **RIk**:

$$egin{aligned} \mathsf{RIk} &= \sum_{i=1}^n \mathsf{GRLWE_{pk}}\left(0
ight) + \left(0,\, s_i \mathbf{w}
ight) \ &= \sum_{i=1}^n \mathsf{GRLWE}_{s_i}\left(s s_i
ight) \ &= \mathsf{GRLWE}_s\left(s \sum_{i=1}^n s_i
ight) \end{aligned}$$

Decryption implicitly multiplies the second component by *s*

We propose 1 - round PAT protocols Key Dependent Message (KDM)

RLWE and GRLWE ciphertexts

$$\mathsf{RLWE}_s\left(s\sum_{i=1}^n m_i
ight) \ \mathsf{GRLWE}_s\left(s\sum_{i=1}^n m_i
ight)$$

1-Round PAT Protocol for RLWE_s(sm)

From two RLWE and one GRLWE ciphertexts we can homomorphically generate a KDM RLWE ciphertext

$$s = \sum_{i=1}^n s_i$$

$$\mathsf{RLWE}_u\left(m
ight) \,= \left(0,\, -au \,+\, m + e_0
ight)$$

 $\mathsf{RLWE}_s\left(0
ight) = \left(as \,+\, e_1
ight)$


 $u = \sum_{i=1}^{n} u_i$


$$\mathsf{GRLWE}_s\left(-u\right) = \left(-\mathbf{b}s - P \cdot u \cdot \mathbf{w} + \mathbf{e}_2, \mathbf{b}\right)$$

$$m = \sum_{i=1}^{n} m_i$$

Ephemeral secrete *u* is needed because public randomness *a* is reused across RLWE samples (a.k.a multi-secret RLWE)

$$\mathsf{RLWE}_s\left(ms
ight) = \left(-cs \,+\, e',\, c+m+e''
ight)$$






- Allocating 1-round for encryption is ok if we want flexibility on the circuit inputs
- But if the original inputs are fixed (e.g. a game state or bank account) we can include it in the setup PAT

1-Round PAT for Encryption

$$\mathsf{Enc}_{\mathsf{pk}}\left(m
ight) \,=\, \mathsf{Enc}_{s_i}\left(m
ight) \,+\, \sum_{j
eq i} \mathsf{Enc}_{s_j}\left(0
ight)$$

However requires O(n) communication per ciphertext per party



1-Round PAT Full Setup & Encryption Implementation

Pro7ech's Lattigo Fork:

- Based on Lattigo v5.0.2
- Over 30k changes
- New functionalities, primitives, protocols,
 QoL, refactored backend, bug fixes, etc...



Gauss Labs Phantom Zone:

- Rust based FHE-MPC focused library
- Evaluate arbitrary functions on a set of private inputs owned by different parties
- High level of abstraction, focused for ease of use

https://github.com/gausslabs/phantom-zone



References

[AJLT+12] G. Asharov, A. Jain, A. López-Alt, E. Tromer, V. Vaikuntanathan, and D. Wichs, "Multiparty computation with low communication, computation and interaction via threshold FHE," in Annual International Conference on the Theory and Applications of Cryptographic Techniques, Springer, 2012, pp. 483–501.

[Bea91] Beaver, Donald. "Efficient multiparty protocols using circuit randomization." *Advances in Cryptology—CRYPTO'91: Proceedings 11.* Springer Berlin Heidelberg, 1992.

[BGGJ+18] D. Boneh, R. Gennaro, S. Goldfeder, A. Jain, S. Kim, P. M. Rasmussen, and A. Sahai, "Threshold cryptosystems from threshold fully homomorphic encryption," in Annual International Cryptology Conference, Springer, 2018, pp. 565–596.

[BMR90] Beaver, Donald, Micali, Silvio; Rogaway, Phillip (1990). "The round complexity of secure protocols". *Proceedings of the twenty-second annual ACM symposium on Theory of computing - STOC* '90. pp. 503–513.

[CDKS19] Chen, Hao, et al. "Efficient multi-key homomorphic encryption with packed ciphertexts with application to oblivious neural network inference." *Proceedings of the 2019 ACM SIGSAC Conference on Computer and Communications Security.* 2019

[DSPZ12] Damgård, Ivan, et al. "Multiparty computation from somewhat homomorphic encryption." Annual Cryptology Conference. Berlin, Heidelberg: Springer Berlin Heidelberg, 2012.

[GLS15] Dov Gordon, S., Feng-Hao Liu, and Elaine Shi. "Constant-round MPC with fairness and guarantee of output delivery." *Advances in Cryptology—CRYPTO 2015: 35th Annual Cryptology Conference, Santa Barbara, CA, USA, August 16-20, 2015, Proceedings, Part II 35.* Springer Berlin Heidelberg, 2015.

[GMW87] Goldreich, Oded, Micali, Silvio; Wigderson, Avi (1987). "How to play ANY mental game". Proceedings of the nineteenth annual ACM conference on Theory of computing - STOC '87. pp. 218–229. [KLSW24] Kwak, Hyesun, Dongwon Lee, Yongsoo Song, and Sameer Wagh. "A General Framework of Homomorphic Encryption for Multiple Parties with Non-interactive Key-Aggregation." In *International Conference on Applied Cryptography and Network Security*, pp. 403-430. Cham: Springer Nature Switzerland, 2024.

[LPR10] Vadim Lyubashevsky, Chris Peikert, and Oded Regev. 2010. On Ideal Lattices and Learning with Errors over Rings. In Advances in Cryptology–EUROCRYPT 2010: 29th Annual International Conference on the Theory and Applications of Crypto- graphic Techniques, French Riviera, May 30-June 3, 2010, Proceedings, Vol. 6110. Springer, 1.

[LTV12] Adriana Lòpez-Alt, Eran Tromer, and Vinod Vaikuntanathan. On-the-fly multiparty computation on the cloud via multikey fully homomorphic encryption. In Howard J. Karloff and Toniann Pitassi, editors, Proceedings of the 44th Symposium on Theory of Computing Conference, STOC 2012, New York, NY, USA, May 19 - 22, 2012, pages 1219–1234. ACM, 2012.

[MBH23] Christian Mouchet, Elliott Bertrand, and Jean-Pierre Hubaux. 2023. An Efficient Threshold Access-Structure for RLWE-Based Multiparty Homomorphic Encryption. Journal of Cryptology 36 (2023).

[MCPT23] Christian Mouchet, Sylvain Chatel, Apostolos Pyrgelis, Carmela Troncoso. 2023. Helium: Scalable MPC among Lightweight Participants and under Churn, CCS2024 (To Appear)

[MTBH21] Christian Mouchet, Juan Troncoso-Pastoriza, Jean-Philippe Bossuat, and Jean-Pierre Hubaux. 2021. Multiparty Homomorphic Encryption from Ring-Learning- with-Errors. Proceedings on Privacy Enhancing Technologies 4 (2021), 291–311.

[MW16] Mukherjee, Pratyay, and Daniel Wichs. "Two round multiparty computation via multi-key FHE." Advances in Cryptology–EUROCRYPT 2016: 35th Annual International Conference on the Theory and Applications of Cryptographic Techniques, Vienna, Austria, May 8-12, 2016, Proceedings, Part II 35. Springer Berlin Heidelberg, 2016.

[Yao86] Yao, Andrew Chi-Chih (1986). "How to generate and exchange secrets". 27th Annual Symposium on Foundations of Computer Science (SFCS 1986). pp. 162–167



Section 1 title here.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

- Sollicitudin
- Consectetur
 - Condimentum
 - Magna
 - Ligula


Section I details with an image. Enter title here.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Enter your main point / statement here.

Section I details with a main point. Enter title here.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.



Section 2 title here.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

- Sollicitudin
- Consectetur
 - Condimentum
 - Magna
 - Ligula

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

- Sollicitudin
- Consectetur
 - Condimentum
 - Magna
 - Ligula


Section 2 details with an image. Enter title here.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Section 2 details with a main point. Enter title here.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.


Enter your main point / statement here.



Enter your main point / statement here.

Section 3 details with a main point. Enter title here.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.



Section 4 details with a main point. Enter title here.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Enter your main point / statement here.

Here's the timeline.


Event 1 Event 2 Event 3

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam.

99.99%

"Number rules the universe."

Pythagoras



Enter your slide title here

Your slide subtitle here.

Your Name

Your title, your organization






Section 1 details with an image. Enter title here.

Section 1 title here.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

- Sollicitudin
- Consectetur
 - Condimentum
 - Magna
 - Ligula

Section 1 details with a main point. Enter title here.



Section 2 title here.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

- Sollicitudin
- Consectetur
 - Condimentum
 - Magna
 - Ligula


Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

- Sollicitudin
- Consectetur
 - Condimentum
 - Magna
 - Ligula

Section 2 details with an image. Enter title here.

Section 2 details with a main point. Enter title here.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur.



Section 3 details with a main point. Enter title here.



Section 4 details with a main point. Enter title here.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur.

Here's the timeline.

Event 1 Event 2 Event 3

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam.

99.99%

"Number rules the universe."

Pythagoras

Thank you!

Your Name

Your title, your organization your@email.address
@youraccount



Enter your slide title here

Your slide subtitle here.

Your Name

Your title, your organization

Section 1

Section 1 title here.


Section 1 title here.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

- Sollicitudin
- Consectetur
 - Condimentum
 - Magna
 - Ligula

Section 1 details with an image. Enter title here.

Section 1 details with a main point. Enter title here.



Section 2 title here.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

- Sollicitudin
- Consectetur
 - Condimentum
 - Magna
 - Ligula

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

- Sollicitudin
- Consectetur
 - Condimentum
 - Magna
 - Ligula

Section 2 details with an image. Enter title here.

Section 2 details with a main point. Enter title here.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur.




Section 3

Section 3 title here.



Section 3 details with a main point. Enter title here.



Section 4 details with a main point. Enter title here.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur.

Here's the timeline.

Event 1 Event 2 Event 3

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam.

99.99%

"Number rules the universe."

Pythagoras

Thank you!

Your Name

Your title, your organization your@email.address
@youraccount