


```
import pandas as pd
import seaborn as sns
import numpy as np
import matplotlib.pyplot as plt
from sklearn.preprocessing import LabelEncoder
from sklearn.model_selection import train_test_split
from sklearn.linear_model import LogisticRegression
from sklearn import metrics
from sklearn.metrics import f1_score
from sklearn.ensemble import RandomForestClassifier
from sklearn.model_selection import cross_val_score
```

```
#df = pd.read_csv('../data/sample_submission.csv')
df = pd.read_csv('../data/data.csv', sep=';', encoding='latin1')
print(df)
```



	Id	Category	Manufacturer	Model	Prod. year	Gear box type	\
0	2680	Jeep	HYUNDAI	H1	2014	Automatic	
1	5960	Sedan	MITSUBISHI	Mirage	2002	Automatic	
2	2185	Jeep	HYUNDAI	Santa FE	2014	Automatic	
3	15905	Sedan	MERCEDES-BENZ	E 260	1992	Manual	
4	15337	Universal	HONDA	FIT	2015	Automatic	
...	...	...	...	...	...	...	...
16346	19198	Jeep	TOYOTA	RAV 4	2015	Automatic	
16347	3583	Sedan	TOYOTA	Prius	2009	Automatic	
16348	18497	Jeep	SSANGYONG	REXTON	2015	Automatic	
16349	4565	Goods wagon	OPEL	Combo	2011	Manual	
16350	11586	Sedan	FORD	Fusion	2013	Automatic	

	Leather interior	Fuel type	Engine volume	Drive wheels	Cylinders	\
0	Yes	Diesel	2.5	Front	4	
1	No	Petrol	1.8	Front	4	
2	Yes	Diesel	2	Front	4	
3	No	CNG	2.6	Rear	6	
4	Yes	Hybrid	1.5	Front	4	
...	...	...	...	...	...	...
16346	Yes	Petrol	2.5	4x4	4	
16347	Yes	Hybrid	1.5	Front	4	
16348	Yes	Diesel	2	Front	4	
16349	No	Diesel	1.3 Turbo	Front	4	
16350	Yes	Hybrid	2	Front	4	

	Mileage	Doors	Airbags	Wheel	Color	Sales	Fee	price
0	74210 km	4	4	Left wheel	Silver	777	22433	
1	160000 km	4	2	Left wheel	White	-	7500	
2	51106 km	4	4	Left wheel	White	639	27284	
3	0 km	4	4	Left wheel	Beige	-	3450	
4	35624 km	4	4	Left wheel	Black	308	26644	
...	...	...	...	...	...	...	...	...
16346	149019 km	4	0	Left wheel	Grey	934	28225	
16347	142426 km	4	12	Left wheel	White	746	1882	
16348	123303 km	4	4	Left wheel	Black	765	36219	
16349	95000 km	4	4	Left wheel	White	490	9408	
16350	174619 km	4	0	Left wheel	Grey	640	1646	

[16351 rows x 18 columns]

▼ DATOS FALTANTES

```
# verificar datos faltantes
for col in df.columns.to_list():
    calc = (df[col].isna().sum())/df.shape[0])*100
    print(f'{col} missing Values: {calc}%')
```

```
↕ Id missing Values: 0.0%
  Category missing Values: 0.0%
  Manufacturer missing Values: 0.0%
  Model missing Values: 0.0%
  Prod. year missing Values: 0.0%
  Gear box type missing Values: 0.0%
  Leather interior missing Values: 0.0%
  Fuel type missing Values: 0.0%
  Engine volume missing Values: 0.0%
  Drive wheels missing Values: 0.0%
  Cylinders missing Values: 0.0%
  Mileage missing Values: 0.0%
  Doors missing Values: 0.0%
  Airbags missing Values: 0.0%
  Wheel missing Values: 0.0%
  Color missing Values: 0.0%
  Sales Fee missing Values: 0.0%
  price missing Values: 0.0%
```

▼ VARIABLES CATEGÓRICAS

▼ ENCODING

```
def label_encoding(dataset, column_name):
    label_encoder = LabelEncoder()
    dataset[column_name] = label_encoder.fit_transform(dataset[column_name])
    return dataset, label_encoder

def frequency_encoding(dataset, col):
    freq = dataset[col].value_counts(normalize=True)
    dataset[col] = dataset[col].map(freq)
    return dataset, freq

df2 = df
def to_zero(n):
    if n == '-': return 0
    return n

def mileage_km(n):
    return n.replace(' km', '')
```

```
def turbo(n):
    if 'Turbo' in n: return 1
    return 0


def engine_volume(n):
    return n.replace(' Turbo', '')

def doors(n):
    if n == '>5': return 6
    return n

df2['Turbo'] = df2['Engine volume'].map(turbo)


df2['Sales Fee'] = df2['Sales Fee'].map(to_zero)
df2['Mileage'] = df2['Mileage'].map(mileage_km)
df2['Engine volume'] = df2['Engine volume'].map(engine_volume)
df2['Doors'] = df2['Doors'].map(doors)

df2.head(20)
```





	Id	Category	Manufacturer	Model	Prod. year	Gear box type	Leather interior	Fuel type	Engine volume	Drive wheels	Cylinders	Mileage	Doors	Airbags	Wheel	Color	Sales Fee	price	Turbo
0	2680	Jeep	HYUNDAI	H1	2014	Automatic	Yes	Diesel	2.5	Front	4	74210	4	4	Left wheel	Silver	777	22433	0
1	5960	Sedan	MITSUBISHI	Mirage	2002	Automatic	No	Petrol	1.8	Front	4	160000	4	2	Left wheel	White	0	7500	0
2	2185	Jeep	HYUNDAI	Santa FE	2014	Automatic	Yes	Diesel	2	Front	4	51106	4	4	Left wheel	White	639	27284	0
3	15905	Sedan	MERCEDES-BENZ	E 260	1992	Manual	No	CNG	2.6	Rear	6	0	4	4	Left wheel	Beige	0	3450	0
4	15337	Universal	HONDA	FIT	2015	Automatic	Yes	Hybrid	1.5	Front	4	35624	4	4	Left wheel	Black	308	26644	0
5	13792	Hatchback	HONDA	FIT	2014	Automatic	Yes	Petrol	1.5	Front	4	78000	4	4	Left wheel	White	501	25638	0
6	12015	Microbus	FORD	Transit	2007	Manual	No	Diesel	2.4	Rear	4	165000	4	2	Left wheel	Blue	0	17249	0
7	307	Sedan	TOYOTA	Camry	2015	Automatic	Yes	Hybrid	2.5	Front	4	35000	4	10	Left wheel	Grey	456	39201	0
8	1054	Sedan	TOYOTA	Camry	2012	Automatic	Yes	Hybrid	2.5	Front	4	156518	4	12	Left wheel	White	781	3607	0
9	7945	Sedan	HYUNDAI	Elantra	2012	Automatic	Yes	Petrol	1.6	Front	4	165294	4	4	Left wheel	Silver	531	16308	0
10	15234	Minivan	MERCEDES-BENZ	Vito	2007	Tiptronic	Yes	Diesel	3.0	Rear	6	250000	4	4	Left wheel	Black	0	30640	1
11	2277	Jeep	LEXUS	RX 450	2010	Automatic	Yes	Hybrid	3.5	4x4	6	167222	4	12	Left wheel	Black	1399	5018	0
12	1660	Sedan	HYUNDAI	Sonata	2016	Automatic	Yes	LPG	2	Front	4	287140	4	4	Left wheel	White	891	18817	0
13	15966	Sedan	FORD	F150	2016	Automatic	Yes	Petrol	3.5	Front	4	33543	4	4	Left wheel	White	1493	126322	0
14	11541	Coupe	HYUNDAI	Genesis	2010	Automatic	Yes	Petrol	3.8	Front	4	151977	4	4	Left wheel	Blue	1511	16621	0
15	1579	Jeep	TOYOTA	RAV 4	2010	Variator	Yes	Petrol	2	4x4	4	167300	6	8	Left wheel	Blue	0	23207	0
16	3011	Jeep	HYUNDAI	Tucson	2016	Automatic	Yes	Diesel	2	Front	4	27243	4	4	Left wheel	Grey	891	29633	0
17	4573	Jeep	MERCEDES-BENZ	ML 350	2009	Automatic	Yes	Diesel	3.5	4x4	6	274088	4	12	Left wheel	Black	1624	6272	0
18	6342	Jeep	MERCEDES-BENZ	GL 450	2006	Automatic	Yes	LPG	4.5	4x4	6	181000	4	6	Left wheel	Black	0	21000	1
19	15558	Sedan	HYUNDAI	Sonata	2015	Automatic	Yes	Petrol	2	Front	4	59150	4	4	Left wheel	Grev	765	42692	0

```
df2, freq_category = frequency_encoding(df2, 'Category')
df2, freq_manufacturer = frequency_encoding(df2, 'Manufacturer')
df2, freq_model = frequency_encoding(df2, 'Model')
# Prod. Year
df2, freq_gear_box_type = frequency_encoding(df2, 'Gear box type')
df2, label_leather_interior = label_encoding(df2, 'Leather interior')
df2, freq_fuel_type = frequency_encoding(df2, 'Fuel type')
# Engine volume: quitar el turbo y crear variable aparte
df2, freq_drive_wheels = frequency_encoding(df2, 'Drive wheels')
# Cylinders
df2, freq_mileage = frequency_encoding(df2, 'Mileage') # quitar km
# Doors: cambiar >5 por 4
# Airbags
df2, freq_wheel = frequency_encoding(df2, 'Wheel')
df2, freq_color = frequency_encoding(df2, 'Color')
# Sales Fee: cambiar '-' por '0'
df2.head()
```



	Id	Category	Manufacturer	Model	Prod. year	Gear box type	Leather interior	Fuel type	Engine volume	Drive wheels	Cylinders	Mileage	Doors	Airbags	Wheel	Color	Sales Fee	price	Turbo
0	2680	0.287567	0.196869	0.022567	2014	0.702832	1	0.211363	2.5	0.670907	4	0.000061	4	4	0.922512	0.195951	777	22433	0
1	5960	0.453183	0.015106	0.000428	2002	0.702832	0	0.528286	1.8	0.670907	4	0.006483	4	2	0.922512	0.233380	0	7500	0
2	2185	0.287567	0.196869	0.027521	2014	0.702832	1	0.211363	2	0.670907	4	0.000122	4	4	0.922512	0.233380	639	27284	0
3	15905	0.453183	0.105315	0.000061	1992	0.096875	0	0.024524	2.6	0.118097	6	0.036817	4	4	0.922512	0.006850	0	3450	0
4	15337	0.018592	0.050028	0.022690	2015	0.702832	1	0.185065	1.5	0.670907	4	0.000061	4	4	0.922512	0.261941	308	26644	0




OUTLIERS

```
for col in df2.columns:
    df2[col] = pd.to_numeric(df[col])

# Tratar con outliers
def cuantificaOutliers(dataset):
    for col in dataset.columns:
        q1, q3 = np.percentile(dataset[col],[25,75])
        iqr = q3-q1
        lower_bound = q1 - (1.5*iqr)
        upper_bound = q3 + (1.5*iqr)
        outlier = dataset[(dataset[col]<lower_bound)|(dataset[col]>upper_bound)]
        print(col, ' ', outlier.shape[0], ' ', outlier.shape[0]/dataset.shape[0]*100, '%')
```

cuantificaOutliers(df2)



Id	0	0.0 %
Category	0	0.0 %
Manufacturer	0	0.0 %
Model	0	0.0 %
Prod. year	824	5.039447128615987 %
Gear box type	0	0.0 %
Leather interior	0	0.0 %
Fuel type	0	0.0 %
Engine volume	1184	7.241147330438505 %
Drive wheels	0	0.0 %
Cylinders	4140	25.31955232095896 %
Mileage	2015	12.323405296312153 %
Doors	763	4.666381261084949 %
Airbags	0	0.0 %
Wheel	1267	7.7487615436364745 %
Color	0	0.0 %
Sales Fee	136	0.831753409577396 %
price	901	5.510366338450248 %
Turbo	1618	9.89541924041343 %

```
def Modifica_Outliers (dataset,columna):
    q1, q3 = np.percentile(dataset[columna], [25, 75])
    # Calculate the interquartile range
    iqr = q3 - q1
```

```
# Calculate the lower and upper bounds
lower_limit = q1 - (1.5 * iqr)
upper_limit = q3 + (1.5 * iqr)

dataset[columna] = np.where(dataset[columna]>upper_limit,upper_limit,np.where(dataset[columna]<lower_limit,lower_limit,dataset[columna]))
return (dataset)

Modifica_Outliers(df2,'Engine volume')
Modifica_Outliers(df2,'Prod. year')
Modifica_Outliers(df2,'Mileage')
Modifica_Outliers(df2,'Sales Fee')
cuantificaOutliers(df2)

Id      0      0.0 %
Category  0      0.0 %
Manufacturer  0      0.0 %
Model      0      0.0 %
Prod. year  0      0.0 %
Gear box type  0      0.0 %
Leather interior  0      0.0 %
Fuel type  0      0.0 %
Engine volume  0      0.0 %
Drive wheels  0      0.0 %
Cylinders  4140    25.31955232095896 %
Mileage  0      0.0 %
Doors  763     4.666381261084949 %
Airbags  0      0.0 %
Wheel  1267    7.7487615436364745 %
Color  0      0.0 %
Sales Fee  0      0.0 %
price  901     5.510366338450248 %
Turbo  1618    9.89541924041343 %
```


## ✓ ANÁLISIS DE CORRELACIÓN

```
# Realizar un análisis de correlación
corr = df2.corr(method='pearson')
mask = np.triu(np.ones_like(corr, dtype=bool))
f, ax = plt.subplots(figsize=(11,9))
cmap = sns.diverging_palette(230, 20, as_cmap=True)

plt.tight_layout()
sns.heatmap(corr, mask=mask, cmap=cmap, vmax=.3, center=0, square=True, linewidths=.5, cbar_kws={'shrink':0.5}, annot=True)
```



<Axes: >



```
correlations = df2.corr()['price'].abs().sort_values(ascending=False)
print("Correlación con la variable objetivo (Curado):\n", correlations)
```

↔ Correlación con la variable objetivo (Curado):

price	1.000000
Doors	0.032986
Category	0.021632
Gear box type	0.020325
Turbo	0.015388
Wheel	0.013929
Airbags	0.013830
Model	0.012108
Prod. year	0.010756
Mileage	0.010522
Id	0.009915
Cylinders	0.006525
Sales Fee	0.005070
Engine volume	0.005026
Color	0.004539
Fuel type	0.003239
Manufacturer	0.002938
Leather interior	0.000998
Drive wheels	0.000685
Name: price, dtype: float64	

▼ VARIABLES

```
df3 = df2
df3 = df3.drop('Model', axis=1)
df3 = df3.drop('Engine volume', axis=1)
df3 = df3.drop('Cylinders', axis=1)
df3 = df3.drop('Sales Fee', axis=1)
df3 = df3.drop('Color', axis=1)
df3 = df3.drop('Mileage', axis=1)
df3 = df3.drop('Fuel type', axis=1)
df3 = df3.drop('Manufacturer', axis=1)
df3 = df3.drop('Leather interior', axis=1)
df3 = df3.drop('Drive wheels', axis=1)
df3.head()
```

↔

	Id	Category	Prod. year	Gear box type	Doors	Airbags	Wheel	price	Turbo
0	2680	0.287567	2014.0	0.702832	4	4	0.922512	22433	0
1	5960	0.453183	2002.0	0.702832	4	2	0.922512	7500	0
2	2185	0.287567	2014.0	0.702832	4	4	0.922512	27284	0
3	15905	0.453183	2000.0	0.096875	4	4	0.922512	3450	0
4	15337	0.018592	2015.0	0.702832	4	4	0.922512	26644	0

```
df4 = df3
y = df4['price']
```



```
x = df4.drop('price', axis=1)
```

✓ MODELO

```
from sklearn.ensemble import RandomForestRegressor
from sklearn.model_selection import cross_val_score

x = pd.get_dummies(x, drop_first=True)

# Seprar Dataset en Training y Testing Sets
x_train, x_test, y_train, y_test = train_test_split(x, y, test_size=0.2, random_state=42)

# Inicialiazar Random Forest Regressor
rf_regressor = RandomForestRegressor(n_estimators=100, random_state=42)
# Entrenar el modelo
rf_regressor.fit(x_train, y_train)


# Hacer predicciones
y_pred = rf_regressor.predict(x_test)
```

✓ EVALUACIÓN

```
from sklearn.metrics import mean_squared_error, r2_score

mse = mean_squared_error(y_test, y_pred)
rmse = np.sqrt(mse)
r2 = r2_score(y_test, y_pred)


print("Root Mean Squared Error (RMSE):", rmse)
print("R^2 Score:", r2)
```

 Root Mean Squared Error (RMSE): 460205.79508722754  
R^2 Score: -0.00044320338311809593

```
from sklearn.model_selection import cross_val_score

# cross-validation
cv_scores = cross_val_score(rf_regressor, x, y, cv=5, scoring='neg_mean_squared_error')
cv_rmse = np.sqrt(-cv_scores)

print("Cross-Validated RMSE:", cv_rmse.mean())
```

 Cross-Validated RMSE: 137267.59271198808

▼ OUTPUT FILE

```
df_eval = pd.read_csv('../data/Evaluation.csv', sep=';', encoding='latin1')

df_eval['Turbo'] = df_eval['Engine volume'].map(turbo)

df_eval['Sales Fee'] = df_eval['Sales Fee'].map(to_zero)
df_eval['Mileage'] = df_eval['Mileage'].map(mileage_km)
df_eval['Engine volume'] = df_eval['Engine volume'].map(engine_volume)
df_eval['Doors'] = df_eval['Doors'].map(doors)

df_eval['Category'] = df_eval['Category'].map(freq_category).fillna(0)
df_eval['Manufacturer'] = df_eval['Manufacturer'].map(freq_manufacturer)
df_eval['Model'] = df_eval['Model'].map(freq_model)
df_eval['Gear box type'] = df_eval['Gear box type'].map(freq_gear_box_type)
df_eval['Leather interior'] = label_leather_interior.transform(df_eval['Leather interior'])
df_eval['Fuel type'] = df_eval['Fuel type'].map(freq_fuel_type)
df_eval['Drive wheels'] = df_eval['Drive wheels'].map(freq_drive_wheels)
df_eval['Mileage'] = df_eval['Mileage'].map(freq_mileage)
df_eval['Wheel'] = df_eval['Wheel'].map(freq_wheel)
df_eval['Color'] = df_eval['Color'].map(freq_color)

df_eval = df_eval.drop('Model', axis=1)
df_eval = df_eval.drop('Engine volume', axis=1)
df_eval = df_eval.drop('Cylinders', axis=1)
df_eval = df_eval.drop('Sales Fee', axis=1)
df_eval = df_eval.drop('Color', axis=1)
df_eval = df_eval.drop('Mileage', axis=1)
df_eval = df_eval.drop('Fuel type', axis=1)
df_eval = df_eval.drop('Manufacturer', axis=1)
df_eval = df_eval.drop('Leather interior', axis=1)
df_eval = df_eval.drop('Drive wheels', axis=1)

print(df_eval)
```

		Id	Category	Prod. year	Gear box type	Doors	Airbags	Wheel	\
0		15246	0.453183	2014	0.702832	4	6	0.922512	
1		5176	0.453183	2013	0.702832	4	12	0.922512	
2		3143	0.287567	2009	0.702832	4	4	0.922512	
3		3360	0.287567	2011	0.096875	2	2	0.922512	
4		3105	0.027093	2013	0.702832	4	12	0.922512	
...		...	...	...	...	...	...	...	
2881		17665	0.453183	2009	0.702832	4	12	0.922512	
2882		6554	0.287567	2015	0.702832	4	12	0.922512	
2883		18661	0.453183	2014	0.702832	4	0	0.077488	
2884		6825	0.453183	2014	0.702832	4	4	0.922512	
2885		11266	0.015779	1996	0.096875	4	2	0.922512	

	Turbo
0	0
1	0
2	0

```
3      0
4      0
...    ...
2881    0
2882    0
2883    0
2884    0
2885    0

[2886 rows x 8 columns]

output = rf_regressor.predict(df_eval)
id_column = df_eval['Id']

predicted_df = pd.DataFrame({
    'id': id_column,
```