Predictive Maintenance Project Story Board

File created on: 02/03/26 23:30:34 GMT-7

2,000 machines scanned

Prevented crashes
47 (69% Recall)
out of 68 total crashes

False alarms
20 (70% Precision)
out of 67 total warnings

Uptime saved
+359 hours

Kinematic Behaviour



Thermodynamic Stress



Model Outcome

- True Positive (Crash Prevented)
- False Negative (Missed Crash)
- False Positive (False Alarm)
- True Negative (Normal operation)

Predicted Machine Failure by Product Quality



LIVE PRODUCTION SIMULATION: TELEMETRY (2,000 Cycles)

2,000 machines scanned

Prevented crashes
47 (69% Recall)
out of 68 total crashes

False alarms
20 (70% Precision)
out of 67 total warnings

Uptime saved
+359 hours

Kinematic Behaviour



Thermodynamic Stress



Alerts by Product Quality



Machine Failure Type Features

Machine Id (Test Vault ..	Machine Failure Type	Failure Prob.	Rotational Speed	Torque	Tool Wear
L51597	Heat dissipation ..	100.0%	1,365	67	80
L51939	Heat dissipation ..	100.0%	1,361	47	62
L54347	Overstrain failure	100.0%	1,362	60	206
M19269	Heat dissipation ..	100.0%	1,358	55	61
L51434	Heat dissipation ..	100.0%	1,284	68	114
L51450	Heat dissipation ..	100.0%	1,331	52	154
L51750	Heat dissipation ..	100.0%	1,312	52	40