



# Simple Kriging Interpolation - 大阪府 - 2025/5/12 19H

$$\hat{z}(x_0) = \sum_{i=1}^n \lambda_i z(x_i)$$

$\hat{z}(x_0)$ : estimated value at location  $x_0$   
 $z(x_i)$ : known value at location  $x_i$   
 $\lambda_i$ : Kriging weight for  $z(x_i)$ , based on spatial correlation  
 $\sum \lambda_i = 1$ : weights sum to 1 (unbiasedness condition)  
Weights depend on variogram model (e.g., exponential, spherical...)



Variogram	Transform	RMSE	MAE	R <sup>2</sup>
linear	none	0.00618	0.00438	0.260
linear	log	0.00628	0.00449	0.234
linear	sqrt	0.00623	0.00443	0.248
gaussian	none	0.00629	0.00470	0.233
gaussian	log	0.00632	0.00477	0.225
gaussian	sqrt	0.00630	0.00473	0.230
exponential	none	0.00623	0.00451	0.248
exponential	log	0.00624	0.00459	0.244
exponential	sqrt	0.00623	0.00455	0.247
spherical	none	0.00626	0.00461	0.241
spherical	log	0.00627	0.00469	0.237
spherical	sqrt	0.00626	0.00464	0.239

