

Vous : AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) \$ git add . AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) \$ git commit -m "video demo" [Dev 20f18c3] video demo 1 file changed, 0 insertions(+), 0 deletions(-) create mode 100644 PORTFOLIO-cv-MARIO-4.mkv AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) \$ git config --global http.postBuffer 2048576000 AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) \$ git push Enumerating objects: 4, done. Counting objects: 100% (4/4), done. Delta compression using up to 4 threads Compressing objects: 100% (3/3), done. Writing objects: 100% (3/3), 16.85 MiB | 17.90 MiB/s, done. Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0) error: RPC failed; HTTP 408 curl 22 The requested URL returned error: 408 send-pack: unexpected disconnect while reading sideband packet fatal: the remote end hung up unexpectedly Everything up-to-date AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) \$ git add . AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) \$ git commit -m "ajout video" [Dev ab39c53] ajout video 2 files changed, 0 insertions(+), 0 deletions(-) AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) \$ git config --global http.postBuffer 2048576000 AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) \$ git push Enumerating objects: 9, done. Counting objects: 100% (9/9), done. Delta compression using up to 4 threads Compressing objects: 100% (7/7), done. Writing objects: 100% (7/7), 24.91 MiB | 16.90 MiB/s, done. Total 7 (delta 3), reused 0 (delta 0), pack-reused 0 (from 0) error: RPC failed; HTTP 408 curl 22 The requested URL returned error: 408 send-pack: unexpected disconnect while reading sideband packet fatal: the remote end hung up unexpectedly Everything up-to-date AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) \$ git add * The following paths are ignored by one of your .gitignore files: venv hint: Use -f if you really want to add them. hint: Disable this message with "git config advice.addIgnoredFile false" AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) \$ git commit -m "add video" On branch Dev Your branch is ahead of 'origin/Dev' by 2 commits. (use "git push" to publish your local commits) nothing to commit, working tree clean AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) \$ git config --global http.postBuffer 2048576000 AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) \$ git push Enumerating objects: 9, done. Counting objects: 100% (9/9), done. Delta compression using up to 4 threads Compressing objects: 100% (7/7), done. Writing objects: 100% (7/7), 24.91 MiB | 17.16 MiB/s, done. Total 7 (delta 3), reused 0 (delta 0), pack-reused 0 (from 0) error: RPC failed; HTTP 408 curl 22 The requested URL returned error: 408 send-pack: unexpected disconnect while reading sideband packet fatal: the remote end hung up unexpectedly Everything up-to-date AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) \$

Réflexion durant 32s

Ton `git push` envoie bien les objets (on voit “Writing objects ... 24.91 MiB ... done.”), puis la connexion HTTP coupe avec **HTTP 408 (timeout)** → souvent **proxy/VPN/réseau instable, HTTP/2 cassé**, ou simplement un **upload trop long** côté serveur. Et comme ça coupe avant la fin, le serveur **ne met pas à jour la branche**, donc tu restes “ahead by 2 commits”.

Voici les fixes qui marchent le plus souvent (dans l'ordre).

1) Vérifier si le push a quand même fini côté remote

Après l'erreur, fais :

```
git fetch origin
git status
git log --oneline --decorate --graph --max-count=10 origin/Dev Dev
```

- Si origin/Dev n'a pas tes commits, le push n'a **pas** été finalisé.

2) Forcer HTTP/1.1 (très courant avec Git for Windows + proxies)

```
git config --global http.version HTTP/1.1
git push origin Dev
```

3) Réduire la charge pendant l'upload (souvent aide sur connexions instables)

```
git config --global core.compression 0
git push origin Dev
```

(Ensuite tu peux remettre la compression plus tard : `git config --global --unset core.compression`)

4) Augmenter la tolérance “connexion lente” (anti-timeout côté client)

```
git config --global http.lowSpeedLimit 0
git config --global http.lowSpeedTime 999999
git push origin Dev
```

5) Passer en SSH (souvent le plus stable)

1. Mets une clé SSH et ajoute-la à GitHub/GitLab/Azure DevOps (selon ton remote)
2. Change l'URL du remote :

```
git remote -v
git remote set-url origin git@github.com:TON_USER/TON_REPO.git
```

```
git push origin Dev
```

6) Recommandation importante : ne mets pas des vidéos (.mkv) dans Git

Même si 25 MB passe, ça **fait exploser** le repo (clones lents, historique lourd). Le standard c'est **Git LFS** ou héberger la vidéo ailleurs (YouTube non listé, Drive, Release GitHub, etc.).

Option A — Git LFS (recommandé)

```
git lfs install
git lfs track "*.mkv"
git add .gitattributes
git add PORTFOLIO-cv-MARIO-4.mkv
git commit -m "Track mkv with LFS"
git push origin Dev
```

 Comme tu as déjà committé la vidéo, le mieux est de **migrer l'historique** (sinon Git gardera l'ancien blob dans l'historique) :

```
git lfs migrate import --include="*.mkv"
git push --force-with-lease origin Dev
```

(À éviter si d'autres personnes travaillent déjà sur la branche, mais si c'est ton repo perso c'est OK.)

Option B — Exclure la vidéo

Ajoute dans .gitignore :

```
*.mkv
```

Puis retire-la de l'index :

```
git rm --cached PORTFOLIO-cv-MARIO-4.mkv
git commit -m "Remove video from repo"
git push origin Dev
```

Le “meilleur combo” rapide à tester tout de suite

```
git config --global http.version HTTP/1.1
git config --global core.compression 0
git push origin Dev
```

Si tu me colles la sortie de :

```
git remote -v
git config --global -l | grep http
```

je te dis exactement quel réglage est le plus probable dans ton cas (GitHub vs Azure DevOps vs GitLab, proxy, etc.).

```
AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) $ git add .
AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) $ git commit -m
"video demo" [Dev 20f18c3] video demo 1 file changed, 0 insertions(+), 0 deletions(-) create mode 100644 PORTFOLIO-cv-MARIO-4.mkv
AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) $ git config --
global http.postBuffer 2048576000 AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-
MARIO-4 (Dev) $ git push Enumerating objects: 4, done. Counting objects: 100% (4/4), done. Delta compression using up to 4 threads Compressing objects:
100% (3/3), done. Writing objects: 100% (3/3), 16.85 MiB | 17.90 MiB/s, done. Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0) error: RPC failed;
HTTP 408 curl 22 The requested URL returned error: 408 send-pack: unexpected disconnect while reading sideband packet fatal: the remote end hung up
unexpectedly Everything up-to-date AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-
MARIO-4 (Dev) $ git add . AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-
MARIO-4 (Dev) $ git commit -m "ajout video" [Dev ab39c53] ajout video 2 files changed, 0 insertions(+), 0 deletions(-)
AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) $ git config --
global http.postBuffer 2048576000 AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-
MARIO-4 (Dev) $ git push Enumerating objects: 9, done. Counting objects: 100% (9/9), done. Delta compression using up to 4 threads Compressing objects:
100% (7/7), done. Writing objects: 100% (7/7), 24.91 MiB | 16.90 MiB/s, done. Total 7 (delta 3), reused 0 (delta 0), pack-reused 0 (from 0) error: RPC failed;
HTTP 408 curl 22 The requested URL returned error: 408 send-pack: unexpected disconnect while reading sideband packet fatal: the remote end hung up
unexpectedly Everything up-to-date AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-
MARIO-4 (Dev) $ git add * The following paths are ignored by one of your .gitignore files: venv hint: Use -f if you really want to add them. hint: Disable this
message with "git config advice.addIgnoredFile false" AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO
HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) $ git commit -m "add video" On branch Dev Your branch is ahead of 'origin/Dev' by 2 commits. (use "git
push" to publish your local commits) nothing to commit, working tree clean AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON
DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) $ git config --global http.postBuffer 2048576000 AzureAD+SPSSE02MEN@DESKTOP-
S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) $ git push Enumerating objects: 9, done. Counting objects:
100% (9/9), done. Delta compression using up to 4 threads Compressing objects: 100% (7/7), done. Writing objects: 100% (7/7), 24.91 MiB | 17.16 MiB/s,
done. Total 7 (delta 3), reused 0 (delta 0), pack-reused 0 (from 0) error: RPC failed; HTTP 408 curl 22 The requested URL returned error: 408 send-pack:
unexpected disconnect while reading sideband packet fatal: the remote end hung up unexpectedly Everything up-to-date
AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) $ ^C
```

```
AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTF $ git fetch origin git status git log --oneline --
decorate --graph --max-count=10 origin/Dev Dev On branch Dev Your branch is ahead of 'origin/Dev' by 2 commits. (use "git push" to publish your local
commits) nothing to commit, working tree clean * ab39c53 (HEAD -> Dev) ajout video * 20f18c3 video demo * d3e906a (origin/Dev) fifth commit * f8ae20a
third commit * 0d4dde6 second commit * 3f11d50 Ajout gitignore * 51da07f (origin/main, origin/Test, origin/HEAD, main, Test) Initial commit
AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) $
```

Parfait : ton `git log` confirme clairement que **le remote n’a PAS reçu tes 2 commits** :

- Local Dev (HEAD) : ab39c53 et 20f18c3
 - Remote origin/Dev : reste sur d3e906a
- Donc le push **échoue avant la mise à jour de la branche**, malgré “Writing objects ... done.” (ça envoie le pack, puis timeout avant l’ack / avant le ref update).

Voici le plan **le plus efficace** (sans bla-bla), à exécuter dans cet ordre.

1) Fix immédiat : forcer HTTP/1.1 + couper compression

```
git config --global http.version HTTP/1.1
git config --global core.compression 0
git push origin Dev
```

Dans Git for Windows, les erreurs 408 arrivent très souvent via proxy/HTTP2. HTTP/1.1 règle plein de cas.

Si ça passe : ensuite tu peux remettre la compression :

```
git config --global --unset core.compression
```

2) Si ça échoue encore : augmenter tolérance “connexion lente”

```
git config --global http.lowSpeedLimit 0
git config --global http.lowSpeedTime 999999
git push origin Dev
```

3) Le vrai bon choix pour une vidéo : ne pas pousser .mkv en Git “normal”

Même si ça finit par passer, ton repo va devenir lourd.

Option A (recommandée) : Git LFS

```
git lfs install
git lfs track "*.mkv"
git add .gitattributes
git commit -m "Track mkv with LFS"
git lfs migrate import --include="*.mkv"
git push --force-with-lease origin Dev
```

Option B : retirer la vidéo du repo et l'héberger ailleurs

```
echo "*.mkv" >> .gitignore
git rm --cached PORTFOLIO-cv-MARIO-4.mkv
git commit -m "Remove video from repo"
git push origin Dev
```

4) Si tu veux un diagnostic rapide de la cause (proxy / remote)

Colle-moi juste la sortie de :

```
git remote -v
git config --global -l | grep http
```

(et si ton remote est GitHub / GitLab / Azure DevOps, dis-moi lequel).

```
AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) $ git add .
AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) $ git commit -m
"video demo" [Dev 20f18c3] video demo 1 file changed, 0 insertions(+), 0 deletions(-) create mode 100644 PORTFOLIO-cv-MARIO-4.mkv
AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) $ git config --
global http.postBuffer 2048576000 AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-
MARIO-4 (Dev) $ git push Enumerating objects: 4, done. Counting objects: 100% (4/4), done. Delta compression using up to 4 threads Compressing objects:
100% (3/3), done. Writing objects: 100% (3/3), 16.85 MiB | 17.90 MiB/s, done. Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0) error: RPC failed;
HTTP 408 curl 22 The requested URL returned error: 408 send-pack: unexpected disconnect while reading sideband packet fatal: the remote end hung up
```

```

unexpectedly Everything up-to-date AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) $ git add . AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) $ git commit -m "ajout video" [Dev ab39c53] ajout video 2 files changed, 0 insertions(+), 0 deletions(-)
AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) $ git config --global http.postBuffer 2048576000 AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) $ git push Enumerating objects: 9, done. Counting objects: 100% (9/9), done. Delta compression using up to 4 threads Compressing objects: 100% (7/7), done. Writing objects: 100% (7/7), 24.91 MiB | 16.90 MiB/s, done. Total 7 (delta 3), reused 0 (delta 0), pack-reused 0 (from 0) error: RPC failed; HTTP 408 curl 22 The requested URL returned error: 408 send-pack: unexpected disconnect while reading sideband packet fatal: the remote end hung up
unexpectedly Everything up-to-date AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) $ git add * The following paths are ignored by one of your .gitignore files: venv hint: Use -f if you really want to add them. hint: Disable this message with "git config advice.addIgnoredFile false" AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) $ git commit -m "add video" On branch Dev Your branch is ahead of 'origin/Dev' by 2 commits. (use "git push" to publish your local commits) nothing to commit, working tree clean AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) $ git config --global http.postBuffer 2048576000 AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) $ git push Enumerating objects: 9, done. Counting objects: 100% (9/9), done. Delta compression using up to 4 threads Compressing objects: 100% (7/7), done. Writing objects: 100% (7/7), 24.91 MiB | 17.16 MiB/s, done. Total 7 (delta 3), reused 0 (delta 0), pack-reused 0 (from 0) error: RPC failed; HTTP 408 curl 22 The requested URL returned error: 408 send-pack: unexpected disconnect while reading sideband packet fatal: the remote end hung up unexpectedly Everything up-to-date
AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) $ ^C
AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTF $ git fetch origin git status git log --oneline --decorate --graph --max-count=10 origin/Dev Dev On branch Dev Your branch is ahead of 'origin/Dev' by 2 commits. (use "git push" to publish your local commits) nothing to commit, working tree clean * ab39c53 (HEAD -> Dev) ajout video * 20f18c3 video demo * d3e906a (origin/Dev) fifth commit * f8ae20a third commit * 0d4dde6 second commit * 3f11d50 Ajout gitignore * 51da07f (origin/main, origin/Test, origin/HEAD, main, Test) Initial commit
AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) $ ^C
AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) $ git config --global http.version HTTP/1.1 git config --global core.compression 0 git push origin Dev Enumerating objects: 9, done. Counting objects: 100% (9/9), done. Delta compression using up to 4 threads Compressing objects: 100% (7/7), done. Writing objects: 100% (7/7), 25.56 MiB | 66.59 MiB/s, done. Total 7 (delta 3), reused 0 (delta 0), pack-reused 0 (from 0) remote: Resolving deltas: 100% (3/3), completed with 2 local objects. To https://github.com/Mariogit20/PORTFOLIO-cv-MARIO-4.git d3e906a..ab39c53 Dev -> Dev AzureAD+SPSSE02MEN@DESKTOP-S95K8U0 MINGW64 /d/PYTHON DJANGO HOPES/github13/PORTFOLIO-cv-MARIO-4 (Dev) $

```

Nickel  Là c'est **réglé** : ton dernier push a bien réussi.

La ligne clé :

```
d3e906a..ab39c53 Dev -> Dev
```

=> le remote origin/Dev est maintenant à jour avec tes 2 commits (la vidéo est bien poussée).

Pourquoi ça marche maintenant

Le combo :

- `http.version HTTP/1.1`
- `core.compression 0`
a évité le **timeout 408** (souvent lié à HTTP/2/proxy ou à la compression qui rallonge/fragilise l'upload).

À faire maintenant (recommandé)

1. Remettre la compression normale (sinon tu perds du temps sur les prochains pushes) :

```
git config --global --unset core.compression
```

2. Garder HTTP/1.1 si tu restes sur ce réseau/proxy (tu peux le laisser, c'est OK) :

```
git config --global http.version HTTP/1.1
```

Important pour la suite : évite les vidéos dans Git “normal”

Si tu comptes ajouter d'autres .mkv, passe plutôt en **Git LFS** (sinon ton repo va gonfler vite). Si tu veux, je te donne la commande exacte pour migrer proprement ton repo actuel vers LFS sans casser l'historique (ou en le réécrivant proprement).

Build faster with Codex

Try with Free and Go, or enjoy 2x rate limits on all other plans for a limited time.

Essayer dans votre IDE

Join the Codex app waitlist

ChatGPT peut commettre des erreurs. OpenAI n'utilise pas les données de l'espace de travail Zehra Siddiqui's Workspace pour entraîner ses modèles.