

	A	B	C	D	E	F
1	IA 5 min	Densité pédite 0+/m2 (quantiles)				
2		5%	25%	50%	75%	95%
3	1	0,002	0,007	0,012	0,019	0,036
4	2	0,004	0,012	0,018	0,026	0,046
5	3	0,007	0,016	0,023	0,031	0,053
6	4	0,010	0,021	0,029	0,038	0,060
7	5	0,014	0,026	0,034	0,044	0,069
8	6	0,017	0,030	0,039	0,050	0,076
9	7	0,021	0,035	0,045	0,057	0,083
10	8	0,024	0,040	0,050	0,062	0,090
11	9	0,028	0,044	0,056	0,069	0,097
12	10	0,032	0,049	0,061	0,074	0,103
13	11	0,035	0,054	0,066	0,080	0,111
14	12	0,039	0,059	0,072	0,087	0,118
15	13	0,044	0,064	0,077	0,091	0,127
16	14	0,049	0,069	0,082	0,098	0,132
17	15	0,052	0,074	0,087	0,103	0,138
18	16	0,055	0,078	0,093	0,109	0,146
19	17	0,059	0,084	0,099	0,116	0,153
20	18	0,063	0,089	0,105	0,121	0,159
21	19	0,068	0,094	0,110	0,128	0,167
22	20	0,074	0,099	0,115	0,133	0,172
23	21	0,078	0,104	0,121	0,140	0,180
24	22	0,082	0,109	0,125	0,145	0,186
25	23	0,087	0,115	0,132	0,151	0,192
26	24	0,091	0,120	0,137	0,157	0,199
27	25	0,095	0,124	0,142	0,162	0,206
28	26	0,097	0,129	0,147	0,168	0,212
29	27	0,103	0,135	0,154	0,174	0,220
30	28	0,107	0,139	0,158	0,180	0,227
31	29	0,111	0,145	0,165	0,187	0,232
32	30	0,117	0,150	0,170	0,192	0,240
33	31	0,121	0,154	0,175	0,197	0,244
34	32	0,124	0,159	0,180	0,203	0,251
35	33	0,129	0,165	0,186	0,209	0,258
36	34	0,133	0,169	0,190	0,213	0,261
37	35	0,138	0,174	0,196	0,218	0,266
38	36	0,140	0,180	0,202	0,226	0,278
39	37	0,147	0,185	0,207	0,231	0,281
40	38	0,152	0,192	0,214	0,237	0,288
41	39	0,155	0,195	0,218	0,243	0,294
42	40	0,161	0,200	0,223	0,248	0,302
43	41	0,166	0,206	0,228	0,253	0,309
44	42	0,169	0,209	0,233	0,259	0,313
45	43	0,174	0,215	0,240	0,266	0,323
46	44	0,181	0,221	0,245	0,270	0,326
47	45	0,186	0,227	0,250	0,276	0,332
48	46	0,188	0,231	0,257	0,284	0,343
49	47	0,194	0,238	0,263	0,290	0,345

	A	B	C	D	E	F
1	IA 5 min	Densité pédite 0+/m2 (quantiles)				
2		5%	25%	50%	75%	95%
50	48	0,198	0,241	0,267	0,294	0,350
51	49	0,203	0,247	0,274	0,301	0,359
52	50	0,206	0,251	0,278	0,305	0,365
53	51	0,213	0,257	0,284	0,312	0,374
54	52	0,215	0,262	0,289	0,319	0,375
55	53	0,223	0,268	0,295	0,323	0,384
56	54	0,227	0,273	0,300	0,329	0,390
57	55	0,230	0,277	0,306	0,334	0,396
58	56	0,235	0,282	0,309	0,339	0,401
59	57	0,238	0,287	0,316	0,346	0,409
60	58	0,246	0,294	0,322	0,352	0,412
61	59	0,246	0,297	0,327	0,357	0,421
62	60	0,251	0,304	0,332	0,363	0,427
63	61	0,260	0,310	0,338	0,369	0,431
64	62	0,264	0,315	0,343	0,373	0,439
65	63	0,269	0,318	0,347	0,378	0,444
66	64	0,274	0,325	0,354	0,386	0,453
67	65	0,276	0,329	0,359	0,391	0,458
68	66	0,279	0,334	0,364	0,395	0,461
69	67	0,287	0,340	0,371	0,403	0,467
70	68	0,292	0,344	0,376	0,409	0,476
71	69	0,294	0,350	0,382	0,415	0,484
72	70	0,300	0,356	0,387	0,419	0,489
73	71	0,305	0,360	0,391	0,425	0,491
74	72	0,311	0,364	0,396	0,430	0,499
75	73	0,315	0,372	0,403	0,438	0,508
76	74	0,320	0,375	0,408	0,442	0,512
77	75	0,326	0,381	0,413	0,447	0,521
78	76	0,330	0,387	0,419	0,453	0,528
79	77	0,334	0,391	0,424	0,458	0,528
80	78	0,338	0,397	0,430	0,465	0,535
81	79	0,343	0,401	0,434	0,471	0,544
82	80	0,348	0,407	0,441	0,476	0,554
83	81	0,355	0,411	0,445	0,482	0,556
84	82	0,358	0,419	0,451	0,487	0,560
85	83	0,361	0,422	0,457	0,494	0,569
86	84	0,362	0,427	0,461	0,498	0,574
87	85	0,372	0,434	0,469	0,505	0,581
88	86	0,377	0,438	0,472	0,508	0,584
89	87	0,380	0,443	0,477	0,515	0,591
90	88	0,385	0,448	0,482	0,520	0,598
91	89	0,391	0,453	0,489	0,527	0,603
92	90	0,397	0,460	0,496	0,533	0,612
93	91	0,400	0,464	0,500	0,537	0,616
94	92	0,406	0,470	0,506	0,545	0,623
95	93	0,408	0,474	0,510	0,550	0,626
96	94	0,415	0,480	0,518	0,557	0,633

	A	B	C	D	E	F
1	IA 5 min	Densité p�dite 0+/m2 (quantiles)				
2		5%	25%	50%	75%	95%
97	95	0,420	0,486	0,524	0,562	0,643
98	96	0,426	0,490	0,526	0,566	0,643
99	97	0,428	0,496	0,534	0,574	0,650
100	98	0,432	0,499	0,538	0,577	0,658
101	99	0,439	0,505	0,542	0,583	0,661
102	100	0,445	0,512	0,550	0,589	0,671
103	101	0,451	0,515	0,554	0,596	0,680
104	102	0,451	0,521	0,560	0,600	0,684
105	103	0,457	0,526	0,565	0,607	0,693
106	104	0,465	0,532	0,570	0,612	0,700
107	105	0,468	0,536	0,575	0,614	0,701
108	106	0,473	0,542	0,582	0,622	0,707
109	107	0,476	0,547	0,588	0,629	0,718
110	108	0,480	0,552	0,592	0,634	0,718
111	109	0,488	0,559	0,599	0,641	0,728
112	110	0,495	0,563	0,602	0,645	0,730
113	111	0,500	0,566	0,608	0,650	0,734
114	112	0,501	0,573	0,614	0,656	0,744
115	113	0,506	0,578	0,620	0,662	0,749
116	114	0,511	0,584	0,624	0,667	0,755
117	115	0,514	0,589	0,630	0,672	0,757
118	116	0,518	0,594	0,635	0,680	0,773
119	117	0,526	0,599	0,638	0,681	0,770
120	118	0,532	0,604	0,647	0,692	0,782
121	119	0,537	0,611	0,651	0,696	0,781
122	120	0,539	0,614	0,657	0,701	0,791
123	121	0,547	0,619	0,663	0,708	0,796
124	122	0,553	0,626	0,669	0,714	0,802
125	123	0,551	0,628	0,670	0,716	0,808
126	124	0,560	0,636	0,678	0,724	0,819
127	125	0,562	0,643	0,686	0,732	0,822
128	126	0,570	0,646	0,689	0,734	0,825
129	127	0,577	0,652	0,697	0,743	0,838
130	128	0,577	0,655	0,699	0,744	0,839
131	129	0,584	0,662	0,706	0,753	0,849
132	130	0,589	0,667	0,713	0,757	0,848
133	131	0,597	0,673	0,718	0,764	0,854
134	132	0,596	0,677	0,721	0,770	0,864
135	133	0,605	0,682	0,726	0,774	0,868
136	134	0,609	0,688	0,734	0,780	0,883
137	135	0,613	0,693	0,737	0,783	0,878
138	136	0,622	0,697	0,743	0,791	0,890
139	137	0,624	0,701	0,747	0,793	0,895
140	138	0,630	0,710	0,755	0,802	0,905
141	139	0,636	0,713	0,759	0,810	0,911
142	140	0,640	0,720	0,765	0,812	0,911
143	141	0,646	0,725	0,772	0,819	0,916

	A	B	C	D	E	F
1	IA 5 min	Densité pédite 0+/m2 (quantiles)				
2		5%	25%	50%	75%	95%
144	142	0,645	0,730	0,775	0,823	0,924
145	143	0,654	0,736	0,782	0,831	0,931
146	144	0,657	0,742	0,787	0,837	0,935
147	145	0,663	0,747	0,795	0,842	0,942
148	146	0,664	0,750	0,798	0,848	0,946
149	147	0,673	0,755	0,802	0,853	0,956
150	148	0,681	0,762	0,810	0,859	0,963
151	149	0,682	0,768	0,814	0,862	0,966
152	150	0,684	0,770	0,820	0,870	0,969
153	151	0,690	0,777	0,824	0,872	0,982
154	152	0,696	0,783	0,831	0,883	0,981
155	153	0,704	0,788	0,838	0,887	0,986
156	154	0,706	0,796	0,844	0,893	0,998
157	155	0,712	0,799	0,846	0,898	1,002
158	156	0,722	0,805	0,854	0,906	1,012
159	157	0,718	0,809	0,857	0,908	1,017
160	158	0,724	0,814	0,865	0,917	1,023
161	159	0,730	0,820	0,870	0,921	1,031
162	160	0,736	0,824	0,874	0,927	1,035
163	161	0,743	0,829	0,878	0,932	1,041
164	162	0,747	0,833	0,883	0,937	1,047
165	163	0,752	0,840	0,889	0,942	1,052
166	164	0,757	0,846	0,896	0,949	1,056
167	165	0,760	0,850	0,901	0,953	1,060
168	166	0,763	0,856	0,906	0,959	1,075
169	167	0,770	0,863	0,912	0,963	1,072
170	168	0,771	0,866	0,916	0,973	1,084
171	169	0,782	0,872	0,925	0,980	1,087
172	170	0,782	0,878	0,928	0,982	1,089
173	171	0,791	0,881	0,934	0,988	1,102
174	172	0,793	0,887	0,938	0,993	1,105
175	173	0,801	0,892	0,944	1,000	1,112
176	174	0,808	0,898	0,950	1,005	1,113
177	175	0,810	0,904	0,953	1,009	1,116
178	176	0,818	0,911	0,963	1,017	1,129
179	177	0,815	0,913	0,966	1,021	1,135
180	178	0,828	0,918	0,970	1,028	1,143
181	179	0,824	0,923	0,979	1,033	1,143
182	180	0,834	0,927	0,982	1,038	1,158
183	181	0,841	0,934	0,987	1,043	1,160
184	182	0,841	0,939	0,994	1,051	1,159
185	183	0,848	0,946	0,999	1,057	1,173
186	184	0,857	0,951	1,003	1,060	1,173
187	185	0,860	0,957	1,010	1,070	1,182
188	186	0,864	0,961	1,014	1,073	1,192
189	187	0,871	0,966	1,021	1,079	1,195
190	188	0,873	0,970	1,024	1,084	1,197

	A	B	C	D	E	F
1	IA 5 min	Densité pédite 0+/m2 (quantiles)				
2		5%	25%	50%	75%	95%
191	189	0,877	0,976	1,030	1,088	1,199
192	190	0,884	0,982	1,038	1,094	1,211
193	191	0,892	0,987	1,042	1,099	1,219
194	192	0,895	0,990	1,046	1,104	1,225
195	193	0,897	0,999	1,053	1,111	1,232
196	194	0,906	1,005	1,059	1,115	1,237
197	195	0,902	1,007	1,066	1,123	1,248
198	196	0,911	1,013	1,070	1,128	1,254
199	197	0,919	1,019	1,074	1,134	1,254
200	198	0,923	1,020	1,078	1,138	1,261
201	199	0,925	1,028	1,083	1,142	1,267
202	200	0,934	1,032	1,088	1,148	1,275
203	201	0,940	1,041	1,098	1,158	1,285
204	202	0,942	1,041	1,102	1,162	1,280
205	203	0,952	1,049	1,107	1,170	1,291
206	204	0,953	1,055	1,111	1,172	1,294
207	205	0,953	1,060	1,118	1,178	1,299
208	206	0,965	1,064	1,121	1,184	1,300
209	207	0,967	1,070	1,130	1,191	1,308
210	208	0,974	1,077	1,135	1,195	1,319
211	209	0,975	1,081	1,138	1,201	1,324
212	210	0,980	1,087	1,146	1,206	1,338
213	211	0,987	1,091	1,151	1,212	1,333
214	212	0,988	1,096	1,154	1,215	1,338
215	213	0,999	1,103	1,161	1,224	1,348
216	214	0,999	1,107	1,167	1,229	1,353
217	215	1,006	1,114	1,172	1,232	1,359
218	216	1,009	1,116	1,176	1,241	1,364
219	217	1,018	1,124	1,185	1,247	1,374
220	218	1,018	1,130	1,188	1,248	1,375
221	219	1,025	1,134	1,195	1,258	1,384
222	220	1,032	1,138	1,202	1,261	1,391
223	221	1,035	1,142	1,205	1,267	1,398
224	222	1,037	1,147	1,209	1,274	1,398
225	223	1,049	1,155	1,215	1,280	1,411
226	224	1,050	1,160	1,221	1,283	1,409
227	225	1,054	1,166	1,226	1,291	1,421
228	226	1,058	1,170	1,233	1,294	1,419
229	227	1,067	1,174	1,234	1,297	1,436
230	228	1,070	1,182	1,244	1,309	1,438
231	229	1,073	1,185	1,247	1,312	1,448
232	230	1,082	1,192	1,254	1,320	1,446
233	231	1,090	1,195	1,260	1,323	1,455
234	232	1,092	1,204	1,265	1,330	1,456
235	233	1,096	1,207	1,269	1,335	1,467
236	234	1,100	1,213	1,274	1,339	1,472
237	235	1,110	1,217	1,282	1,348	1,477

	A	B	C	D	E	F
1	IA 5 min	Densité pédite 0+/m2 (quantiles)				
2		5%	25%	50%	75%	95%
238	236	1,113	1,221	1,286	1,351	1,477
239	237	1,112	1,228	1,292	1,355	1,496
240	238	1,124	1,234	1,298	1,363	1,498
241	239	1,124	1,240	1,302	1,368	1,504
242	240	1,129	1,244	1,308	1,374	1,502
243	241	1,138	1,249	1,313	1,379	1,511
244	242	1,134	1,253	1,318	1,385	1,523
245	243	1,144	1,262	1,326	1,391	1,527
246	244	1,146	1,263	1,327	1,396	1,532
247	245	1,154	1,274	1,339	1,404	1,541
248	246	1,154	1,276	1,341	1,408	1,545
249	247	1,166	1,279	1,343	1,415	1,553
250	248	1,165	1,285	1,351	1,417	1,552
251	249	1,180	1,293	1,359	1,424	1,565
252	250	1,177	1,299	1,362	1,428	1,555
253	251	1,184	1,302	1,365	1,431	1,568
254	252	1,189	1,308	1,373	1,441	1,587
255	253	1,196	1,314	1,378	1,447	1,587
256	254	1,200	1,319	1,384	1,452	1,592
257	255	1,206	1,321	1,389	1,458	1,599
258	256	1,209	1,331	1,396	1,462	1,607
259	257	1,213	1,330	1,396	1,468	1,611
260	258	1,222	1,340	1,405	1,473	1,614
261	259	1,223	1,342	1,410	1,478	1,619
262	260	1,231	1,347	1,413	1,481	1,627
263	261	1,233	1,354	1,421	1,490	1,634
264	262	1,247	1,360	1,427	1,496	1,643
265	263	1,244	1,367	1,433	1,503	1,648
266	264	1,247	1,368	1,436	1,506	1,648
267	265	1,249	1,372	1,439	1,512	1,658
268	266	1,257	1,384	1,450	1,518	1,664
269	267	1,260	1,385	1,454	1,525	1,663
270	268	1,263	1,392	1,463	1,531	1,675
271	269	1,271	1,399	1,465	1,537	1,688
272	270	1,275	1,402	1,470	1,543	1,692
273	271	1,287	1,408	1,473	1,547	1,694
274	272	1,286	1,410	1,480	1,551	1,694
275	273	1,294	1,415	1,486	1,558	1,707
276	274	1,298	1,423	1,494	1,567	1,711
277	275	1,305	1,425	1,498	1,571	1,722
278	276	1,307	1,433	1,503	1,574	1,719
279	277	1,317	1,443	1,510	1,583	1,734
280	278	1,321	1,444	1,514	1,584	1,727
281	279	1,323	1,448	1,517	1,592	1,740
282	280	1,325	1,454	1,524	1,596	1,743
283	281	1,343	1,459	1,526	1,600	1,750
284	282	1,343	1,465	1,535	1,607	1,759

	A	B	C	D	E	F
1	IA 5 min	Densité pédite 0+/m2 (quantiles)				
2		5%	25%	50%	75%	95%
285	283	1,338	1,470	1,538	1,615	1,764
286	284	1,348	1,476	1,546	1,619	1,767
287	285	1,350	1,478	1,552	1,626	1,780
288	286	1,364	1,486	1,558	1,630	1,780
289	287	1,365	1,494	1,565	1,636	1,792
290	288	1,369	1,493	1,566	1,639	1,787
291	289	1,374	1,501	1,570	1,643	1,802
292	290	1,379	1,506	1,581	1,656	1,805
293	291	1,386	1,515	1,585	1,663	1,818
294	292	1,389	1,518	1,591	1,666	1,809
295	293	1,395	1,523	1,597	1,672	1,822
296	294	1,396	1,525	1,597	1,677	1,832
297	295	1,402	1,536	1,607	1,685	1,829
298	296	1,409	1,540	1,615	1,687	1,840
299	297	1,412	1,544	1,616	1,691	1,845
300	298	1,419	1,547	1,621	1,698	1,844
301	299	1,424	1,556	1,626	1,702	1,861
302	300	1,427	1,563	1,636	1,708	1,865