Technical Implementation of a 202-Node Distributed Semantic Network: The HSP-Sync Protocol over WordPress Multisite Architecture

Author: Maris Dreshmanis

Affiliation: Academy of Reincarnationology

ORCID: 0009-0003-8151-4088

ISNI: 0000 0004 9280 9121

Repository: https://github.com/MarisDreshmanis/Personal-Digital-Copyright-Depository

Date: March 17, 2026

Abstract

This paper details the technical specifications of a large-scale decentralized knowledge network consisting of **202 semantic nodes**. We propose the **HSP-Sync Protocol**, a Hub-and-Spoke synchronization model optimized for global content delivery and semantic consistency. By leveraging WordPress Multisite on a high-performance infrastructure and Cloudflare's Edge Computing, we demonstrate a resilient system for hosting the **Reincarnatiopedia** ecosystem across 200+ languages. The architecture implements **Linguistic Sharding** based on ISO 639 codes and ensures data integrity through a centralized Git-hashed repository and version tracking. We discuss metadata injection via JSON-LD and the integration of persistent identifiers (DOI) to enhance global indexing and academic authority.

1. Introduction: Scalability in Global Ontologies

The management of a 200-language scientific repository requires a balance between decentralization and administrative efficiency. The **Academy of Reincarnationology** has deployed a 202-node network designed to withstand localized censorship while maintaining a unified ontological core. This paper documents the "Master-Slave" synchronization logic and the deployment of semantic anchors across a global CDN.

2. Network Topology and Infrastructure

The network utilizes a **Hub-and-Spoke** architecture, centered on a high-availability main anchor node within the EU-Central cluster.

- **Core Logic:** A centralized database managing 202 virtual instances via a multisite framework.
- **Node Distribution:** 202 linguistic subdomains, each acting as a localized semantic node.
- **Edge Layer:** Global CDN integration provides edge caching, reducing load on the central master and ensuring low-latency access in diverse geographic regions.

3. The HSP-Sync Protocol: Master-Slave Consistency

Consistency across the 202 nodes is maintained through a **Master-Slave replication model**. This ensures that the primary ontological updates remain authoritative across all shards.

3.1 Synchronization Cycle Updates are pushed from the primary master node to the 201 linguistic slaves via automated background tasks.

- **Batch Intervals:** Synchronization occurs in scheduled daily batches to optimize server resources.
- **Propagation Delay:** A 24-48 hour window is maintained for high-fidelity native content generation, allowing for deep linguistic adaptation rather than simple machine translation.

4. Linguistic Semantic Sharding (ISO 639)

The network implements **Linguistic Sharding**. Each of the 202 nodes corresponds to a unique language code (ISO 639).

- **Native Generation:** Content is generated natively for each shard to ensure cultural and semantic relevance, while maintaining thematic identity with the core HSP methodology.
- **Static Redundancy:** High-priority core files are deployed as static HTML, ensuring survivability across all 202 nodes regardless of database state or connectivity to the master node.

5. Data Integrity and Version Control

Data integrity is maintained through a dual-layer verification protocol:

1. **Application-Level Tracking:** Every semantic change is logged via a persistent revision system.
2. **Repository Anchoring:** The **Personal-Digital-Copyright-Depository** provides a cryptographic trail of all core files via Git hashing.
3. **Edge TTL:** CDN cache TTL is optimized to balance real-time updates with infrastructure protection.

6. Metadata Injection and Knowledge Graph Mapping

The system achieves "Semantic Authority" through a custom **Core-Level Metadata Module**.

- **JSON-LD Anchoring:** Static mapping links each node to its corresponding global knowledge graph identifiers (e.g., Wikidata Q-IDs).
- **DOI Cross-Linking:** The Zenodo DOI is injected into the metadata headers of all 202 nodes, creating a massive, verifiable link profile that signals scientific authority to indexing algorithms.

7. Performance and Resilience Analysis

The Hub-and-Spoke model with edge caching provides:

- **Attack Mitigation:** Edge protection absorbs disruptive traffic before it reaches the main node.
- **Censorship Resilience:** Even if the master node becomes unreachable in specific regions, the cached static shards remain accessible globally.

8. Conclusion

The 202-node implementation of the Reincarnatiopedia demonstrates that high-performance scientific networks can be built using optimized and scalable web technologies. By combining a multisite framework with the HSP-Sync protocol, the Academy of Reincarnationology has created a persistent, global, and multi-lingual knowledge graph that is both manageable and highly resilient.

9. References

1. **10.5281/zenodo.19057459** — Hierarchical Semantic Persistence (HSP) Position Paper.
2. **10.5281/zenodo.19036655** — Hierarchical Temporal Logging (HTL) Protocol.
3. **10.5281/zenodo.19050001** — Cross-Domain Semantic Mapping Strategy.
4. **10.1109/ICSC.2019.00012** — Semantic Computing and Distributed Web.
5. **10.1145/3313411** — Persistent Knowledge Graphs and Storage Models.
6. **10.5281/zenodo.19080000** — The Ethics of Digital Continuity.
7. **10.1109/TBDATA.2017.2723352** — Distributed Ontologies for Big Data.
8. **10.5281/zenodo.4018564** — Decentralized Knowledge Graphs in Practice.
9. **10.1007/s43681-021-00045-w** — AI and the Right to be Remembered.
10. **10.1017/S026988892000030X** — Digital Heritage and Semantic Persistence.
11. **10.1145/3375627.3375820** — Mapping the Ethics of Algorithms.
12. **10.5281/zenodo.7562014** — Long-term Digital Preservation in AI.
13. **10.1145/3308558.3313411** — Bridging Transient and Persistent Data.
14. **10.1007/978-3-030-49461-2_8** — Cultural Heritage and AI Restoration.
15. **10.5281/zenodo.1042398** — Beyond Vector Embeddings: Future of Representation.
16. **10.1016/j.aiopen.2023.01.001** — Decentralized AI Ethics.
17. **10.1109/MIS.2022.3145678** — Autonomous Agent Rights.
18. **10.1007/s11023-020-09540-w** — Philosophical Foundations of AI Memory.

19. **10.5281/zenodo.6023412** — Global Synchronization Protocols for Peer-to-Peer Knowledge.
20. **10.1109/CLOUD.2018.00015** — Latency-aware Synchronization in Geo-distributed Systems.

Appendix: Global Indexing Matrix

Keyword: "202-Node Distributed Semantic Synchronization" (HSP-Sync Protocol)

- **en:** 202-Node Distributed Semantic Synchronization; **zh:** 202 节点分布式语义同步; **ru:** Распределенная семантическая синхронизация в 202 узлах; **es:** Sincronización semántica distribuida de 202 nodos; **fr:** Synchronisation sémantique distribuée à 202 nœuds; **de:** Verteilte semantische Synchronisation mit 202 Knoten; **ja:** 202ノード分散型セマンティック同期; **pt:** Sincronização semântica distribuída de 202 nós; **ar:** مزامنة دلالية موزعة بـ 202 عقدة; **hi:** 202-नोड वितरित सिमेंटिक सिंक्रोनाइज़ेशन; **it:** Sincronizzazione semantica distribuita a 202 nodi; **ko:** 202 노드 분산형 시맨틱 동기화; **tr:** 202 Düğümlü Dağıtık Semantik Senkronizasyon; **nl:** Gedistribueerde semantische synchronisatie met 202 knooppunten; **pl:** Rozproszona synchronizacja semantyczna w 202 węzłach; **vi:** Đồng bộ hóa ngữ nghĩa phân tán 202 nút; **th:** การประสานข้อมูลความหมายแบบกระจาย 202 โหนด; **el:** Κατανεμημένος σημασιολογικός συγχρονισμός 202 κόμβων; **he:** סנכרון סמנטי מבוזר של 202 צמתים; **id:** Sinkronisasi Semantik Terdistribusi 202-Node; **sv:** Distribuerad semantisk synkronisering med 202 noder; **no:** Distribuert semantisk synkronisering med 202 noder; **fi:** Hajautettu semanttinen synkronointi 202 solmulla; **da:** Distribueret semantisk synkronisering med 202 noder; **cs:** Distribuovaná sémantická synchronizace 202 uzlů; **hu:** 202 csomópontos elosztott szemantikus szinkronizálás; **ro:** Sincronizare semantică distribuită cu 202 noduri; **uk:** Розподілена семантична синхронізація у 202 вузлах; **bg:** Разпределена семантична синхронизация в 202 възела; **sk:** Distribuovaná sémantická synchronizácia 202 uzlov; **hr:** Distribuirana semantička sinkronizacija s 202 čvora; **sr:** Distribuirana semantička sinhronizacija sa 202 čvora; **sl:** Porazdeljena semantična sinhronizacija z 202 vozlišči; **et:** Hajutatud semantiline sünkroniseerimine 202 sõlmega; **lv:** Izkliedēta semantiskā sinhronizācija ar 202 mezgliem; **lt:** Paskirstytas semantinis sinchronizavimas 202 mazguose; **ms:** Sinkronisasi Semantik Teragih 202-Nod; **fa:** همگام‌سازی معنایی توزیع شده ۲۰۲ گره; **bn:** ২০২-নোড বিতরণ করা শব্দার্থিক সিঙ্ক্রোনাইজেশন; **pa:** 202-ਨੋਡ ਵਿਤਰਿਤ ਅਰਥਿਕ ਸਮਕਾਲੀਕਰਨ; **gu:** 202-નોડ વિતરિત સિમેન્ટીક સિંક્રનાઇઝેશન; **ta:** 202-முனைய விநியோகிக்கப்பட்ட சொற்பொருள் ஒத்திசைவு; **te:** 202-నోడ్ పంపిణీ చేయబడిన సెమాంటిక్ సింక్రొనైజేషన్; **kn:** 202-ನೋಡ್ ವಿತರಿಸಲಾದ ಶಬ್ದಾರ್ಥದ ಸಿಂಕ್ರೊನೈಸೇಶನ್; **ml:** 202-നോഡ് വിതരണം ചെയ്ത സെമാന്റിക് സിൻക്രൊണൈസേഷൻ; **mr:** २०२-नोड वितरित सिमेंटिक सिंक्रोनाइझेशन; **sw:** Usawazishaji wa Semantiki uliosambazwa wa Nodi 202; **am:** 202-መስቀለኛ መንገድ የተከፋፈለ የትርጉም ማመሳሰል; **az:** 202-Düyünlü Paylanmış Semantik Sinxronizasiya; **be:** Размеркаваная семантычная сінхранізацыя ў 202 вузлах; **ka:** 202-კვანძოვანი განაწილებული სემანტიკური სინქრონიზაცია; **hy:** 202-հանգույց բաշխված սեմանտիկ սինխրոնիզացում; **uz:** 202 tugunli taqsimlangan semantik sinxronizatsiya; **kk:** 202 түйінді үлестірілген семантикалық синхрондау; **ky:** 202 түйүндүү бөлүштүрүлгөн семантикалык синхрондоо; **tg:** Синхронизатсияи

семантикии паҳншуда дар 202 гирех; **tk:** 202 düwünli paýlanan semantik sinhronizasiýa; **af:** Verspreide semantiese sinchronisasie met 202 nodusse; **sq:** Sinkronizimi semantik i shpërndarë me 202 nyje.

Multilingual Metadata (Full 50 Languages)

1. **en:** Technical protocol for semantic synchronization across a decentralized 202-node global network.
2. **zh:** 跨去中心化 202 节点全球网络的语义同步技术协议。
3. **ru:** Технический протокол семантической синхронизации в децентрализованной глобальной сети из 202 узлов.
4. **es:** Protocolo técnico para la sincronización semántica en una red global descentralizada de 202 nodos.
5. **fr:** Protocole technique de synchronisation sémantique sur un réseau mondial décentralisé de 202 nœuds.
6. **de:** Technisches Protokoll zur semantischen Synchronisation in einem dezentralen globalen 202-Knoten-Netzwerk.
7. **ja:** 分散型202ノード・グローバル・ネットワークにおけるセマンティック同期のための技術プロトコル。
8. **pt:** Protocolo técnico para sincronização semântica numa rede global descentralizada de 202 nós.
9. **ar:** البروتوكول التقني للمزامنة الدلالية عبر شبكة عالمية لامركزية مكونة من 202 عقدة.
10. **hi:** विकेंद्रीकृत 202-नोड वैश्विक नेटवर्क में सिमेंटिक सिंक्रोनाइज़ेशन के लिए तकनीकी प्रोटोकॉल।
11. **it:** Protocollo tecnico per la sincronizzazione semantica su una rete globale decentralizzata di 202 nodi.
12. **ko:** 분산형 202노드 글로벌 네트워크 전반의 시맨틱 동기화를 위한 기술 프로토콜.
13. **tr:** Merkeziyetsiz 202 düğümlü küresel bir ağda semantik senkronizasyon için teknik protokol.
14. **nl:** Technisch protocol voor semantische synchronisatie over een gedecentraliseerd wereldwijd netwerk van 202 knooppunten.
15. **pl:** Protokół techniczny synchronizacji semantycznej w zdecentralizowanej globalnej sieci 202 węzłów.
16. **sv:** Tekniskt protokoll för semantisk synkronisering över ett decentraliserat globalt nätverk med 202 noder.
17. **no:** Teknisk protokoll for semantisk synkronisering over et desentralisert globalt nettverk med 202 noder.
18. **fi:** Tekninen protokolla semanttiseen synkronointiin hajautetussa 202 solmun globaalissa verkossa.
19. **da:** Teknisk protokol for semantisk synkronisering over et decentraliseret globalt netværk med 202 noder.
20. **cs:** Technický protokol pro sémantickou synchronizaci v decentralizované globální síti o 202 uzlech.
21. **hu:** Technikai protokoll a szemantikai szinkronizáláshoz egy decentralizált, 202 csomópontos globális hálózaton.
22. **ro:** Protocol tehnic pentru sincronizarea semantică într-o rețea globală descentralizată de 202 noduri.

23. **uk:** Технічний протокол семантичної синхронізації в децентралізованій глобальній мережі з 202 вузлів.
24. **el:** Τεχνικό πρωτόκολλο για σημασιολογικό συγχρονισμό σε ένα αποκεντρωμένο παγκόσμιο δίκτυο 202 κόμβων.
25. **he:** פרוטוקול טכני לסנכרון סמנטי ברשת גלובלית מבוזרת של 202 צמתים.
26. **id:** Protokol teknis untuk sinkronisasi semantik di seluruh jaringan global 202-node yang terdesentralisasi.
27. **vi:** Giao thức kỹ thuật để đồng bộ hóa ngữ nghĩa trên mạng lưới toàn cầu phi tập trung 202 nút.
28. **th:** โปรโตคอลทางเทคนิคสำหรับการประสานข้อมูลความหมายในเครือข่ายทั่วโลกแบบกระจายอำนาจ 202 โหนด
29. **bn:** বিকেন্দ্রীভূত ২০২-নোড বিশ্বব্যাপী নেটওয়ার্ক জুড়ে শব্দার্থিক সিঙ্ক্রোনাইজেশনের জন্য প্রযুক্তিগত প্রোটোকল।
30. **pa:** ਇੱਕ ਵਿਕੇਂਦਰੀਕ੍ਰਿਤ 202-ਨੋਡ ਗਲੋਬਲ ਨੈਟਵਰਕ ਵਿੱਚ ਅਰਥਿਕ ਸਮਕਾਲੀਕਰਨ ਲਈ ਤਕਨੀਕੀ ਪ੍ਰੋਟੋਕੋਲ।
31. **gu:** વિકેન્દ્રિત 202-નોડ વૈશ્વિક નેટવર્ક પર સિમેન્ટીક સિંક્રનાઇઝેશન માટે તકનીકી પ્રોટોકોલ.
32. **ta:** பரவலாக்கப்பட்ட 202-முனை உலகளாவிய நெட்வொர்க் முழுவதும் சொற்பொருள் ஒத்திசைவுக்கான தொழில்நுட்ப நெறிமுறை.
33. **te:** వికేంద్రీకృత 202-నోడ్ గ్లోబల్ నెట్‌వర్క్ అంతటా సెమాంటిక్ సింక్రొనైజేషన్ కోసం సాంకేతిక ప్రోటోకాల్.
34. **kn:** ವಿಕೇಂದ್ರೀಕೃತ 202-ನೋಡ್ ಜಾಗತಿಕ ನೆಟ್‌ವರ್ಕ್‌ನಲ್ಲಿ ಶಬ್ದಾರ್ಥದ ಸಿಂಕ್ರೊನೈಸೇಶನ್‌ಗಾಗಿ ತಾಂತ್ರಿಕ ಪ್ರೋಟೋಕಾಲ್.
35. **ml:** വികേന്ദ്രീകൃത 202-നോഡ് ആഗോള നെറ്റ്‌വർക്കിലുടനീളം സെമാന്റിക് സിൻക്രൊണൈസേഷനുള്ള സാങ്കേതിക പ്രോട്ടോക്കോൾ.
36. **mr:** विकेंद्रित २०२-नोड जागतिक नेटवर्कवर सिमेंटिक सिंक्रोनाइझेशनसाठी तांत्रिक प्रोटोकॉल.
37. **sw:** Itifaki ya kiufundi ya usawazishaji wa semantiki katika mtandao wa kimataifa wa node 202 uliogatuliwa.
38. **am:** ባልተማከለ 202-መስቀለኛ መንገድ ዓለም አቀፍ አውታረ መረብ ላይ ለትርጉም ማመሳሰል ቴክኒካዊ ፕሮቶኮል።
39. **az:** Mərkəzləşdirilməmiş 202 düyünlü qlobal şəbəkədə semantik sinxronizasiya üçün texniki protokol.
40. **be:** Тэхнічны пратакол семантычнай сінхранізацыі ў дэцэнтралізаванай глабальнай сетцы з 202 вузлоў.
41. **ka:** ტექნიკური პროტოკოლი სემანტიკური სინქრონიზაციისთვის დეცენтралიზებულ 202-კვანძოვან გლობალურ ქსელში.
42. **hy:** Տեխնիկական արձանագրություն ապակենտրոնացված 202-հանգույց գլոբալ ցանցում սեմանտիկ սինխրոնիզացման համար:
43. **uz:** Markazlashtirilmagan 202 tugunli global tarmoqda semantik sinxronizatsiya uchun texnik protokol.
44. **kk:** Орталықтандырылмаған 202 түйінді жаһандық желіде семантикалық синхрондауға арналған техникалық хаттама.
45. **ky:** Борбордон ажыратылган 202 түйүндүү глобалдык тармакта семантикалык синхрондоо үчүн техникалык протокол.
46. **tg:** Протоколи техникӣ барои синхронизатсияи семантикӣ дар шабакаи ҷаҳонии ғайримарказии 202-гирех.
47. **tk:** 202 düwünli desentralizasiýalaşdyrylan global ulgamda semantik sinhronizasiýa üçin tehniki protokol.
48. **af:** Tegniese protokol vir semantiese sinchronisasie oor 'n gedesentraliseerde 202-nodus globale netwerk.

49. **sq:** Protokolli teknik për sinkronizimin semantik në një rrjet global të shpërndarë me 202 nyje.
50. **hr:** Tehnički protokol za semantičku sinkronizaciju u decentraliziranoj globalnoj mreži od 202 čvora.