New Tours

06/03/2021

	Author Details						
First Name	Mariam						
Surname	Ashraf						
Job Title	Test Atomation Engineer						
Organization							

Table of contents

General Details	3
Executive Summary	4
Conclusions	5
Business Process	6
Workload Characteristics	7
Performance Overview	8
HTTP Responses Summary	9
Transaction Summary	10
Worst URLs (by average response time)	11
Most Resource Consuming URLs	12
Largest URLs by Average KBytes	13
Running Vusers	14
Hits per Second	15
Throughput	16
Transaction Summary	17
Average Transaction Response Time	18
Terminology	19
5 Worst Transactions	0
SLA Status per Time Range	22

Page 2 out of 22 Organization:

General Details

Scenario Name Scenario 1
Run Name res.lrr

Run Date 06/03/2021 15:18:39

Period 06/03/2021 15:18:39 - 06/03/2021 15:33:00

Run Duration 14 minutes and 21 seconds

PC Project Name res.lrr

Page 3 out of 22 Organization:

Executive Summary

Page 4 out of 22 Organization:

Conclusions

Page 5 out of 22 Organization:

Business Process

Run Name	Group Name	Script Name	Concurrent Vusers	% of Total Vusers	Transactio ns per Hour	Start Time	Think Time	Pacing	Browser Cache
res.lrr	WebHttpHtml1	WebHttpHtml1	3	100			recorded	As soon as possible	
		Total:	3	100%					

Script: WebHttpHtml1


Description:

#	Transaction
1	00_Homepage_Req
2	01_SignOn_Req
3	02_SignIn_Req
4	03_Flights_Red
5	04_Reservation_Req
6	Action_Transaction
7	vuser_end_Transaction
8	vuser_init_Transaction

Page 6 out of 22 Organization:

Workload Characteristics

Measurement	res.lrr
Max Running Vusers	3
Average Hits per Second	0.5
Total Hits	450
Total Passed Transactions per Second	0.1
Total Passed Transactions per Minute	4.2
Total Transactions Number	8



Color	Graph	Scale	Measurement	Graph's Minimum	Graph's Average	Graph's Maximum	Graph's Median	Graph's Std. Deviation
	Running Vusers	1	Run	0.000	0.800	3.000	0.000	1.166
	Total Transactions per Second		Pass	0.000	0.070	4.000	0.000	0.363

Page 7 out of 22 Organization:

Performance Overview

Measurement	Value
Run Name	res.lrr
Weighted Average of Transaction Response Time	1.6
Total Passed Transactions	60
Total Failed Transactions	0
Transactions Success Rate, %	100
Total Errors per Second	0
Total Errors	0

Page 8 out of 22 Organization:

HTTP Responses Summary

HTTP Response Name	Total	Per Second
HTTP_200	351	0.4
HTTP_404	99	0.1

Page 9 out of 22 Organization:

Transaction Summary

Filter Transaction End Status= (Pass)

Run Name	Transaction Name	Minimum	Average	Maximum	Std. Deviation	90%	Pass Count	Fail Count	Stop Count
res.lrr	00_Homepage_Req	1.9	2.2	2.6	0.2	2.6	9	0	0
res.lrr	01_SignOn_Req	0.7	0.9	1.2	0.2	1.2	9	0	0
res.lrr	02_SignIn_Req	1.5	1.7	1.9	0.1	1.9	9	0	0
res.lrr	03_Flights_Red	0.7	0.8	0.8	0	0.8	9	0	0
res.lrr	04_Reservation_Req	0.8	0.9	1	0.1	1	9	0	0
res.lrr	Action_Transaction	5.8	6.4	6.9	0.4	6.9	9	0	0
res.lrr	vuser_end_Transaction	0	0	0	0	0	3	0	0
res.lrr	vuser_init_Transaction	0	0	0	0	0	3	0	0

Page 10 out of 22 Organization:

Worst URLs (by average response time)

URL name	Parent transaction name	Layers breakdow	n of the URL	Count	Total	Min	Max	Avg	StdDev
http://demo.guru99.com/te st/newtours/index.php	00_Homepage_Req			3	10.7	1.9	2.5	2.2	0.3
http://demo.guru99.com/te st/newtours/login.php	01_SignOn_Req			3	2.1	1	1.2	1.1	0.1
http://demo.guru99.com/te st/newtours/login_sucess. php	02_SignIn_Req			3	1.7	0.8	1.1	0.9	0.1
http://demo.guru99.com/te st/newtours/reservation.ph p				3	1.5	0.8	0.8	0.8	0
http://demo.guru99.com/te st/newtours/reservation2.p hp				3	1.3	0.8	1	0.9	0.1
http://demo.guru99.com/te st/newtours/login.php	02_SignIn_Req			3	1.2	0.8	0.8	0.8	0
		2.1 6.4	10.7	seco	onds				
DNS Resolution	Connection	on	SSL Hand	dshaking		FTP	Authenticat	ion	
First Buffer	Receive		Client			Error			

Page 11 out of 22 Organization:

Most Resource Consuming URLs

URL name	Parent transaction name	To	otal serve	er time		Count	Total	Min	Max	Avg	StdDev
http://demo.guru99.com/te st/newtours/login_sucess. php	02_SignIn_Req		_	_		3	0.7	0	0.7	0.2	0.3
http://demo.guru99.com/te st/newtours/index.php	00_Homepage_Req					3	0.3	0.1	0.1	0.1	0
http://demo.guru99.com/te st/newtours/login.php	02_SignIn_Req					3	0.2	0.1	0.1	0.1	0
http://demo.guru99.com/te st/newtours/reservation2.p hp						3	0.2	0	0.2	0.1	0.1
http://demo.guru99.com/te st/newtours/reservation.ph p						3	0.1	0	0	0	0
http://demo.guru99.com/te st/newtours/login.php	01_SignOn_Req					3	0.1	0	0	0	0
		0.1	0.4	0.6).7	seco	onds	•	•	•	•

Total Server Time

Page 12 out of 22 Organization:

Largest URLs by Average KBytes

URL name	Parent transaction name	Average size	Count	Total	Min	Max	Avg	StdDev
http://demo.guru99.com/te st/newtours/index.php	00_Homepage_Req		3	471.7	142.1	164.9	157.2	10.8
http://demo.guru99.com/te st/newtours/reservation.ph p		•	3	22.5	7.5	7.5	7.5	0.2
http://demo.guru99.com/te st/newtours/login.php	01_SignOn_Req		3	18.1	6	6	6	0.4
http://demo.guru99.com/te st/newtours/login_sucess. php	02_SignIn_Req		3	14.9	5	5	5	0
http://demo.guru99.com/te st/newtours/login.php	02_SignIn_Req		3	14.7	4.9	4.9	4.9	0.1
http://demo.guru99.com/te st/newtours/reservation2.p hp			3	14.8	4.9	4.9	4.9	0.2

Author: Mariam Ashraf

31.4 94.3 157.2 KBytes 62.9 125.8

Average size

Page 13 out of 22 Organization:

Running Vusers


Title Running Vusers

C:\Users\lenovo\AppData\Local\Temp\res\res.lrr

Filters Vuser Status = (Run)

Group By

Granularity 16 Seconds



Color	Scale	Measurement	Graph Minimum	Graph Average	Graph Maximum	Graph Median	Graph Std. Deviation
	1	Run	0.000	0.750	3.000	0.000	1.299

Description: Displays the number of Vusers that executed Vuser scripts, and their status, during each second of a load test. This graph is useful for determining the Vuser load on your server at any given moment.

Page 14 out of 22 Organization:

Hits per Second


Title Hits per Second

C:\Users\lenovo\AppData\Local\Temp\res\res.lrr

Filters None

Group By

Granularity 16 Seconds



Color	Scale	Measurement	Graph Minimum	Average	Graph Maximum	Graph Median	Graph Std. Deviation
	1	Hits	0.000	0.522	6.000	0.000	1.368

Description: Displays the number of hits made on the Web server by Vusers during each second of the load test. This graph helps you evaluate the amount of load Vusers generate, in terms of the number of hits.

Page 15 out of 22 Organization:

Throughput


Title Throughput

C:\Users\lenovo\AppData\Local\Temp\res\res.lrr

Filters None

Group By

Granularity 16 Seconds



Color	Scale	Measurement	Graph Minimum	Average	Graph Maximum	Graph Median	Graph Std. Deviation
	1	Throughput	0.000	2,066.212	31,687.688	0.000	7,200.955

Description: Displays the amount of throughput (in bytes) on the Web server during the load test. Throughput represents the amount of data that the Vusers received from the server at any given second. This graph helps you to evaluate the amount of load Vusers generate, in terms of server throughput.

Page 16 out of 22 Organization:


Transaction Summary

Title Transaction Summary

C:\Users\lenovo\AppData\Local\Temp\res\res.lrr

Filters (do not Include Think Time)

Group By



Color	Scale	Measurement
	1	Pass

Description: Displays the number of transactions that passed, failed, stopped, or ended with errors.

Page 17 out of 22 Organization:

Average Transaction Response Time


Title Average Transaction Response Time

C:\Users\lenovo\AppData\Local\Temp\res\res.lrr

Filters Transaction End Status = (Pass)(do not Include Think Time)

Group By

Granularity 16 Seconds,



Color Scale		Measurement	Minimum	Average	Maximum	Std. Deviation		
	1	00_Homepage_Req	1.891	2.194	2.562	0.201		
	1	01_SignOn_Req	0.749	0.881	1.202	0.183		
	1	02_SignIn_Req	1.544	1.671	1.858	0.112		
	1	03_Flights_Red	0.748	0.770	0.815	0.020		
	1	04_Reservation_Req	0.750	0.859	1.028	0.101		
	1	Action_Transaction	5.781	6.422	6.904	0.354		
	1	vuser_end_Transaction	0.000	0.000	0.000	0.000		
	1	vuser_init_Transaction	0.000	0.000	0.001	0.000		

Description: Displays the average time taken to perform transactions during each second of the load test. This graph helps you determine whether the performance of the server is within acceptable minimum and maximum transaction performance time ranges defined for your system.

Page 18 out of 22 Organization:

Terminology

LoadRunner Objects

Term	Definition
Vuser Scripts	A Vuser script describes the actions that a Vuser performs during the scenario. Each Vuser executes a Vuser script during a scenario run. The Vuser scripts include functions that measure and record the performance of your application components.
Load Test	Tests a system's ability to handle a heavy workload. A load test simulates multiple transactions or users interacting with the computer at the same time and provides reports on response times and system behavior.
Run-Time Settings	Run-Time settings allow you to customize the way a Vuser script is executed. You configure the run-time settings from the Controller or VuGen before running a scenario. You can view information about the Vuser groups and scripts that were run in each scenario, as well as the run-time settings for each script in a scenario, in the Scenario Run-Time Settings dialog box.
Scenario	A scenario defines the events that occur during each testing session. For example, a scenario defines and controls the number of users to emulate, the actions that they perform, and the machines on which they run their emulations.
Scheduler	The Schedule Builder allows you to set the time that the scenario will start running, the duration time of the scenario or of the Vuser groups within the scenario, and to gradually run and stop the Vusers within the scenario or within a Vuser group. It also allows you to set the load behavior of Vusers in a scenario.
Session	When you work with the Analysis utility, you work within a session. An Analysis session contains at least one set of scenario results (Irr file). The Analysis utility processes the scenario result information and generates graphs and reports. The Analysis stores the display information and layout settings for the active graphs in a file with an .lra extension. Each session has a session name, result file name, database name, directory path, and type.
Transactions	A transaction represents an action or a set of actions used to measure the performance of the server. You define transactions within your Vuser script by enclosing the appropriate sections of the script with start and end transaction statement.
Vusers	Vusers or virtual users are used by LoadRunner as a replacement for human users. When you run a scenario, Vusers emulate the actions of human users working with your application. A scenario can contain tens, hundreds, or even thousands of Vusers running concurrently on a single workstation.

Graph Information

Term	Definition
Average	Average value of the graph measurement's.
Hits	The number of HTTP requests made by Vusers to the Web server.
Maximum	Maximum value of the graph measurement's.
Measurement	This is the type of resource being monitored
Median	Middle value of the graph measurement's.
Minimum	Minimum value of the graph measurement's.
Network Delay	The time it takes for a packet of data sent across the network to go to the requested node and return.
Network Path	The Network Path is the route data travels between the source machine and the destination machine.
Response time	The time taken to perform a transaction.
	In order to display all the measurements on a single graph, thus making the graphs easier to read and analyze, you can change the scale or (granularity) of the x-axis. You can either set measurement scales manually, view measurement trends for all measurements in the graph, or let Analysis scale them automatically. The Legend tab indicates the scale factor for each resource.
Standard Deviation (SD)	The square root of the arithmetic mean value of the squares of the deviations from the arithmetic mean.
Throughput	Throughput is measured in bytes and represents the amount of data that the Vusers received from the server.
Vuser Load	When you run a scenario, the Vusers generate load or stress on the server. LoadRunner monitors the effect of this load on the performance of your application.

Page 19 out of 22 Organization:

Page 20 out of 22 Organization:

Page 21 out of 22 Organization:

SLA Status per Time Range

Measurement Name	Time Ranges																	
Application Under Test Errors	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
00_Homepage_Req																		
01_SignOn_Req																		
02_SignIn_Req																		
03_Flights_Red																		
04_Reservation_Req																		
	00:00:00	00:00:45	00:01:35	00:02:20	00:03:10	00:04:00	00:04:45	00:05:35	00:06:20	00:07:10	00:08:00	00:08:45	00:09:35	00:10:20	00:11:10	00:12:00	00:12:45	00:13:35

Page 22 out of 22 Organization: