Compartido conmigo > DAWEB > sql_data ▾

Tipo ▾   Personas ▾   Modificado ▾

Carpetas

📁 sql   ⋮   📁 sql-superheros   ⋮

Archivos

</> sample-01.sql   ⋮   </> sample-02.sql   ⋮

base_de_datos - Thunar   ⌃ _ ☐ ✕

Archivo Editar Ver Ir Marcadores Ayuda

< > ⌃ ⌂ /home/castillejo/daweb/base_de_datos/   🔍

Lugares
  🖥 Equipo
  🏠 castill...   📁   📁   📄
  🖥 Escrito...   sql   sql-superheros   docker-
  📒 Papelera   compose.yml
Dispositiv...
  🖥 Siste...
  ◎ Deb... ⏏

EXPLORER   ⋯   🐋 docker-compose.yml ✕

∨ BASE_DE_DATOS   🐋 docker-compose.yml
  > sql   1   version: '3.1'
  > sql-superheros   2
  🐋 docker-compose.yml   3   services:
                                      4
                                      5   db:
                                      6   image: mysql
                                      7   restart: always
                                      8   environment:
                                      9   MYSQL_ROOT_PASSWORD: ejemplo
                                     10   MYSQL_DATABASE: clase
                                     11   MYSQL_USER: daweb
                                     12   MYSQL_PASSWORD: daweb
                                     13
                                     14   volumes:
                                     15   - data:/var/lib/mysql
                                     16   - ./sql:/docker-entrypoint-initdb.d
                                     17
                                     18   adminer:
                                     19   image: adminer
                                     20   restart: always
                                     21   ports:
                                     22   - 8080:8080
                                     23
                                     24   volumes:
                                     25   data:

```
castillejo@DAW2:~/daweb/base_de_datos$ chmod -R 755
docker-compose.yml  sql/                  sql-superheros/
castillejo@DAW2:~/daweb/base_de_datos$ chmod -R 755 sql
castillejo@DAW2:~/daweb/base_de_datos$ chmod -R 755 sql-superheros/
castillejo@DAW2:~/daweb/base_de_datos$
```

```
castillejo@DAW2:~/daweb/base_de_datos$ docker compose up -d
[+] Running 0/0
 ⠿ Network base_de_datos_default  Creat...                              0.1s
WARN[0000] Found orphan containers ([base_de_datos-mysql-1]) for this project. I
[+] Running 4/4r renamed this service in your compose file, you can run this com
 ✓ Network base_de_datos_default     C...                              0.1s
 ✓ Volume "base_de_datos_data"       Cre...                            0.0s
 ✓ Container base_de_datos-adminer-1  Started                          0.1s
 ✓ Container base_de_datos-db-1       St...                            0.1s
castillejo@DAW2:~/daweb/base_de_datos$ docker compose down --volumes
[+] Running 4/4
 ✓ Container base_de_datos-adminer-1  Removed                          0.2s
 ✓ Container base_de_datos-db-1       Re...                            1.6s
 ✓ Volume base_de_datos_data          Remov...                         0.1s
 ✓ Network base_de_datos_default      R...                             0.2s
castillejo@DAW2:~/daweb/base_de_datos$
```

Idioma: Español ⌄

Adminer 4.8.1

DB: clase ⌄

Comando SQL   Importar
Exportar   Crear tabla

No existen tablas.

MySQL » db » Base de datos: clase

Base de datos: clase

Modificar Base de datos   Esquema de base de datos   Privilegios

Tablas y vistas

No existen tablas.

Crear tabla   Crear vista

Procedimientos

Crear procedimiento   Crear función

Eventos

Crear Evento

wordpress   Ⓡ Docker Official Image · ⬇ 1B+ · ☆ 5.4K

The WordPress rich content management system can utilize plugins, widge

Overview   Tags

Quick reference

- Maintained by:

```
version: '3.1'

services:

  wordpress:
    image: wordpress
    restart: always
    ports:
      - 8080:80
    environment:
      WORDPRESS_DB_HOST: db
      WORDPRESS_DB_USER: exampleuser
      WORDPRESS_DB_PASSWORD: examplepass
      WORDPRESS_DB_NAME: exampledb
    volumes:
      - wordpress:/var/www/html

  db:
    image: mysql:5.7
    restart: always
    environment:
      MYSQL_DATABASE: exampledb
      MYSQL_USER: exampleuser
      MYSQL_PASSWORD: examplepass
      MYSQL_RANDOM_ROOT_PASSWORD: '1'
    volumes:
      - db:/var/lib/mysql

volumes:
  wordpress:
  db:
```