

Too good to waste

Transforming waste into high-performance flooring

Bio-genic yarn flooring collection

Burmatex®

MANUFACTURERS OF CREATIVE FLOORING


From waste to workplace

Burmatex® is the first manufacturer to use 100% **recycled bio-genic** yarn, which is made using **bio-genic** organic waste from renewable sources.

The raw materials for the yarns come from certified bio-circular organic waste or second-generation natural resources, such as used cooking oil, kitchen waste, and tall oil.

threads®**, tivoli**® & **tivoli mist**® all use **bio-genic** yarn, combined with our unique **BioBase**® **recycled** backing, all three products are **low carbon.**

The process








Designed with the next life in mind

Creating flooring systems that can be removed, reused and recycled easily.

Sustainability goes beyond the materials used with a product. True circularity considers how flooring is installed, how it can be removed and what happens at the end of its first life.

Through lower carbon materials, recycled content and more considered installation systems. **Burmatex®** continues to explore ways to reduce environmental impact across the full flooring lifecycle.



Supporting cleaner uplift and reuse

Burmatex® products are compatible with IOBAC MacTabs and Tab-it systems - alternatives to traditional wet-applied adhesives. These systems hold carpet tiles securley in place during use, whilst enabling cleaner uplift at end of life.

This helps preserve both the carpet tile and the subfloor beneath, supporting reused, recycling and efficient refurbishment.


How IOBAC installation works



Prepare
The subfloor is clean, dry and ready for installation.




Place tabs
IOBAC MagTabs or Tab-it adhesvies tabs are positioned on the subfloor.



Install tiles
Carpet tiles are placed onto the tabs and pressed into position for a secure fit.



Secure & use
Tiles stay firmly in place, performing in busy commercial environments.



Clean uplift
Tiles can be lifted easily without damaging the tile or subfloor, ready for reuse or recycling.

eco2matters®

Continuing the journey

Innovation for today, solutions for tomorrow

The Bio-genic collection forms part of **Burmatex®** 's wider commitment to lower carbon flooring innovations.


Alongside Bio-genic yarn technology, **Burmatex®** continues to develops products using alternative material approaches including negative yarn technologies within selected ranges.

Because the future of flooring should not only perform better, it should impact less.



Lower carbon materials

Bio-genic yarn and our unique BioBase® recycled backing help reduce embodied carbon without compromising on performance or design.



Smarter installations

IOBAC adhesive tab systems enable clear uplift and reuse, helping to preserve tiles and subfloorings and minimise waste.



Designed for the future

Durable by design, made for high performance commercial environments and built with the next life in mind.





The next chapter

We continue to push the boundaries of innovation - bringing together material science, design, and circular thinking to create flooring solutions with a positive impact.

Scan QR code for inspiration images & to order samples

threads®

Low level loop carpet tiles made in the UK

threads® is inspired by connecting strands of colour, tones and design creating an overall pattern suitable for a broad range of interiors. **threads®** is available in a colour palette of 12, with the additional design option of 15 combinable **threads®** plain colours alongside.

threads® uses 100% **recycled bio-genic** yarn, which is made using **bio-genic** organic waste from renewable sources. Combined with our unique **BioBase®** recycled backing, **threads®** is **low carbon**.

threads® has a GWP of 3.90 kg CO2 eq and a total recycled content of 73.6%.

27 colour options (12 threads® and 15 combinable threads® plain)





threads® shadow blend, harmony stitch
threads® plain harmony



threads® base blend, base yellow & rust mix

eco2matters®

Carbon Status:
Low Carbon

Yarn Description:
Bio-genic Yarn

Backing:
BioBase backing

Global Warming Potential/ kg CO_2 eq:
3.90

Installation Waste:
3-4%

Total Recycled Content of Product:
73.6%
BS EN ISO 14021

Warranty:
15 years

Sound Absorption Coefficient:
Class E.02
BS EN 354:2003

Castor Chair Rating:
Pass
(BS EN 985)

Impact Sound Insulation:
21dB
BS EN 10140-3:2010

Wear classification:
Class 33
heavy commercial use (BS EN 1307)

Scan QR code for inspiration images & to order samples

tivoli®

Low level loop carpet tiles & planks made in the UK


With **tivoli®** we are the first manufacturer to use 100% **recycled bio-genic** yarn, which is made using **bio-genic** organic waste from renewable sources. Combined with our unique **BioBase®** recycled backing, **tivoli®** is **low carbon**.

Comprised of **tivoli®** and **tivoli®** multiline the options for floor design are endless. With a coordinated colour palette of 40 and Class 33, this enduring collection is suitable for use in a wide variety of commercial interiors.

tivoli® carpet tiles and planks have a GWP of 3.10 kg CO2 eq and a total recycled content of 74.0%.

With 40 colour options





carpet planks of **tivoli®** dominica dawn, antigua steel, tiki yellow
carpet planks of **tivoli® multiline** melanesia grey



carpet tiles of **tivoli®** dominica dawn, st lucia night, baltic blue, & pink paradise
carpet tiles of **tivoli® multiline** melanesia grey

eco$_2$matters®

Carbon Status:
Low Carbon

Yarn Description:
Bio-genic Yarn

Backing:
BioBase backing

Global Warming Potential/ kg CO_2 eq:
3.10

Installation Waste:
3-4%

Total Recycled Content of Product:
74.0%
BS EN ISO 14021

Warranty:
15 years

Sound Absorption Coefficient:
Class E.02
BS EN 354:2003

Castor Chair Rating:
Pass
(BS EN 985)

Impact Sound Insulation:
23dB
BS EN 10140-3:2010

Wear classification:
Class 33
heavy commercial use (BS EN 1307)

Scan QR code for inspiration images & to order samples

tivoli mist®

Low level loop carpet tiles & planks made in the UK


tivoli mist® uses 100% **recycled bio-genic** yarn, which is made using **bio-genic** organic waste from renewable sources. Combined with our unique **BioBase®** recycled backing, **tivoli mist®** is **low carbon**.

With a design allowing for soft transitions between colours or a sleek allover pattern that mists from one to another.


tivoli mist® carpet tiles and planks have a GWP of 3.10 kg CO2 eq and a total recycled content of 74.0%.

With 10 colour options





carpet planks of **tivoli mist®** polar drift, south beach
carpet planks of **tivoli mist®** dominca dawn, guyana moss



carpet tiles of **tivoli mist®** polar drift, sunset canyon, hibiscs haven
carpet tiles of **tivoli®** dominca dawn, madagascan orange, pink paradise

eco$_2$matters®

Carbon Status:
Low Carbon

Yarn Description:
Bio-genic Yarn

Backing:
BioBase backing

Global Warming Potential/ kg CO_2 eq:
3.10

Installation Waste:
3-4%

Total Recycled Content of Product:
74.0%
BS EN ISO 14021

Warranty:
15 years

Sound Absorption Coefficient:
Class E.02
BS EN 354:2003

Castor Chair Rating:
Pass
(BS EN 985)

Impact Sound Insulation:
23dB
BS EN 10140-3:2010

Wear classification:
Class 33
heavy commercial use (BS EN 1307)

Burmatex®

MANUFACTURERS OF CREATIVE FLOORING

eco2matters®

Head Office
Victoria Mills, The Green
Ossett
West Yorkshire
WF5 0AN
United Kingdom

Tel: +44 (0) 1924 262525
Email: projects@burmatex.co.uk

Polish Office
Warsaw Hub Business Centre
Rondo Daszyńskiego 2b
00-843 Warszawa
Poland

Tel: +48 22 122 84 10
Email: biuro@burmatex.pl

MENA Office
Unit 10 Goshi City Complex
Al Quoz 3,
Dubai
UAE

Tel: +971 4 880 6699
Email: uae@burmatex.co.uk

www.burmatex.co.uk

Issue: October 2026

Burmatex® reserves the right to improve the specification of all products without prior notification. E&OE Burmatex® carpets, carpet tiles and carpet planks should be installed and used in full accordance with instructions at www.burmatex.co.uk and recognised trade standards. Orders are subject to Burmatex® terms and conditions of sale. See: www.burmatex.co.uk