



# RCS RI application

## User guide

Edition 1.0,  
Date: 08/11/2010

**Author:**

Jean-Marc AUFFRET

[jeanmarc.auffret@orange-ftgroup.com](mailto:jeanmarc.auffret@orange-ftgroup.com)

## Summary

1. Initial conditions.....	3
2. Test cases .....	3
2.1. Presence .....	3
2.1.1. Update end user presence info .....	3
2.1.2. Update end user hyper-availability status .....	6
2.1.3. Display EAB .....	6
2.1.4. Presence sharing management .....	7
2.1.5. Request anonymous fetch capabilities.....	9
2.2. Messaging.....	11
2.2.1. SMS/MMS .....	11
2.2.2. File transfer .....	11
2.2.3. One-to-one chat .....	11
2.2.4. Group chat.....	11
2.3. Rich call.....	12
2.3.1. Image sharing.....	12
2.3.2. Live video sharing .....	12
2.3.3. Pre-recorded video sharing.....	12
2.3.4. Capabilities exchange .....	12

## Figures

Figure 1 – Presence features.....	3
Figure 2 - Edit end user presence info .....	4
Figure 3 - Select a predefined freetext.....	4
Figure 4 - Select a weblink from browser bookmark .....	5
Figure 5 – Edit a predefined freetext .....	5
Figure 6 – Update end user hyper-availability status.....	6
Figure 7 – Enhanced Address Book.....	7
Figure 8 – Manage RCS contacts .....	8
Figure 9 – List of the granted contacts .....	9
Figure 10 – Request capabilities (anonymous fetch) .....	10
Figure 11 – Presence features.....	11
Figure 12 – Rich call features .....	12

## 1. Initial conditions

Before to start your test, create your contacts from the native address book of the device.

## 2. Test cases

### 2.1. Presence





Figure 1 – Presence features

#### 2.1.1. Update end user presence info


Use menu “Presence/Edit my presence info” to update the freetext, favorite link and photo-icon of the end user profile:



**Figure 2 - Edit end user presence info**


The freetext is by default limited to 100 characters.

Tips 1: Long click on the freetext editor to select a predefined freetext:




**Figure 3 - Select a predefined freetext**

Tips 2: Long click on the favorite link editor to select a link from the web browser bookmark:



**Figure 4 - Select a weblink from browser bookmark**

Tips 3: Configure predefined freetexts from the RCS settings application:



**Figure 5 – Edit a predefined freetext**

### 2.1.2. Update end user hyper-availability status

Use menu “Presence/Set my hyper-availability” to update the hyper-availability status. By default the hyper-availability period is 5 minutes:




Figure 6 – Update end user hyper-availability status

### 2.1.3. Display EAB

Use menu “Presence/Enhanced Address Book” to see the RCS info of each contacts of the address book:





Figure 7 – Enhanced Address Book

#### 2.1.4. Presence sharing management

Use menu “Presence/Manage my RCS contacts” to INVITE, BLOCK, UNBLOCK, REVOKE, UNREVOKE a contact:



**Figure 8 – Manage RCS contacts**

Note: If you invite a contact which is revoked, the contact will be automatically unrevoked before to invite him. Idem if the contact is blocked.

Use menu "Presence/List of xxxx" to see the RCS lists (GRANTED, BLOCKED and REVOKED contacts) on the XDM server:







Figure 9 – List of the granted contacts

### 2.1.5. Request anonymous fetch capabilities

Use menu “Presence/Anonymous fetch capabilities” permits to send a one-shot SUBSCRIBE to a remote contact in order know its supported capabilities without sharing presence with him:



**Figure 10 – Request capabilities (anonymous fetch)**

## 2.2. Messaging




Figure 11 – Presence features

### 2.2.1. SMS/MMS

### 2.2.2. File transfer

### 2.2.3. One-to-one chat

### 2.2.4. Group chat

## 2.3. Rich call




Figure 12 – Rich call features

### 2.3.1. Image sharing

### 2.3.2. Live video sharing

### 2.3.3. Pre-recorded video sharing

### 2.3.4. Capabilities exchange