Лекция 4:
Ревью и rebbutal

Тихонова Мария

Руководитель исследовательского кластера, Sber AI

SBER AI

ЧТО ОБСУДИМ

План

ЧАСТЬ 01 · РЕВЬЮ И REBUTTAL В СИСТЕМЕ ПОДАЧИ

01	**Путь статьи и обязательное ревью**	слайды 3–7

ЧАСТЬ 02 · КАК РЕВЬЮИТЬ СТАТЬИ?

02	**Структура и стиль ревью, чек-листы ACL**	слайды 8–13
03	**Примеры: ревью, мета-ревью, финальное решение**	слайды 14–18
04	**Препринты, риски, лайфхаки и ловушки восприятия**	слайды 19–25

ЧАСТЬ 03 · REBUTTAL: КАК ПРАВИЛЬНО ОТВЕЧАТЬ

05	**Ответ ревьюерам и правки для camera-ready**	слайды 26–30

SBER AI

ЧАСТЬ 01

Ревью и rebuttal в системе подачи

SBER AI

Путь статьи: от подачи до результата

ЭТАП 2 · ПОДАЧА → РЕЗУЛЬТАТ



Главная развилка: либо к финальной версии, либо в следующий цикл с правками

SBER AI

Что за ревью? Зачем?

КАК УСТРОЕНО РЕЦЕНЗИРОВАНИЕ

— 01 **Все наши статьи проходят международное blind review**

Слепое рецензирование: ревьюеры не знают авторов

— 02 **Это анонимно: 3 ревьюера читают вашу статью и выдают оценку**

Каждый ревьюер пишет отзыв и ставит оценку

— 03 **Ревьюеры читают и проверяют это бесплатно**

Рецензирование — добровольная работа сообщества

— 04 **После трёх ревью идет мета-ревью**

Поверх всех комментариев: они учитываются и агрегируются в одно мета-ревью

Статей много, ревьюеров мало

Чтобы получить ревью, нужно самим ревьюить, если вам хватает экспертности.

Требование обязательного ревью


На многих конференциях принята политика обязательного ревью

SBER AI

Требование обязательного ревью

ЧТО ИЗВЕСТНО

Тот, кто выступает ревьюером от статьи, не обязан делать все ревью (тем более если он не соавтор). **Допускаются ко-ревьюеры.**



ВЫВОД 01

Заранее продумайте, кто будет **«официальным» ревьюером** от вашей статьи.

ВЫВОД 02

Распределите обязанности по ревью **между соавторами** (в виде ко-ревьюеров).

Источник: ARR Reviewing Workload Requirement — кто и сколько ревьюит от каждой статьи

SBER AI

Чем ревьюить хорошо?



Новые статьи раньше всех

Вы видите статьи, которые ещё не вышли! Идеи и исследования совсем новые



Влияние на науку

Вы можете повлиять на эти исследования и их улучшить!



Понимание критериев

Ревью помогает понять условия и критерии, по которым оцениваются статьи, увидеть чужие ошибки, а значит, написать лучше свою!



Рост экспертности

Повышается ваша экспертность



Репутация

Плюсик в карму вам и почёт!

SBER AI

ЧАСТЬ 02

Как ревьюить статьи?

Краткое пособие для тех, кому прилетело ревью и нужно его провести

Спасибо Феногеновой Алене за базу для материалов этой части

SBER AI

Структура ревью (ARR)

Это структура формы ARR. На других конференциях (NeurIPS, ICLR и др.) поля называются иначе, но устроены похоже

01 Общее саммари

Пишем тут кратко суммаризацию статьи, как вы её поняли. Обязательно: о чём, что исследует статья, какой контрибьюшен. Чем может быть полезна сообществу и науке.

02 Сильные стороны

- Удобнее всего булетами: перечисляем, чем работа хороша
- Что отмечаем: стиль написания и прозрачная структура текста / контрибьюшен / новизна / полные эксперименты и полнота оценки / хорошее ревью литературы и т. д.

03 Слабые стороны

- Также лучше описывать булетами
- Пишем, что работа бы выиграла, если бы… Указываем на ошибки, но в вежливом формате, утверждениями или лучше вопросами «А почему…?»

04 Комментарии и предложения

- Здесь можно как раз перечислить ошибки, неправильные ссылки, литературу предложить, опечатки списком выписать и т. д.
- Должна быть конкретика! Никакой воды: если не можете что-то посоветовать, то лучше и не надо. Работает правило — не критикуй, если не можешь ничего дельного предложить

05 Вопросы авторам

- То, что осталось непонятным и может изменить вашу оценку: детали метода, данных, экспериментов, выбора бейзлайнов
- Авторы отвечают на вопросы в период rebuttal (author response). Пишите коротко и по делу, лучше нумерованным списком

https://aclrollingreview.org/reviewform

Благодарность Алёне Феногеновой за основу для материала

SBER AI

Стиль ревью

КАК ПИСАТЬ

— 01 Пишем в научном стиле

— 02 Даже если написана полная дичь, НЕ токсим!

— 03 Пишем вежливо!

— 04 Если что-то советуем, то предлагаем вопросом / вежливо

— 05 Рекомендуем всегда — с мотивацией улучшить исследование

SBER AI

ARR Checklist: требования ACL

New Reviewer Checklist

* denotes a required field

Appropriateness*

Is the paper appropriate to *ACL?

- ◯ Yes
- ◯ No

Formatting*

Is the paper properly formatted according to the template? Templates for *ACL conferences found here: https://github.com/acl-org/acl-style-files. Please note that ACL has separate LaTeX and Microsoft Word templates, and PDFs produced by these templates look different from each other.

- ◯ Yes
- ◯ No

Length*

Does the paper have the proper length? Short papers: 4 content pages maximum, Long papers: 8 content pages maximum, Ethical considerations and Limitations do not count toward this limit

- ◯ Yes
- ◯ No

Anonymity*

Is the paper anonymous?

- ◯ Yes
- ◯ No

ЧТО ПРОВЕРЯЕМ ДО РЕВЬЮ

Appropriateness
Статья по тематике *ACL?

Formatting
Оформлена по шаблону ACL (LaTeX или Word)

Length
Short — до 4 стр., long — до 8 стр.; Limitations и Ethics не считаются

Anonymity
Нет имён, аффилиаций и самоссылок вида «we previously showed»

SBER AI

ARR Checklist: продолжение

Limitations
В статье есть раздел «Limitations»

Responsible Checklist
Авторы заполнили Responsible чек-лист

Potential Violation Justification
Отметили нарушение — кратко объясните, в чём оно

Need Ethics Review
Нужна ли статье отдельная этическая экспертиза

Ethics Review Justification
Почему нужна; мелочи (нет раздела, копирайт) пишем авторам в ревью

Comment
Свободный комментарий, поддерживает Markdown и LaTeX

Limitations*
Does the paper have a section entitled "Limitations"?

- ◯ Yes
- ◯ No

Responsible Checklist*
Have the authors completed the responsible NLP research checklist? The new format for the checklist document is here https://aclrollingreview.org/responsibleNLPresearch/.

- ◯ Yes
- ◯ No

Potential Violation Justification*
Modify only if a violation is marked. If you have marked any violation on this checklist, please give a brief explanation of the issue

There are no violations with this submission

Need Ethics Review*
Should this paper be sent for an in-depth ethics review? We have a small ethics committee that can specially review very challenging papers when it comes to ethical issues. If this seems to be such a paper, then please explain why below, and we will try to ensure that it receives a separate review. Please refer to https://aclrollingreview.org/ethics-flagging-guidelines/

- ◯ Yes
- ◯ No

Ethics Review Justification*
Please provide a meaningful justification for why this paper needs an ethics review. Note that lack of ethical considerations section, limitations section, copyright details etc. should be directly communicated to the authors in your reviews, and often do not need a full ethics review. When in doubt, please flag. For more guidelines on ethics review flagging, see https://aclrollingreview.org/ethics-flagging-guidelines/

N/A (I answered no to the previous question)

Comment
Your comment or reply (max 10000 characters). Add formatting using Markdown and formulas using LaTeX. For more information see https://openreview.net/faq

SBER AI

Responsible Checklist: требования ACL

ЭТИКА

A1. Did you describe the **limitations** of your work? A2. Did you discuss any **potential risks** of your work?

A3. Do the abstract and introduction summarize the paper's main claims?

B. Did you use or create scientific artifacts?
B1. Did you cite the creators of artifacts you used?
B2. Did you discuss the **license** or terms for use and / or distribution of any artifacts?
B3. Did you discuss if your use of existing artifact(s) was consistent with their intended use, provided that it was specified? For the artifacts you create, do you specify intended use and whether that is compatible with the original access conditions (in particular, derivatives of data accessed for research purposes should not be used outside of research contexts)?
B4. Did you discuss the steps taken to check whether the data that was collected / used contains any information that names or uniquely identifies individual people or offensive content, and the steps taken to protect / anonymize it?
B5. Did you provide documentation of the artifacts, e.g., coverage of domains, languages, and linguistic phenomena, demographic groups represented, etc.?
B6. Did you report relevant **statistics** like the number of examples, details of train / test / dev splits, etc. for the data that you used / created? Even for commonly-used benchmark datasets, include the number of examples in train / validation / test splits, as these provide necessary context for a reader to understand experimental results. For example, small differences in accuracy on large test sets may be significant, while on small test sets they may not be.

ВОСПРОИЗВОДИМОСТЬ

C. Did you run computational experiments?
C1. Did you report the **number of parameters in the models** used, the total computational budget (e.g., GPU hours), and computing infrastructure used?
C2. Did you discuss the **experimental setup**, including hyperparameter search and best-found hyperparameter values?
C3. Did you report **descriptive statistics about your results** (e.g., error bars around results, summary statistics from sets of experiments), and is it transparent whether you are reporting the max, mean, etc. or just a single run?
C4. If you used existing **packages** (e.g., for preprocessing, for normalization, or for evaluation), did you report the implementation, model, and parameter settings used (e.g., NLTK, Spacy, ROUGE, etc.)?

БЕЗОПАСНОСТЬ

D. Did you use human annotators (e.g., crowdworkers) or research with human participants?
D1. Did you report the full text of instructions given to participants, including e.g., screenshots, disclaimers of any risks to participants or annotators, etc.?
D2. Did you report information about how you recruited (e.g., crowdsourcing platform, students) and paid participants, and discuss if such payment is adequate given the participants' demographic (e.g., country of residence)?
D3. Did you discuss whether and how consent was obtained from people whose data you're using/curating? For example, if you collected data via crowdsourcing, did your instructions to crowdworkers explain how the data would be used?
D4. Was the **data collection protocol** approved (or determined exempt) by an ethics review board?
D5. Did you report the basic demographic and geographic characteristics of the annotator population that is the source of the data?

E. Did you use **AI assistants** (e.g., ChatGPT, Copilot) in your research, coding, or writing?
E1. Did you include information about your use of AI assistants?
E1. Elaboration For Yes Or No. For yes, provide a section number. For no, justify why not.
E1. Section Or Justification

Инструкция по заполнению: Responsible NLP Research checklist guidelines. Ответ «No» сам по себе не повод для отклонения статьи

Пример ревью

Мета-ревью статьи в системе OpenReview

ACL ARR ноябрь 2025, статью приняли на EACL 2026

Official Review of Submission1826 by Reviewer tCjH

Official Review by Reviewer tCjH 09 Nov 2025, 23:58 (modified: 02 Mar 2026, 03:13)

Program Chairs, Senior Area Chairs, Area Chairs, Reviewers Submitted, Reviewer tCjH, Commitment Readers, Authors Revisions

Paper Summary:
This work introduces a large multimodal benchmark dataset targeting Russian. Of the total 18 datasets included, 11 are brand-new contributions created by the authors.

Summary Of Strengths:
- This paper represents a substantial effort in data curation efforts, allowing for thorough evaluation of multimodal models for Russian for the first time.
- The authors have clearly put a lot of thought and intentionality into ensuring that the dataset can be readily used by other researchers, while trying to mitigate eventual data contamination.

Summary Of Weaknesses:
Outside of the dataset creation (which is the most important contribution), a few of the secondary contributions lack theoretical support or are otherwise exaggerated.

- The taxonomy specifically lacks any theoretical support. The authors claim that their taxonomy is aligned with "broad categories of human-like cognition" without any references to literature from cognitive neuroscience to back up those claims. This feels like a major omission.
- While it is indeed helpful to discuss the creation of a software license for the dataset, I don't consider this to be a major contribution, as it is framed to be.
- I understand that the authors are limited for space as they have a lot of content to share. However, it feels like there is a lack of deeper discussion in how the performance of the benchmark connects back to the taxonomy, which they claim is a major contribution. This makes the paper lack cohesion. So I ask the authors: Which categories of the taxonomy appear to be the easiest and the most difficult? Why might this be?
- Browsing through the Appendix, it seems that there is still a high degree of dependency on English. The consequences of this should be discussed more in the Limitations, and there should be a more concise description about reliance on English, for example, a Table in the Appendix.

Comments Suggestions And Typos:
Minor document revision suggestions for the authors:

- Please fix the structural inconsistencies. For example, Table 1 introduces "Size, Answer, HB", but the columns are "Size, HB, Answer". Similarly in S3.2, you introduce "Perception, Knowledge, and Reasoning" but then proceed to discuss them as Knowledge —> Perception —> Reasoning. The structure of Figure 1 similarly does not mirror the paper, as scoring and content protection are depicted first, rather than last. These mismatch issues are minor but quite jarring.
- You do not reference Figure 1 anywhere.
- The image resolution of many Figures is quite poor. Please fix this. If you are using PNG for images, please switch to PDF.
- I suggest you reword L050 in the Introduction. Saying that concepts are "cognitively foreign" accidentally reads as condescending. Perhaps just say "foreign".
- If/when the paper is eventually accepted, please use the extra space to include a concrete end-to-end example (i.e. a figure) from the dataset, including model output and evaluation, and motivate how it connects to the skills from the taxonomy.
- Missing a citation for related work — the MaRVL paper (Liu et al., 2021) which does multimodal work across 5 languages.

Questions for the authors:

1. As you say, a major purpose of the dataset is to evaluate "semantic abilities". Why then do you use EM as a metric for the open-ended questions? Why not a different metric which is designed for capturing semantics?
2. Regarding Table 2, why are 3 levels of your taxonomy identical (L1, L2, L3)? I presume this is to match the level of depth with the other taxonomies, but it seems a bit awkward?
3. (For the weaknesses) Which categories of the taxonomy appear to be the easiest and the most difficult? Why might this be?

Confidence: 3 = Pretty sure, but there's a chance I missed something. Although I have a good feel for this area in general, I did not carefully check the paper's details, e.g., the math or experimental design.
Soundness: 3.5
Excitement: 3.5
Overall Assessment: 3.5 = Borderline Conference
Ethical Concerns:
There are no concerns with this submission

Needs Ethics Review: No
Reproducibility: 4 = They could mostly reproduce the results, but there may be some variation because of sample variance or minor variations in their interpretation of the protocol or method.
Datasets: 4 = Useful: I would recommend the new datasets to other researchers or developers for their ongoing work.
Software: 4 = Useful: I would recommend the new software to other researchers or developers for their ongoing work.
Knowledge Of Or Educated Guess At Author Identity: No
Knowledge Of Paper: N/A, I do not know anything about the paper from outside sources
Knowledge Of Paper Source: N/A, I do not know anything about the paper from outside sources
Impact Of Knowledge Of Paper: N/A, I do not know anything about the paper from outside sources
Reviewer Certification: I certify that the review I entered accurately reflects my assessment of the work. If you used any type of automated tool to help you craft your review, I hereby certify that its use was restricted to improving grammar and style, and the substance of the review is either my own work or the work of an acknowledged secondary reviewer.
Publication Ethics Policy Compliance: I did not use any generative AI tools for this review

Саммари

Плюсы: сильные стороны

Минусы: в чём работа слаба

Опросник и оценки

Official Review of Submission1826 by Reviewer tCjH

Official Review by Reviewer tCjH 09 Nov 2025, 23:58 (modified: 02 Mar 2026, 03:13)

Program Chairs, Senior Area Chairs, Area Chairs, Reviewers Submitted, Reviewer tCjH, Commitment Readers, Authors Revisions

Paper Summary:
This work introduces a large multimodal benchmark dataset targeting Russian. Of the total 18 datasets included, 11 are brand-new contributions created by the authors.

Summary Of Strengths:
- This paper represents a substantial effort in data curation efforts, allowing for thorough evaluation of multimodal models for Russian for the first time.
- The authors have clearly put a lot of thought and intentionality into ensuring that the dataset can be readily used by other researchers, while trying to mitigate eventual data contamination.

Summary Of Weaknesses:
Outside of the dataset creation (which is the most important contribution), a few of the secondary contributions lack theoretical support or are otherwise exaggerated.

- The taxonomy specifically lacks any theoretical support. The authors claim that their taxonomy is aligned with "broad categories of human-like cognition" without any references to literature from cognitive neuroscience to back up those claims. This feels like a major omission.
- While it is indeed helpful to discuss the creation of a software license for the dataset, I don't consider this to be a major contribution, as it is framed to be.
- I understand that the authors are limited for space as they have a lot of content to share. However, it feels like there is a lack of deeper discussion in how the performance of the benchmark connects back to the taxonomy, which they claim is a major contribution. This makes the paper lack cohesion. So I ask the authors: Which categories of the taxonomy appear to be the easiest and the most difficult? Why might this be?
- Browsing through the Appendix, it seems that there is still a high degree of dependency on English. The consequences of this should be discussed more in the Limitations, and there should be a more concise description about reliance on English, for example, a Table in the Appendix.

Comments Suggestions And Typos:
Minor document revision suggestions for the authors:

- Please fix the structural inconsistencies. For example, Table 1 introduces "Size, Answer, HB", but the columns are "Size, HB, Answer". Similarly in S3.2, you introduce "Perception, Knowledge, and Reasoning" but then proceed to discuss them as Knowledge —> Perception —> Reasoning. The structure of Figure 1 similarly does not mirror the paper, as scoring and content protection are depicted first, rather than last. These mismatch issues are minor but quite jarring.
- You do not reference Figure 1 anywhere.
- The image resolution of many Figures is quite poor. Please fix this. If you are using PNG for images, please switch to PDF.
- I suggest you reword L050 in the Introduction. Saying that concepts are "cognitively foreign" accidentally reads as condescending. Perhaps just say "foreign".
- If/when the paper is eventually accepted, please use the extra space to include a concrete end-to-end example (i.e. a figure) from the dataset, including model output and evaluation, and motivate how it connects to the skills from the taxonomy.
- Missing a citation for related work — the MaRVL paper (Liu et al., 2021) which does multimodal work across 5 languages.

Questions for the authors:

1. As you say, a major purpose of the dataset is to evaluate "semantic abilities". Why then do you use EM as a metric for the open-ended questions? Why not a different metric which is designed for capturing semantics?
2. Regarding Table 2, why are 3 levels of your taxonomy identical (L1, L2, L3)? I presume this is to match the level of depth with the other taxonomies, but it seems a bit awkward?
3. (For the weaknesses) Which categories of the taxonomy appear to be the easiest and the most difficult? Why might this be?

Confidence: 3 = Pretty sure, but there's a chance I missed something. Although I have a good feel for this area in general, I did not carefully check the paper's details, e.g., the math or experimental design.
Soundness: 3.5
Excitement: 3.5
Overall Assessment: 3.5 = Borderline Conference
Ethical Concerns:
There are no concerns with this submission

Needs Ethics Review: No
Reproducibility: 4 = They could mostly reproduce the results, but there may be some variation because of sample variance or minor variations in their interpretation of the protocol or method.
Datasets: 4 = Useful: I would recommend the new datasets to other researchers or developers for their ongoing work.
Software: 4 = Useful: I would recommend the new software to other researchers or developers for their ongoing work.
Knowledge Of Or Educated Guess At Author Identity: No
Knowledge Of Paper: N/A, I do not know anything about the paper from outside sources
Knowledge Of Paper Source: N/A, I do not know anything about the paper from outside sources
Impact Of Knowledge Of Paper: N/A, I do not know anything about the paper from outside sources
Reviewer Certification: I certify that the review I entered accurately reflects my assessment of the work. If you used any type of automated tool to help you craft your review, I hereby certify that its use was restricted to improving grammar and style, and the substance of the review is either my own work or the work of an acknowledged secondary reviewer.
Publication Ethics Policy Compliance: I did not use any generative AI tools for this review

Комментарии и предложения

Вопросы авторам

SBER AI

Пример метаревью

SBER AI

Саммари статьи

Почему стоит публиковать

Итоговая оценка и проверки

Meta Review of Submission1826 by Area Chair zMC2

Meta Review by Area Chair zMC2 06 Dec 2025, 07:16 (modified: 15 Dec 2025, 22:07)

Senior Area Chairs, Area Chairs, Authors, Reviewers Submitted, Program Chairs, Commitment Readers Revisions

Metareview:

This paper introduces AnonymBench, a large-scale multimodal benchmark tailored for evaluating Russian-language multimodal large language models (MLLMs). The benchmark includes 18 tasks, of which 11 are newly curated by the authors, spanning image, audio, and video modalities. The authors organize tasks according to a taxonomy of skills—perception, reasoning, and knowledge—and propose a two-metric evaluation scheme combining Exact Match (EM) and Judge Score (JS), the latter using an LLM-based semantic similarity model fine-tuned for Russian. To prevent evaluation leakage, the benchmark incorporates watermarking, multimodal membership inference, and a licensing framework.

The paper fills a key gap in cross-lingual multimodal evaluation by offering the first benchmark of this scale focused on Russian. Reviewers commend the dataset's breadth, cultural grounding, and comprehensive evaluation of 39 models. However, concerns are raised about the theoretical grounding of the taxonomy, the limited public availability of gold answers, and whether the work's multimodal nature is overstated. Additionally, the integration of benchmark protection mechanisms (e.g., watermarking and licensing) was viewed by some as peripheral to the core contribution.

Summary Of Reasons To Publish:

The paper offers a large-scale, multimodal benchmark specifically targeting Russian, a medium-resource language, with 11 new datasets reflecting culturally and linguistically grounded tasks.

The dual-metric scoring system (EM + Judge Score) addresses both surface and semantic correctness in generation tasks, offering a practical and reproducible approach to open-ended evaluation in multilingual settings.

The benchmark responds to growing concerns around evaluation leakage and linguistic bias in MLLMs, offering tools (e.g., MSMIA, watermarking) that support responsible benchmarking practices.

Summary Of Suggested Revisions:

Strengthen the cognitive claims behind the taxonomy by referencing relevant literature or clearly framing it as a pragmatic organizational tool, as acknowledged in the rebuttal.

Although private labels are held back to prevent leakage, a more visible validation of scoring reliability (e.g., via error analysis or judge metric evaluation) would improve scientific trust and usability.

Resolve structural inconsistencies (e.g., mismatched table headings, unexplained figure references) and provide a clearer narrative linking taxonomy, datasets, and evaluation outcomes.

Overall Assessment: 3.5 = Borderline Conference
Reported Issues: No
Publication Ethics Policy Compliance: I did not use any generative AI tools for this review

Как ревьюеры оценили работу

Что доработать

01 Пишет Area Chair

Обобщает ревью, ответ авторов и обсуждение. **Это не ещё одно ревью**, а сводка позиций ревьюеров

02 Учитывает rebuttal

AC прямо ссылается на ответ авторов: **«as acknowledged in the rebuttal»**. Хороший rebuttal попадает в итог

03 Overall Assessment

Оценку **3.5 = Borderline Conference** видят program chairs, когда решают, брать ли статью на конференцию

SBER AI

Area Chair (мета-ревьюер): за что он отвечает

Какие обязанности у Area Chair 

— 01 **Проверить назначения ревьюеров**
Экспертиза, конфликт интересов, нагрузка ревьюеров (Task 1)

— 02 **Следить за ревью и заменять выбывших**
Новый ревьюер — без снятия ненадёжного, всех уведомить (Task 2)

— 03 **Проверить качество ревью, «дожать» опоздавших**
Однострочные, грубые, «not novel» без ссылок, LLM-ревью (Task 3)

— 04 **Следить за тоном обсуждения с авторами**
Главные в дискуссии — авторы; AC вмешивается при грубости (Task 4)

— 05 **Написать мета-ревью (MAIN!)**
Свести ревью, rebuttal и жалобы авторов, разрешить разногласия (Task 5)

ЗАДАЧИ AC В OPENREVIEW

- ✅ **TASK 1. Initial submission checks**
  - Checking reviewer assignments
  - How to Check Reviewing Assignments for Resubmissions
  - Completing the AC checklist
  - How to Interpret Reviewer Affinity Scores
  - Do NOT Actively Search for the Paper Title Online!
- ✅ **TASK 2. Ongoing review checks**
- ✅ **TASK 3. Checking review quality and chasing missing reviewers**
- ✅ **TASK 4. Reviewer-author discussion period**
- ✅ **TASK 5. Meta-review**

Источник: ARR Area Chair Guidelines (Tasks 1–5). Версия действует до цикла August'26, затем её обновят под sustainable reviewing policy

Пример финального решения

SBER AI

Статья в EACL 2026 main

4 Versions

Multimodal Evaluation of Russian-language Architectures

Artem Chervyakov, Ulyana Isaeva, Anton Emelyanov, Artem Safin, Maria Tikhonova, Alexander Kharitonov, Yulia Lyakh, Petr Surovtsev, Denis Shevelev, Vildan Saburov, Vasily Konovalov, Elisei Rykov, Ivan Sviridov, Amina Miftakhova, Ilseyar Alimova, Alexander Panchenko, Alexander Kapitanov, Alena Fenogenova

Published: 04 Jan 2026, Last Modified: 24 Jan 2026 EACL 2026 mainconference Conference, Area Chairs, Reviewers, Publication Chairs, Authors
Revisions BibTeX CC BY 4.0

Keywords: benchmarking, evaluation methodologies, mlls, evaluation, metrics, data leakage
TL;DR: The first multimodal benchmark for MLLM evaluation in Russian comprising 18 tasks spanning text, image, audio, and video modalities, built upon a unified taxonomy of multimodal abilities.
Paper Link: /forum?id=XMhzF0PsW3

Abstract:
Multimodal large language models (MLLMs) are currently at the center of research attention, showing rapid progress in scale and capabilities, yet their intelligence, limitations, and risks remain insufficiently understood. To address these issues, particularly in the context of the Russian language, where no multimodal benchmarks currently exist, we introduce MERA Multi, an open multimodal evaluation framework for Russian-spoken architectures. The benchmark is instruction-based and encompasses default text, image, audio, and video modalities, comprising 18 newly constructed evaluation tasks for both general-purpose models and modality-specific architectures (image-to-text, video-to-text, and audio-to-text). Our contributions include: (i) a universal taxonomy of multimodal abilities; (ii) 18 datasets created entirely from scratch with attention to Russian cultural and linguistic specificity, unified prompts, and metrics; (iii) baseline results for both closed-source and open-source models; (iv) a methodology for preventing benchmark leakage, including watermarking for private sets. While our current focus is on Russian, the proposed benchmark provides a replicable methodology for constructing multimodal benchmarks in typologically diverse languages, particularly within the Slavic language family.

Ответ мета-ревьюеру

Response To Metareview: Dear Senior Area Chair,

We have thoroughly reviewed the meta-review and the individual reviews provided through the ARR system. We acknowledge the constructive critiques and are committed to significantly strengthening the paper in its camera-ready version by directly addressing the concerns raised.

As per the meta-review's summary, the key revisions will be:

1. We will explicitly reference the relevant cognitive science or computational linguistics literature to substantiate the cognitive claims behind our proposed taxonomy.

2. In addition to the detailed description and release of our `LLM-as-Judge`, we will incorporate a dedicated error analysis.

3. We will meticulously correct all minor structural and formatting issues noted, including mismatched table headings and unexplained figure references.

We believe these targeted revisions will directly and comprehensively address the reviewers' primary criticisms.
We appreciate your guidance and the reviewers' valuable feedback.

перечисляем правки в ответ на мета-ревью

Add: Withdrawal

Meta Review of Submission337 by Area Chair RvQz

Meta Review by Area Chair RvQz 22 Dec 2025, 22:34 (modified: 06 Jan 2026, 14:13) Area Chairs, Authors, Reviewers, Program Chairs Revisions

Comment:
New, well-constructed resource for medium-resource language (Russian), with culturally grounded multimodal tasks. Addresses responsible benchmarking practices. Scoping a bit unclear: cogsci, CL, or more applied?

Recommendation: Borderline Main Conference

Итоговый вердикт

01 Перезаслали на EACL

После ARR статью **коммитят на конференцию** вместе с ревью и мета-ревью — заново ревьюить не нужно

02 Ответ мета-ревьюеру

Пишем комментарий: благодарим и **по пунктам мета-ревью** перечисляем правки в camera-ready

03 Вердикт: Borderline Main

AC конференции даёт рекомендацию, итог — **статья в main conference** EACL 2026

SBER AI

Что делать с препринтами?

You **should not** actively search for pre-prints prior to reading the paper. This means that searching for related work should be postponed so as not to discover an existing pre-print inadvertently. So, without searching for related work, you should **(1) read the paper and get a complete first impression of it** (to comply with this part of the ACL policy guidelines):

… take special care and postpone searches … until after you have read the paper completely and formed an initial impression of it.

(2) Search for related work as the normal part of the review process.

ARR follows the ACL anonymity policy. Please review that policy carefully. According to the new policy, submissions will remain anonymous during peer review, but **authors are free to post and discuss non-anonymous preprints at any time**.

If you become aware or can guess the authors' identity, **you should disclose that in the ARR review form**. In some cases it is appropriate to ask for a reassignment.

ВЫДЕРЖКА ИЗ ACL ANONYMITY POLICY

For your reference, here's a relevant excerpt from the ACL anonymity policy that is relevant:

*To preserve the merits of double-blind review, reviewers for *ACL conferences and TACL should be instructed **not to actively** try to discover the identity of the authors and not to let any suspicion or knowledge of author identity affect their judgment of the paper. This should not prevent them from searching for related work, but they should take special care and postpone such searches until after they have read the paper completely and formed an initial impression of it. If a reviewer nevertheless uncovers the identity of the authors (or believes they can identify the authors for other reasons), they should inform the area chair or action editor (but not other reviewers) so that this information can be taken into account when making the final acceptance decision.*

Источник: ARR Reviewer Guidelines (раздел «What are the confidentiality and anonymity rules for reviewing?»), ACL anonymity policy

SBER AI

Что может пойти не так?

01 Конфликт интересов



Знаете авторов лично или работали с ними — **просите AC переназначить**. Статья очень близка к вашей готовящейся работе — откажитесь от ревью

02 Работа не по вашей экспертизе



Чуть вне вашей области — нормально: **укажите в ревью, что не проверяли** (например, доказательства), и поставьте честный confidence. Совсем мимо — пишите AC

03 Вы знаете, кто автор



Не ищите авторов специально и не давайте этому влиять на оценку

If you become aware or can guess the authors' identity, **you should disclose that in the ARR review form**, which contains questions about the reviewers' knowledge of author identity. In some cases it is appropriate to ask for a reassignment.

04 Аккуратно с AI при ревью



Конференции активно борются с массовой AI-генерацией ревью и просят **задокументировать всё использование AI, вплоть до промптов.**

НОВОЕ ПОЛЕ В ФОРМЕ РЕВЬЮ (НА ПРИМЕРЕ ICLR 2027)

AI Documentation For Reviewing

«Use this box to provide a human-written assessment of the paper, and to document your interactions with any AI reviewing tools. If you used AI to expand, edit, or polish your review, please provide the input text to the LLM. In this case, please consider skipping the LLM and submitting your original text directly! ***We, and the authors, are much more interested in your unedited thoughts than what an LLM has to say.»***

Источник: ARR Reviewer Guidelines (Task 2 «Expertise and COI check»; FAQ «Can I use generative AI?»)

SBER AI

Полезные лайфхаки: время на ревью

— 01

Не стройте из себя ниндзя-экспертов: заблокируйте время в календаре на проверку назначений, ревью и сдачу в срок

Please **block the time in your calendar** for (1) checking the assignments, (2) working on the reviews, and (3) submitting them on time. Late reviews mean extra work for the AC and other volunteers — and the authors might not get a fair chance to respond.

— 02

Плохая идея — писать впопыхах в последний момент, особенно если вам пришло несколько работ

Then, during the discussion period, you need to **set aside some time to check the authors' response**, discuss and/or update the review as needed.

— 03

Пишем в идеале в несколько присестов:

- в первый день — прочитали, обдумали;
- во второй день — вчитались, переварили, описали.

Ideally, this would be **spread over a few days**, because the first-impression draft may be tainted by a knee-jerk reaction to the paper's methodology or results. Please read the paper at least twice: skimming and in-depth reading. Watch out for confirmation bias.

— 04

AI — только помощник. Содержание и аргументы ревью пишете сами, черновик через LLM запрещён. Статью и ревью не загружаем в сервисы, которые хранят данные

The reviewer has to read the paper fully and **write the content and argument of the review by themselves** … it is not permitted to use generative assistance to create the first draft. It is reasonable to use writing assistance to paraphrase the review. Neither the manuscript nor the review may be uploaded into a non-privacy-preserving generative tool.

Источник: ARR Reviewer Guidelines (Task 1; FAQ «Can I use generative AI?»)

SBER AI

Полезные лайфхаки: как писать ревью

СОДЕРЖАНИЕ РЕВЬЮ

- **Short reviews are unhelpful** to authors, other reviewers, and ACs. **Extremely terse reviews** count as “highly irresponsible” and can lead to sanctions.
- **Read the paper at least twice:** skim to adjust your expectations, then read in depth. Don’t critique during the first and only read.
- **Be specific when you suggest** that the writing needs to be improved: point to the unclear section and suggest how to clarify it.
- **Be specific about novelty.** “Not novel” MUST be backed up with references to highly similar work **published 3+ months** before the deadline.
- **Missing references** are a problem only if the work was **published (not just put on arXiv) 3+ months** before the deadline. Otherwise, it’s a suggestion.

ТОН И ПРОЦЕСС

- **The tone must be professional and neutral, if not kind.** Write the review you would like to get yourself.
- **Avoid “you”** and even “the authors”: you review the work, not the person. Use the third person (“the paper”).
- **Do not give away your identity** by asking the authors to cite several of your own papers.
- **Out of scope?** Clearly explain why in the review, then suggest other publication possibilities.
- **Be generous with new ideas:** a technical tool, a dataset, an application area, or a way to generalize the idea.
- **Acknowledge the authors’ response** and update the review if it clarifies something or points to a guideline violation.

Источник: ARR Reviewer Guidelines (Task 3 «Write a strong review», Task 4, H3, H12)

Критика и ловушки восприятия

Эвристики, которые не являются аргументом против статьи, и почему

Эвристика	Почему это не аргумент против статьи
H1. The results are not surprising	Many findings seem obvious in retrospect, but this does not mean that the community is already aware of them and can use them as building blocks for future work. Some findings may seem intuitive but haven't previously been tested empirically.
H2. The results contradict what I would expect	You may be a victim of confirmation bias, and be unwilling to accept data contradicting your prior beliefs.
H3. The results are not novel	If the paper claims e.g. a novel method, and you think you've seen this before — you need to provide a reference (note the policy on concurrent work). Reproductions, reimplementations and analyses are in scope of the CFP and deserve a fair hearing.
H4. This has no precedent in the existing literature	Believe it or not: papers that are more novel tend to be harder to publish. Reviewers may be unnecessarily conservative.
H5. The results do not surpass the latest SOTA	SOTA results are neither necessary nor sufficient for a scientific contribution. An engineering paper could also offer improvements on other dimensions (efficiency, generalizability, interpretability, fairness, etc.). If the authors do not claim SOTA, the lack thereof is not an issue.
H6. The results are negative	The bias towards publishing only positive results is a known problem in many fields, and contributes to hype and overclaiming. If something systematically does not work where it could be expected to, the community does need to know about it.

Источник: ARR Reviewer Guidelines, раздел «3. Check for common review issues», эвристики H1–H17

SBER AI

Критика и ловушки восприятия: продолжение

Эвристика	Почему это не аргумент против статьи
H7. This method is too simple	The goal is to solve the problem, not to solve it in a complex way. Simpler solutions are in fact preferable, as they are less brittle and easier to deploy in real-world settings.
H8. The paper doesn't use [my preferred methodology], e.g., deep learning	NLP is an interdisciplinary field, relying on many kinds of contributions: models, resource, survey, data/linguistic/social analysis, position, and theory.
H9. The topic is too niche	A main track paper may well make a big contribution to a narrow subfield.
H10. The approach is tested only on [not English]	The same is true of NLP research that tests only on English. Monolingual work on any language is important both practically (methods and resources for that language) and theoretically (potentially contributing to a deeper understanding of language in general).
H11. The paper has language errors	As long as the writing is clear enough, better scientific content should be more valuable than better journalistic skills.
H12. The paper is missing the [reference X]	Per ACL policy, missing references to prior highly relevant work is a problem if such work was published (which is not the same as 'put on arXiv') 3+ months before the submission deadline. Otherwise, missing references belong in the "suggestions" section. For resubmissions, the 3 months count from the original deadline.
H13. The authors could also do [extra experiment X]	A paper only needs to present sufficient evidence for the claim that the authors are making. Any other extra experiments are "nice-to-have" and belong in the "suggestions" section rather than "reasons to reject." If you believe a specific extra comparison is required for the validity of the claim, justify this in your review.
H15. The authors should have done [X] instead	A.k.a. "I would have written this paper differently." This criticism applies only if the authors' choices prevent them from answering their research question, their framing is misleading, or the question is not worth asking. If not, then [X] is a comment or a suggestion, but not a "weakness."

Источник: ARR Reviewer Guidelines, раздел «3. Check for common review issues», эвристики H1–H17

SBER AI

Критика и ловушки восприятия: новые эвристики

Эвристика	Почему это не аргумент против статьи
H14. The authors should compare to a ‘closed’ model X	Requesting comparisons to closed-source models is only reasonable if it directly bears on the claim the authors are making. One can always say “it would be interesting to see how ChatGPT does this”, but due to methodological problems such as test contamination and a general lack of information about ‘closed’ models, such comparisons may not be meaningful.
H16. Limitations != weaknesses	No paper is perfect, and most *CL venues now require a Limitations section. A good review should not just take the limitations and list them as weaknesses or reasons to reject. If the reviewer wishes to argue that acknowledged limitations completely invalidate the work, this should be appropriately motivated.
H17. Citation count != validity	Most papers, especially those published outside of the famous research groups, receive relatively few citations. This does not entail that the results in little-cited papers are not valid. If everyone builds only on a few famous papers, only a narrow range of research directions will be developed.

Источник: ARR Reviewer Guidelines, раздел «3. Check for common review issues», эвристики H1–H17

SBER AI

ЧАСТЬ 03

Rebbutal: как правильно отвечать

SBER AI

Что такое rebuttal и зачем он нужен

Rebuttal — это официальный короткий ответ авторов на отзывы ревьюеров после рецензирования статьи — шанс повысить оценку до того как Area Chair напишет мета-ревью.

01 **Ревью**
ревьюеры пишут и сдают отзывы

→

02 **Rebuttal**
авторы отвечают на ревью, ≈ 10 дней

→

03 **Обсуждение**
ревьюеры читают ответ и обновляют оценки (по желанию)

→

04 **Мета-ревью**
AC учитывает ревью, ответ и обсуждение

ЗАЧЕМ ОН НУЖЕН

01 **Исправить недопонимание**

Если ревьюер что-то упустил или понял неверно, укажите, где это есть в статье: раздел, строка, таблица

02 **Ответить на вопросы**

Ревьюеры задают вопросы авторам. Чёткий ответ может повысить оценку и снять «reasons to reject»

03 **Сигнал для Area Chair**

Авторы могут отметить нарушения гайдлайнов в ревью (I1–I12): грубость, «not novel» без ссылок. AC учтёт это в мета-ревью

Источник: ARR Reviewer Guidelines (Task 4 «Update your assessment after the authors' response»). В цикле ARR Aug'26 ответ авторов — 14–24 сентября


SBER AI

Чек-лист по ответу ревьюерам

Как писать rebuttal


Ответ ревьюерам: спокойно, вежливо, по делу

- **Сначала успокоиться**
  rebuttal — не спор, а шанс помочь ревьюеру понять вашу работу
- **Быть максимально вежливыми**
  «Thank you for pointing this out…», «We will clarify this…»
- **Не считать, что вас хотят завалить**
  ревьюер мог читать быстро или пропустить деталь — снимаем недопонимание
- **Ответ уже в статье — отлично**
  вежливо укажите место: «addressed in Section 4.2, lines 213–218…»
- **Можно не соглашаться — аккуратно**
  не «reviewer is wrong», а «We respectfully disagree and clarify…»
- **Отвечать по структуре**
  замечание → краткий ответ → ссылка на статью → правка в camera-ready
- **Не спорить с оценкой напрямую**
  не «the score is unfair» — закрываем замечание фактами
- **Бонус: мягко напомнить про скор**
  «…we would be grateful if you considered updating your score»



SBER AI

Пример rebuttal: как устроен ответ



Official Comment by Authors

Official Comment by Authors (Anton Emelyanov, Elisei Rykov, Ivan Sviridov, Artem Safin, +14 more) 23 Nov 2025, 14:48 (modified: 15 Dec 2025, 22:07)

Program Chairs, Senior Area Chairs, Area Chairs, Reviewers Submitted, Authors, Reviewer tCjH, Commitment Readers Revisions

Comment:

1 We thank the reviewer for dedicating their time to reviewing our paper and providing detailed feedback that will undoubtedly help improve our work. Below, we respond to the proposed suggestions and comments.

2 > The taxonomy specifically lacks any theoretical support. The authors claim that their taxonomy is aligned with "broad categories of human-like cognition" without any references to literature from cognitive neuroscience to back up those claims. This feels like a major omission.

3 We agree that the taxonomy would benefit from stronger theoretical grounding. The perception–reasoning–knowledge structure that we adopt is not introduced as a novel cognitive theory but rather follows categorization principles already used in large, widely adopted multimodal benchmarks such as MMBench (Liu et al., 2024d) and MMMU (Yue et al., 2024), both of which organize multimodal abilities into closely aligned groups of perceptual, knowledge-based, and reasoning-oriented skills. Our taxonomy builds on, aggregates, and extends these established structures. Upon acceptance, we will add appropriate references in the camera-ready version to make this alignment explicit.

> While it is indeed helpful to discuss the creation of a software license for the dataset, I don't consider this to be a major contribution, as it is framed to be.

We agree that the license itself is not an algorithmic contribution, and we did not intend to present it as a standalone major novelty. In the paper, the licensing framework is introduced as one component of our methodology for preventing benchmark leakage, alongside watermarking and membership-inference-based leakage detection; we will revise the text to clarify this integration in the camera-ready version. However, we still consider it important to specify clear legal-use constraints, given that missing or mis-specified licences are widespread and create uncertainty for dataset reuse (Longpre, S., Mahari, R., Chen, A. et al. A large-scale audit of dataset licensing and attribution in AI. Nat Mach Intell 6, 975–987 (2024)).

2 > Which categories of the taxonomy appear to be the easiest and the most difficult? Why might this be?

3 Based on the detailed task-level results in Tables 18–21 and the alignment between datasets and skills shown in Tables 2, 7, and 8, we observe that the most challenging categories across the benchmark are:

- Reasoning: Physical property understanding, Analogical reasoning, Static counting, Mathematical and comparative reasoning, Topic understanding
- Perception: Temporal object relationship, Speaker diarization, Object, Scheme and Speech recognition
- Knowledge: Domain knowledge


We hypothesize that these categories are more challenging due to the nature of the underlying cognitive requirements as outlined in our Skill Taxonomy. For example, physical property understanding and analogical reasoning often involve multi-step inference that integrates both visual cues and background knowledge. Tasks requiring mathematical reasoning or static counting depend on accurate extraction of fine-grained visual details before applying symbolic reasoning, which can be difficult for current models. Perceptual skills such as temporal object relationship and speaker diarization may be demanding because they rely on temporal alignment and multimodal fusion across frames or audio segments areas where existing MLLMs are still developing. Similarly, tasks involving domain knowledge frequently draw on Russian-specific scientific, cultural, or geographic context that multilingual models may only partially capture despite some exposure during pretraining.

The analysis also reveals that some categories tend to be easier for current models. Among them are:

- Reasoning: Counterfactual robustness, Object function understanding, and Scene understanding. These usually require more direct grounding in visible attributes or straightforward inference without multi-step symbolic reasoning.
- Perception: Living-things motion recognition, Human–object interaction, and Spatial object relationship. These skills often rely on salient visual cues that modern vision encoders handle well.
- Knowledge: Common everyday knowledge. This skill is typically supported by broad pretraining corpora, making these tasks less demanding relative to domain-specific or culturally grounded concepts.

At the same time, we note that dataset difficulty itself can also influence results independently of the underlying skill category. For instance, tasks with dense visual diagrams (e.g. UniScienceVQA) are harder regardless of skill type.

4 Upon acceptance, we will include a short summary of these difficulty observations in the camera-ready version. We leave a more fine-grained, model-level analysis of taxonomy–performance interactions to future work.



Official Comment by Authors

Official Comment by Authors (Anton Emelyanov, Elisei Rykov, Ivan Sviridov, Artem Safin, +14 more) 23 Nov 2025, 14:54 (modified: 15 Dec 2025, 22:07)

Program Chairs, Senior Area Chairs, Area Chairs, Reviewers Submitted, Authors, Reviewer tCjH, Commitment Readers Revisions

Comment:

2 > It seems that there is still a high degree of dependency on English. The consequences of this should be discussed more in the Limitations, and there should be a more concise description about reliance on English, for example, a Table in the Appendix.

3 It should be highlighted that all the private test sets are created from scratch specifically for the Russian language, either hand-crafted by the Russian native-speakers, or based on the original Russian sources. Only few public sets are translated from the English language and even they were manually verified and refined by Russian-speaking annotators. However, it should be highlighted that this sets presented only for the general research purposes, excluded from the overall examination and thus do not contaminate the benchmark evaluation process. We will make this distinction fully explicit in the appendix and in the corresponding dataset-description tables in the camera-ready version.

4 We furthermore address the remaining points raised in the "Questions for the authors" subsection that are not fully resolved by the responses above:

> Why then do you use EM as a metric for the open-ended questions? Why not a different metric which is designed for capturing semantics?

3 We agree that EM alone is not a semantic metric; as described in Sections 3.3.1 and 3.3.3, in our benchmark we therefore pair EM with JudgeScore (JS), an LLM-judge semantic similarity measure trained on task-specific data, and use their average as the final score, while retaining EM mainly because it is particularly useful for short factual answers (such as a single word or number) where exact string match is a reasonable proxy for correctness and complements JS's assessment of semantic adequacy.

> Regarding Table 2, why are 3 levels of your taxonomy identical (L1, L2, L3)?

The identical entries at levels L1–L3 are intentional: they ensure consistent hierarchical depth across all branches of the taxonomy. The core skills reside at level L5, while the upper levels serve only to group them structurally, which leads to some vertical repetition. We agree that the current presentation may appear visually confusing, and in the camera-ready version we will adjust the layout (e.g., by merging redundant rows) to improve clarity.

> Comments Suggestions And Typos

We also ensure that upon acceptance we will address all of the minor issues, misprints and inconsistencies in the camera-ready version.

1 We thank the reviewer once again for the thoughtful and constructive feedback. We hope that our responses address your questions and concerns regarding the paper, and we will incorporate these suggestions to further improve the camera-ready version.

01 Благодарим

Коротко и без лести: спасибо за время и замечания

02 Цитируем замечание

Каждый ответ начинается с цитаты ревьюера — так видно, на что отвечаем

03 Отвечаем по сути

Аргументы и ссылки на разделы, таблицы и литературу

04 Обещаем правки

Что конкретно исправим в camera-ready версии

SBER AI

Что можно обещать в camera-ready

Camera-ready — финальная версия принятой статьи. По правилам ACL она должна учитывать замечания ревьюеров, но повторно её не ревьюят: обещайте только то, что точно успеете сделать

✓ Можно обещать

- **Уточнения и исправления:** формулировки, опечатки, неточности в описании метода
- **Пояснения и ссылки,** о которых просили ревьюеры и AC
- **Результаты, уже показанные в rebuttal*, —** в основной текст или appendix (лимита страниц для него нет)
- **Обсуждение в Limitations** того, что не успеваете исправить

✕ Лучше не обещать

- **Новые крупные эксперименты,** меняющие выводы: их никто не проверит, это повод для нового цикла ARR
- **Смену основного вклада** и главных утверждений статьи
- **То, что не успеете к дедлайну:** обещания из rebuttal видят AC и SAC
- **Изменения в списке авторов —** разрешают не все конференции, уточняйте у организаторов

+1 страница. Большинство конференций *ACL дают одну дополнительную страницу основного текста (long — 9, short — 5) именно для доработок

***Новые эксперименты в rebuttal.** В ARR можно, но ревьюер не обязан их учитывать; на некоторых конференциях (например, IJCAI) запрещено

Источники: ACLPUB: Submitting the final version, *ACL camera-ready FAQ, ARR Reviewer Guidelines, IJCAI 2026 Author's Response FAQ

SBER AI

No stress and do research!



TELEGRAM
@mashkka_ds

EMAIL
m_tikhonova94@mail.ru