Name: Mariyam Mahnoor

Course: Blockchain Programming

Section:"B"

Date: 29-Dec-2020

Index.js

```
var http = require('http')
var express = require('express')
var morgan = require('morgan')
var body_parser = require('body-parser')
var userRoute = require('./routes/userRoute.js')
var postRoute = require('./routes/postRoute.js')
var profileRoute = require('./routes/profileRoute.js')
var hostname = 'localhost'
var port = 80
]}
    {"userid":1,"Full Name":"xx", "image":"url"}
var app = express();
app.use(morgan('dev'))
app.use(express.static('public'))
app.use(body_parser.json())
app.use('/user',userRoute)
app.use('/post',postRoute)
app.use('/profile',profileRoute)
var server = http.createServer(app);
server.listen(port,hostname, (msg)=>{
   console.log('Server Started at http://'+hostname+':'+port)
```

Routes/userRoute.js

```
var express = require('express');
var userRoute = express.Router();
var users = {"users":[
```

```
{"id":1,"name":"hamza",'details':"vlogger"},
    {"id":3, "name": "hassan", 'details': "engineer"}, {"id":4, "name": "owais", 'details': "Media director"}
]}
userRoute.route('/')
    .get((req,res)=>{
        res.end('This will show all users \n' + JSON.stringify(users))
    .post((req,res)=>{
        users.users.push({"id":req.body.id,"name":req.body.name,'details':req.body.details})
        res.end('This will add new users with username '+ req.body.name+" "+JSON.stringify(users))
    .put((req,res)=>{
        res.end('Put request is forbidden')
    .delete((req,res)=>{
        res.end('Delete request is forbidden')
});
userRoute.route('/:userId')
    .get((req,res)=>{
        users.users.forEach(function(item,index){
            if(item.id == req.params.userId){
                res.json(item)
        res.end('There is no such user with userid '+req.params.userId)
    .post((req,res)=>{
        res.end('Post request is forbidden')
    .put((req,res)=>{
        users.users.forEach(function(item,index){
            if(item.id == req.params.userId){
                    users.users.splice(index, 1,{"id":req.body.id,"name":req.body.name,'details':req.body.details});
            res.end('This will update details of user with userid '
            +req.params.userId +
            + req.body.name +
            ' and having details '+ req.body.details)}
    .delete((req,res)=>{
        users.users.forEach(function(item,index){
            if(item.id == req.params.userId){
                    users.users.splice(index, 1);
                    res.end('This will delete user with userid '+req.params.userId)
});
 module.exports = userRoute;
```

```
var express = require('express');
var postRoute = express.Router();
var posts = {
       { "id": 1, "title": "web development", "description": " here we show you how you develop a website", "created_by"
       { "id": 2, "title": "pakistan tour", "description": " here a most beautiful place in asia", "created_by": "hamza"
        { "id": 3, "title": "loyality ", "description": " here we show you a short film about loyality", "created_by": "o
wais" }
postRoute.route('/')
    .get((req, res) => {
        res.end('This will show all posts \n' + JSON.stringify(posts))
    .post((req, res) => {
       posts.posts.push({ "id": req.body.id, "title": req.body.title, "description": req.body.description, "created_by":r
eq.body.created_by})
        res.end('This will add new posts with posttitle ' + req.body.title + " " + JSON.stringify(posts))
    .put((req, res) => {
        res.end('Put request is forbidden')
    .delete((req, res) => {
        res.end('Delete request is forbidden')
postRoute.route('/:postId')
    .get((req, res) => {
        posts.posts.forEach(function (item, index) {
           if (item.id == req.params.postId) {
                res.json(item)
        res.end('There is no such post with postid ' + req.params.postId)
    .post((req, res) => {
        res.end('Post request is forbidden')
        posts.posts.forEach(function (item, index) {
           if (item.id == req.params.postId) {
               posts.posts.splice(index, 1, {"id": req.body.id, "title": req.body.title, "description": req.body.descrip
tion,"created_by":req.body.created_by});
                res.end('This will update details of post with postid '
                   + req.params.postId +
                   + req.body.title +
                    ' and having description ' + req.body.description)
    .delete((req, res) => {
        posts.posts.forEach(function (item, index) {
            if (item.id == req.params.postId) {
               posts.posts.splice(index, 1);
               res.end('This will delete post with postid ' + req.params.postId)
```

```
});
module.exports = postRoute;
```

Routes/profileRoute.js

```
var express = require('express');
var profileRoute = express.Router();
var profiles ={"profiles":[
8c3BUhtIoSTgHaEK&pid=Api&rs=1&c=1&qlt=95&w=211&h=118"},
    {"userid":2,"Full_Name":"bilal khan", "image":"https://tse2.mm.bing.net/th?id=OIP.4-
swZSVMu51RK50IyAjC1QHaEK&pid=Api&P=0&w=277&h=156"},
   {"userid":3,"Full_Name":"owais khan", "image":"http://2.bp.blogspot.com/-ya6E_4I_pkY/UA-
KRIKu3KI/AAAAAAAAAJk/AjEDjAK4IhM/s1600/nature+wallpaper+1280-1.jpg"}
]}
profileRoute.route('/')
    .get((req,res)=>{
        res.end('This will show all profiles \n' + JSON.stringify(profiles))
        profiles.profiles.push({"userid":req.body.userid,"Full_Name":req.body.Full_Name,'image':req.body.image})
        res.end('This will add new profiles with profilename \n'+ req.body.name+" "+JSON.stringify(profiles))
    .put((req,res)=>{
        res.end('Put request is forbidden')
    .delete((req,res)=>{
        res.end('Delete request is forbidden')
});
profileRoute.route('/:profileId')
    .get((req,res)=>{
        profiles.profiles.forEach(function(item,index){
            if(item.userid == req.params.profileId){
                res.json(item)
        res.end('There is no such profile with profileid '+req.params.profileId)
    .post((req,res)=>{
        res.end('Post request is forbidden')
    .put((req,res)=>{
        profiles.profiles.forEach(function(item,index){
            if(item.userid == req.params.profileId){
                    profiles.profiles.splice(index, 1,{"userid":req.body.userid,"Full_Name":req.body.Full_Name,'image':re
q.body.image} );
            res.end('This will update details of profile with profileid '
            +req.params.profileId +
            + req.body.Full_Name +
            ' and having details '+ req.body.image)}
```

```
})

.delete((req,res)=>{
    profiles.profiles.forEach(function(item,index){
        if(item.userid == req.params.profileId){
            profiles.profiles.splice(index, 1);
            res.end('This will delete profile with profileid '+req.params.profileId)
        }

})

module.exports = profileRoute;

delete(req,res)=>{
    profiles.forEach(function(item,index){
        if(item,userid == req.params.profileId){
            res.end('This will delete profile with profileid '+req.params.profileId)
        }

})

module.exports = profileRoute;
```