# #05
# IMPORTING
# FILES

in this SASS tutorial, I'll be showing you how we can split our SCSS file into modules (or other .scss files) and then import them into our main file. This way, we can keep all of our SASS for certain things together.

In to the folder **src** create folder **Variables**
In to the folder **Variables** create file **variables.scss**

```scss
$offWhite: #f8f9fb;
$deepBlue: #032f3e;

$sectionHeading: 24px;
$bannerHeading: 42px;
```

In to the folder **src** create folder **Mixins**
In to the folder **Mixins**create file m**ixins.scss**

```scss
@import "../Variables/variables.scss";

@mixin banner{
    width: 100%;
    position: relative;
    color: white;
    .banner-content{
      position: absolute;
      top: 50px;
      width: 100%;
    }
    img{
      width: 100%;
    }
    span{
      font-size: $bannerHeading;
      display: block;
      text-transform: uppercase;
      font-weight: bold;
      padding: 0 60px;
    }
    span.title{
      font-weight: normal;
      margin-bottom: 30px;
    }
}
```

# Modify Navbar.scss

```scss
@import "../Variables/variables.scss";
@import "../Mixins/mixins.scss";

.navbar {
    background: $deepBlue;
    ul{
        width: 100%;
    }
    li{
        list-style-type : none;
        float: left;
        width: 14%;
    }
    a {
        color: $offWhite;
        text-decoration: none;
        padding: 16px 0;
        display: block;
        text-align: center;
    }
}

.navbar ul:after{
    content: "";
    display: block;
    clear: both;
}
```

# Modify MainPage.scss

```scss
@import "../Variables/variables.scss";
@import "../Mixins/mixins.scss";

.section h1 {
    color: $deepBlue;
    font-size: $sectionHeading;
}

.lead-banner{
    @include banner;
    text-align: right;
}

.lessons-banner{
    @include banner;
    li{
        list-style-type : none;
        text-transform: uppercase;
        font-size: 20px;
        max-width: 1000px;
        margin: 60px 0;
    }
}
```