




Entity Relationship Diagram : Crow’s Foot Notation by Gordon Everest

Step 5) Create the ERD

A more modern representation of ERD Diagram




Crow's Foot Notation




Sample UML Diagram

Composition – When a child object would not be able to exist without its parent object.



System Architecture Design Example



Our Shopee-GCash diagram is a **3-Tier Monolithic MVC architecture**. Here's why each label applies:

Monolithic — the entire Shopee backend (auth, orders, cart, products, notifications, payment integration) lives inside one single Laravel application. It is deployed as one unit. If you want to update the payment logic, you redeploy the whole Laravel app.

MVC — this is how the code is organised inside Laravel. Every request follows the same path: the Controller receives the HTTP request, the Model (via Eloquent ORM) handles the data and business logic, and the View returns a JSON response to Flutter or Next.js. Laravel enforces MVC by design.

3-Tier — the system is split into three distinct deployment tiers: the client layer (Flutter / Next.js), the application layer (Laravel + Nginx), and the data layer (MySQL + Redis + S3 + Supabase).

Concept	Level	What it answers
MVC	Code organisation	How is the code structured inside the app?
Monolithic	System structure	How many deployable units are there?
3-Tier	System layers	How are the physical tiers separated?
Microservices	System structure	The alternative to Monolithic — each module is its own service