# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source ☐ outline ☐ image report

Options…

Check by [text input ∨] ☐ css

```
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="description" content="Tech courses in West
Midlands">
    <meta name="keywords"
        content="courses, bootcamps, web development, software
development, full stack, front end, career, tech, west midlands">
    <meta name="author" content="Janet Dornan">
    <meta name="viewport" content="width=device-width, initial-
scale=1.0">
    <link
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

1. `<!DOCTYPE html>`↵
2. `<html lang="en">`↵
3. ↵
4. `<head>`↵
5. `    <meta charset="UTF-8">`↵
6. `    <meta http-equiv="X-UA-Compatible" content="IE=edge">`↵
7. `    <meta name="description" content="Tech courses in West Midlands">`↵
8. `    <meta name="keywords"`↵

```
 9.          content="courses, bootcamps, web development, software development,
    full stack, front end, career, tech, west midlands">↵
10.      <meta name="author" content="Janet Dornan">↵
11.      <meta name="viewport" content="width=device-width, initial-scale=1.0">↵
12.      <link
    href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/css/bootstrap.min.css"
    rel="stylesheet"↵
13.          integrity="sha384-
    iYQeCzEYFbKjA/T2uDLTpkwGzCiq6soy8tYaI1GyVh/UjpbCx/TYkiZhlZB6+fzT"
    crossorigin="anonymous">↵
14.      <script src="https://kit.fontawesome.com/7c6e646adf.js"
    crossorigin="anonymous"></script>↵
15.      <link rel="stylesheet" href="assets/css/style.css">↵
16.      <title>LevelCoder | Find tech courses in the West Midlands and
    UK</title>↵
17. </head>↵
18. ↵
19. <body>↵
20.      <!--Bootstrap standard navbar with collapsing Burger menu for mobiles --
    >↵
21.      <nav class="navbar fixed-top navbar-expand-lg navbar-dark bg-dark">↵
22.          <div class="container-fluid">↵
23.              <a class="navbar-brand" href="index.html">LevelCoder</a>↵
24.              <button class="navbar-toggler" type="button" data-bs-
    toggle="collapse"↵
25.                  data-bs-target="#navbarSupportedContent" aria-
    controls="navbarSupportedContent" aria-expanded="false"↵
26.                  aria-label="Toggle navigation">↵
27.                  <span class="navbar-toggler-icon"></span>↵
28.              </button>↵
29.              <div class="collapse navbar-collapse"
    id="navbarSupportedContent">↵
30.                  <ul class="navbar-nav me-auto mb-2 mb-lg-0">↵
31.                      <li class="nav-item">↵
32.                          <a class="nav-link" href="index.html">Home</a>↵
33.                      </li>↵
34.                      <li class="nav-item">↵
35.                          <a class="nav-link active" aria-current="page"
    href="courses.html">Courses</a>↵
36.                      </li>↵
37.                      <li class="nav-item">↵
38.                          <a class="nav-link" href="about.html">About</a>↵
39.                      </li>↵
40.                  </ul>↵
41.              </div>↵
42.          </div>↵
43.      </nav>↵
44.      <!-- Hero image with opaque overlay to darken the image and provide site
    wide consistency -->↵
45.      <div class="container-fluid hero-container courses-container">↵
46.          <div class="opaque-overlay"> </div>↵
47.          <!-- This next div container holds unspecified rows with columns. The
    screen size will determine the number of columns displayed per screen row. ↵
48.              The small screens will display 1 column, medium 2 columns and
    large or greater 3 columns per row.↵
49.              As the screen size decreases, the columns will wrap onto the next
    row as appropriate. Each non-full width row will contain a Bootstrap card. --
    >↵
50.          <div class="row row-cols-1 row-cols-md-2 row-cols-lg-3 g-3">↵
51.              <div class="col full-width">↵
52.                  <p>Local / Remote</p>↵
53.              </div>↵
54.              <div class="col">↵
55.                  <!-- Each card shall be the same length using class .h-100.↵
56.                  As not all browsers can display a .webp image, an alternative
    .jpg version is used as a fallback option -->↵
57.                  <div class="card h-100" style="width: 18rem;">↵
58.                      <picture>↵
59.                          <source srcset="assets/images/cyf-logo.webp"
    type="image/webp">↵
```

```
60.                          <source srcset="assets/images/cyf-logo.jpg"
     type="image/jpg">↵
61.                          <img src="assets/images/cyf-logo.jpg" class="card-img-
     top" alt="Code Your Future logo"↵
62.                              width="358" height="200">↵
63.                      </picture>↵
64.                      <div class="card-body">↵
65.                          <h5 class="card-title">Full Stack</h5>↵
66.                          <p class="card-text">Training refugees and
     disadvantaged people to become software developers.↵
67.                          </p>↵
68.                      </div>↵
69.                      <ul class="list-group list-group-flush">↵
70.                          <li class="list-group-item">Underrepresented |
     Refugees</li>↵
71.                          <li class="list-group-item">Part-time</li>↵
72.                          <li class="list-group-item">8 months</li>↵
73.                          <li class="list-group-item">Flexible</li>↵
74.                          <li class="list-group-item">Birmingham | Hybrid</li>↵
75.                          <li class="list-group-item">Free</li>↵
76.                      </ul>↵
77.                      <div class="card-body">↵
78.                          <a target="_blank" href="https://codeyourfuture.io/"
     class="card-link">Code Your Future</a>↵
79.                          <a target="_blank"
     href="https://twitter.com/CodeYourFuture">↵
80.                              <i class="fa-brands fa-twitter" aria-
     hidden="true"></i>↵
81.                              <span class="sr-only">Code Your Future
     Twitter</span>↵
82.                          </a>↵
83.                      </div>↵
84.                  </div>↵
85.              </div>↵
86.              <div class="col">↵
87.                  <div class="card h-100" style="width: 18rem;">↵
88.                      <picture>↵
89.                          <source srcset="assets/images/black-codher-logo.webp"
     type="image/webp">↵
90.                          <source srcset="assets/images/black-codher-logo.jpg"
     type="image/jpg">↵
91.                          <img src="assets/images/black-codher-logo.jpg"
     class="card-img-top" alt="Black Codher logo"↵
92.                              width="358" height="200">↵
93.                      </picture>↵
94.                      <div class="card-body">↵
95.                          <h5 class="card-title">Full Stack / Front End</h5>↵
96.                          <p class="card-text">Empowering black women with tech
     skills to become full stack or front end↵
97.                              developers.</p>↵
98.                      </div>↵
99.                      <ul class="list-group list-group-flush">↵
100.                         <li class="list-group-item">Black women</li>↵
101.                         <li class="list-group-item">Part-time</li>↵
102.                         <li class="list-group-item">4-7 months</li>↵
103.                         <li class="list-group-item">2-3 evenings/week</li>↵
104.                         <li class="list-group-item">Birmingham | Remote</li>↵
105.                         <li class="list-group-item">Free</li>↵
106.                     </ul>↵
107.                     <div class="card-body">↵
108.                         <a target="_blank" href="https://blackcodher.com/"
     class="card-link">Black Codher</a>↵
109.                         <a target="_blank"
     href="https://twitter.com/blackcodher">↵
110.                             <i class="fa-brands fa-twitter" aria-
     hidden="true"></i>↵
111.                             <span class="sr-only">Black Codher
     Twitter</span>↵
112.                         </a>↵
113.                     </div>↵
```

```
114.                    </div>↵
115.                </div>↵
116.                <div class="col">↵
117.                    <div class="card  h-100" style="width: 18rem;">↵
118.                        <picture>↵
119.                            <source srcset="assets/images/resume-foundation-
     logo.webp" type="image/webp">↵
120.                            <source srcset="assets/images/resume-foundation-
     logo.jpg" type="image/jpg">↵
121.                            <img src="assets/images/resume-foundation-logo.jpg"
     class="card-img-top"↵
122.                                alt="Resume Foundation logo" width="358"
     height="200">↵
123.                        </picture>↵
124.                        <div class="card-body">↵
125.                            <h5 class="card-title">Web / Cyber / Data</h5>↵
126.                            <p class="card-text">↵
127.                                Resume Foundation are a charity focused on
     employment support for marginalised people.↵
128.                            </p>↵
129.                        </div>↵
130.                        <ul class="list-group list-group-flush">↵
131.                            <li class="list-group-item">All backgrounds</li>↵
132.                            <li class="list-group-item">Part-time</li>↵
133.                            <li class="list-group-item">3 months</li>↵
134.                            <li class="list-group-item">Flexible</li>↵
135.                            <li class="list-group-item">Coventry | Remote</li>↵
136.                            <li class="list-group-item">Free</li>↵
137.                        </ul>↵
138.                        <div class="card-body">↵
139.                            <a target="_blank"
     href="https://coventrydigitalbootcamps.co.uk/" class="card-link">Coventry↵
140.                                Bootcamps</a>↵
141.                            <a target="_blank"
     href="https://twitter.com/ResumeCharity">↵
142.                                <i class="fa-brands fa-twitter" aria-
     hidden="true"></i>↵
143.                                <span class="sr-only">Resume Foundation
     Twitter</span>↵
144.                            </a>↵
145.                        </div>↵
146.                    </div>↵
147.                </div>↵
148.                <div class="col">↵
149.                    <div class="card  h-100" style="width: 18rem;">↵
150.                        <picture>↵
151.                            <source srcset="assets/images/school-of-code-
     logo.webp" type="image/webp">↵
152.                            <source srcset="assets/images/school-of-code-logo.jpg"
     type="image/jpg">↵
153.                            <img src="assets/images/school-of-code-logo.jpg"
     class="card-img-top" alt="School of Code logo"↵
154.                                width="358" height="200">↵
155.                        </picture>↵
156.                        <div class="card-body">↵
157.                            <h5 class="card-title">Full Stack</h5>↵
158.                            <p class="card-text">↵
159.                                Delivering free, intensive Bootcamps around the UK
     throughout the year.↵
160.                            </p>↵
161.                        </div>↵
162.                        <ul class="list-group list-group-flush">↵
163.                            <li class="list-group-item">All backgrounds</li>↵
164.                            <li class="list-group-item">Full-time</li>↵
165.                            <li class="list-group-item">4 months</li>↵
166.                            <li class="list-group-item">Mon-Fri | 9am-5pm</li>↵
167.                            <li class="list-group-item">Birmingham | Remote</li>↵
168.                            <li class="list-group-item">Free</li>↵
169.                        </ul>↵
170.                        <div class="card-body">↵
```

```html
171.                           <a target="_blank"
      href="https://www.schoolofcode.com/" class="card-link">School of Code</a>↵
172.                           <a target="_blank"
      href="https://twitter.com/theSchoolOfCode">↵
173.                                 <i class="fa-brands fa-twitter" aria-
      hidden="true"></i>↵
174.                                 <span class="sr-only">School of Code
      Twitter</span>↵
175.                           </a>↵
176.                     </div>↵
177.               </div>↵
178.           </div>↵
179.           <div class="col">↵
180.               <div class="card  h-100" style="width: 18rem;">↵
181.                     <picture>↵
182.                           <source srcset="assets/images/uob-logo.webp"
      type="image/webp">↵
183.                           <source srcset="assets/images/uob-logo.jpg"
      type="image/jpg">↵
184.                           <img src="assets/images/uob-logo.jpg" class="card-img-
      top" alt="UoB Bootcamps logo" width="358"↵
185.                                 height="200">↵
186.                     </picture>↵
187.                     <div class="card-body">↵
188.                           <h5 class="card-title">Web / Cyber / Data</h5>↵
189.                           <p class="card-text">↵
190.                                 Offering students part-time (24 weeks) coding and
      data analytics programmes.↵
191.                           </p>↵
192.                     </div>↵
193.                     <ul class="list-group list-group-flush">↵
194.                           <li class="list-group-item">All backgrounds</li>↵
195.                           <li class="list-group-item">Part-time</li>↵
196.                           <li class="list-group-item">6 months</li>↵
197.                           <li class="list-group-item">3 weekday evenings</li>↵
198.                           <li class="list-group-item">Birmingham campus |
      Remote</li>↵
199.                           <li class="list-group-item">Fees | WiT
      Scholarship</li>↵
200.                     </ul>↵
201.                     <div class="card-body">↵
202.                           <a target="_blank"
      href="https://bootcamp.birmingham.ac.uk/" class="card-link">UoB
      Bootcamps</a>↵
203.                           <a target="_blank"
      href="https://www.facebook.com/UoBbootcamp">↵
204.                                 <i class="fa-brands fa-facebook" aria-
      hidden="true"></i>↵
205.                                 <span class="sr-only">University of Birmingham
      Bootcamps Facebook</span>↵
206.                           </a>↵
207.                     </div>↵
208.               </div>↵
209.           </div>↵
210.           <div class="col full-width">↵
211.               <p>UK / Remote</p>↵
212.           </div>↵
213.           <div class="col">↵
214.               <div class="card h-100" style="width: 18rem;">↵
215.                     <picture>↵
216.                           <source srcset="assets/images/ioc-logo.webp"
      type="image/webp">↵
217.                           <source srcset="assets/images/ioc-logo.jpg"
      type="image/jpg">↵
218.                           <img src="assets/images/ioc-logo.jpg" class="card-img-
      top" alt="Institute of Coding logo"↵
219.                                 width="358" height="200">↵
220.                     </picture>↵
221.                     <div class="card-body">↵
222.                           <h5 class="card-title">Web / Cyber / Data</h5>↵
```

```html
223.                            <p class="card-text">↵
224.                                Helping a larger and more diverse group of
      learners into digital and tech careers via higher↵
225.                                education.↵
226.                            </p>↵
227.                        </div>↵
228.                        <ul class="list-group list-group-flush">↵
229.                            <li class="list-group-item">All backgrounds</li>↵
230.                            <li class="list-group-item">Part-time</li>↵
231.                            <li class="list-group-item">3-4 months</li>↵
232.                            <li class="list-group-item">Flexible</li>↵
233.                            <li class="list-group-item">UK Hybrid | Remote</li>↵
234.                            <li class="list-group-item">Free</li>↵
235.                        </ul>↵
236.                        <div class="card-body">↵
237.                            <a target="_blank"
      href="https://instituteofcoding.org/" class="card-link">Institute of↵
238.                                Coding</a>↵
239.                            <a target="_blank"
      href="https://twitter.com/IoCoding">↵
240.                                <i class="fa-brands fa-twitter" aria-
      hidden="true"></i>↵
241.                                <span class="sr-only">Institute of Coding
      Twitter</span>↵
242.                            </a>↵
243.                        </div>↵
244.                    </div>↵
245.                </div>↵
246.                <div class="col">↵
247.                    <div class="card h-100" style="width: 18rem;">↵
248.                        <picture>↵
249.                            <source srcset="assets/images/cfg-logo.webp"
      type="image/webp">↵
250.                            <source srcset="assets/images/cfg-logo.jpg"
      type="image/jpg">↵
251.                            <img src="assets/images/cfg-logo.jpg" class="card-img-
      top" alt="Code First Girls logo"↵
252.                                width="358" height="200">↵
253.                        </picture>↵
254.                        <div class="card-body">↵
255.                            <h5 class="card-title">Web / Software / Data</h5>↵
256.                            <p class="card-text">↵
257.                                Providing women with the skills and confidence to
      become developers and future tech leaders.↵
258.                            </p>↵
259.                        </div>↵
260.                        <ul class="list-group list-group-flush">↵
261.                            <li class="list-group-item">Women | Non-binary</li>↵
262.                            <li class="list-group-item">Part-time</li>↵
263.                            <li class="list-group-item">1-4 months</li>↵
264.                            <li class="list-group-item">Evenings</li>↵
265.                            <li class="list-group-item">UK | Remote</li>↵
266.                            <li class="list-group-item">Free</li>↵
267.                        </ul>↵
268.                        <div class="card-body">↵
269.                            <a target="_blank" href="https://codefirstgirls.com/"
      class="card-link">Code First Girls</a>↵
270.                            <a target="_blank"
      href="https://twitter.com/CodeFirstGirls">↵
271.                                <i class="fa-brands fa-twitter" aria-
      hidden="true"></i>↵
272.                                <span class="sr-only">Code First Girls
      Twitter</span>↵
273.                            </a>↵
274.                        </div>↵
275.                    </div>↵
276.                </div>↵
277.                <div class="col">↵
278.                    <div class="card h-100" style="width: 18rem;">↵
279.                        <picture>↵
```

```
280.                              <source srcset="assets/images/ci-logo.webp"
        type="image/webp">↵
281.                              <source srcset="assets/images/ci-logo.jpg"
        type="image/jpg">↵
282.                              <img src="assets/images/ci-logo.jpg" class="card-img-
        top" alt="Code Institute logo" width="358"↵
283.                                  height="200">↵
284.                      </picture>↵
285.                      <div class="card-body">↵
286.                          <h5 class="card-title">Full Stack</h5>↵
287.                          <p class="card-text">↵
288.                              Level 5 credit-rated online coding bootcamp with
        accelerated, industry-validated learning.↵
289.                          </p>↵
290.                      </div>↵
291.                      <ul class="list-group list-group-flush">↵
292.                          <li class="list-group-item">All backgrounds</li>↵
293.                          <li class="list-group-item">Part-time</li>↵
294.                          <li class="list-group-item">12 months</li>↵
295.                          <li class="list-group-item">Flexible</li>↵
296.                          <li class="list-group-item">UK/EU | Remote</li>↵
297.                          <li class="list-group-item">Fees | Advanced Learner
        Loan</li>↵
298.                      </ul>↵
299.                      <div class="card-body">↵
300.                          <a target="_blank" href="https://codeinstitute.net/"
        class="card-link">Code Institute</a>↵
301.                          <a target="_blank"
        href="https://twitter.com/codeinstitute">↵
302.                              <i class="fa-brands fa-twitter" aria-
        hidden="true"></i>↵
303.                              <span class="sr-only">Code Institute
        Twitter</span>↵
304.                          </a>↵
305.                      </div>↵
306.                  </div>↵
307.              </div>↵
308.          </div>↵
309.      </div>↵
310.      <footer class="container-fluid">↵
311.          <ul class="list-inline social-links py-3">↵
312.              <li class="list-inline-item">↵
313.                  <p>Follow </p>↵
314.              </li>↵
315.              <li class="list-inline-item">↵
316.                  <a target="_blank" href="https://twitter.com/techmids">↵
317.                      <i class="fa-brands fa-twitter" aria-hidden="true"></i>↵
318.                      <span class="sr-only">TechMids Twitter</span>↵
319.                  </a>↵
320.              </li>↵
321.              <li class="list-inline-item">↵
322.                  <a target="_blank"
        href="https://www.linkedin.com/in/janetdornan/">↵
323.                      <i class="fa-brands fa-linkedin-in" aria-hidden="true">
        </i>↵
324.                      <span class="sr-only">Janet Dornan LinkedIn</span>↵
325.                  </a>↵
326.              </li>↵
327.              <li class="list-inline-item">↵
328.                  <a target="_blank" href="https://www.tiktok.com/en/">↵
329.                      <i class="fa-brands fa-tiktok" aria-hidden="true"></i>↵
330.                      <span class="sr-only">TikTok</span>↵
331.                  </a>↵
332.              </li>↵
333.          </ul>↵
334.      </footer>↵
335.      <script
        src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.11.6/dist/umd/popper.min.js
        "↵
```

336.   integrity="sha384-oBqDVmMz9ATKxIep9tiCxS/Z9fNfEXiDAYTujMAeBAsjFuCZSmKbSSUnQlmh/jp3" crossorigin="anonymous">↵
337.   </script>↵
338.   <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/js/bootstrap.min.js"↵
339.   integrity="sha384-7VPbUDkoPSGFnVtYi0QogXtr74QeVeeIs99Qfg5YCF+TidwNdjvaKZX19NZ/e6oz" crossorigin="anonymous">↵
340.   </script>↵
341. </body>↵
342. ↵
343. </html>

Used the HTML parser.

Total execution time 51 milliseconds.