
Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
9.
        <meta name="author" content="Janet Dornan">↔
10.
        <meta name="viewport" content="width=device-width, initial-scale=1.0">↔
11.
        k
   href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/css/bootstrap.min.css"
    rel="stylesheet"↔
12.
            integrity="sha384-
    iYQeCzEYFbKjA/T2uDLTpkwGzCiq6soy8tYaI1GyVh/UjpbCx/TYkiZhlZB6+fzT"
    crossorigin="anonymous">↔
        <script src="https://kit.fontawesome.com/7c6e646adf.js"</pre>
    crossorigin="anonymous"></script>↔
        <link rel="stylesheet" href="assets/css/style.css">←
14.
        <title>LevelCoder | Connect with us | Join our tech community</title>↔
15.
16.
        <!--Script to disable back button after form submission. Stops user from
   viewing form data again.-->↔
17.
        <script>↔
18.
            function disableBack() {←
19.
                window.history.forward();
20.
21.
            setTimeout("disableBack()", 0);
22.
            window.onunload = function () \{ \leftarrow \}
23.
                null↩
24.
            };↩
25.
        </script>↔
26. </head>↔
27. ←
28. <body>←
29.
        <!-- Bootstrap standard navbar with collapsing Burger menu for mobiles --
30.
        <nav class="navbar fixed-top navbar-expand-lg navbar-dark bg-dark">←
31.
            <div class="container-fluid">←
                <a class="navbar-brand" href="index.html">LevelCoder</a>←
32.
                <button class="navbar-toggler" type="button" data-bs-</pre>
33.
   toggle="collapse"↔
34.
                    data-bs-target="#navbarSupportedContent" aria-
    controls="navbarSupportedContent" aria-expanded="false"↔
35.
                    aria-label="Toggle navigation">↔
36.
                    <span class="navbar-toggler-icon"></span>↔
37.
                </button>←
                <div class="collapse navbar-collapse"</pre>
38.
    id="navbarSupportedContent">←
39.
                    ←
40.
                        class="nav-item">↔
41.
                            <a class="nav-link" href="index.html">Home</a>←
42.
                        ←
43.
                        class="nav-item">←
44.
                            <a class="nav-link" href="courses.html">Courses</a>←
45.
                        ←
46.
                        class="nav-item">↔
47.
                            <a class="nav-link active" aria-current="page"</pre>
   href="about.html">About</a>↔
48.
                        ↩
49.
                    ←
                </div>←
50.
51.
            </div>←
52.
        </nav>↩
53.
        <!-- Hero image with opaque overlay to darken the image and provide site
   wide consistency -->↔
        <div class="container-fluid hero-container about-container">←
54.
55.
            <div class="opaque-overlay">&nbsp;</div>←
            <!-- Signup form with explanatory text, enticing the user to subscribe
56.
    to a newsletter. \leftarrow
57.
            Instead of the page being refreshed, after selecting the Subscribe
   button, a confirmation page will be opened in the same tab -->←
58.
            <form class="row g-5" method="GET" action="confirmation.html">←
59.
                <input type="submit" value="Go to my link location"</pre>
   name="submit">↩
60.
                <div class="col-12">←
                    <h2 class="about-h2">What is this site about?</h2>\leftrightarrow
61.
62.
                    >< q>>
```

```
63.
                        This is a one-stop site for those wishing to find a career
     in software or web development, within↔
 64.
                         the West Midlands area of England.↔
 65.
                         You will find listings of local courses; hybrid or remote,
    part-time or full-time, free or paid.↔
 66.
                        Many of these courses require no prior qualifications, ←
 67.
                         only the desire to learn. Due to the lack of diversity in
     tech, some of the courses listed are↔
 68.
                         restricted to certain demographics e.g. gender, ethnicity,
     etc.↩
 69.
                         Future pages will feature local and remote meetups,
     friendly open source communities and projects, ↔
 70.
                         career support and free tools.↔
 71.
                     ←
 72.
                 </div>↩
 73.
                 <div class="col-12">↔
 74.
                     <h2>Who are we?</h2>↔
 75.
                     ><q>>
 76.
                        We are LevelCoder, a group of tech lovers working and
     studying within a 50 mile radius of Birmingham↔
 77.
                         city centre.↩
 78.
                        Our aim is to make learning open to everyone with a
     passion for tech. We recognise that many↔
 79.
                         beginners, whether they be education leavers or career
     changers, ←
 80.
                         are clueless about where and how to start their journey
     into a tech career.↔
 81.
                     ←
 82.
                     >←
 83.
                         Currently this is a minimal viable product (MVP) which
    will be made open source in the near future. ↔
 84.
                        We hope that others will contribute to this project, by
     improving it, adding to it or even coping it↔
 85.
                         for their own community. ←
 86.
                         Join our friendly community and keep up to date with local
    events by subscribing to our newspaper↔
 87.
                         below.←
 88.
                     ←
 89.
                 </div>↩
 90.
                 <h2>Sign up for our weekly newsletter <i class="fa-solid fa-users-</pre>
    between-lines"></i></h2>↔
 91.
                 <div class="col-md-6">↔
 92.
                     <label for="inputFirstName" class="form-label">First
    Name</label>↔
                     <input type="text" class="form-control" id="inputFirstName"</pre>
 93.
    placeholder="First name" required>←
 94.
                 </div>←
                 <div class="col-md-6">↔
 95.
                     <label for="inputEmail4" class="form-label">Email
 96.
     address</label>↔
 97.
                     <input type="email" class="form-control" id="inputEmail4"</pre>
    placeholder="Email address" required>↔
 98.
                 </div>↩
 99.
                 <div class="col-12 btn-subscribe">←
100.
                     <button type="submit" class="btn btn-
    warning">Subscribe</button>↔
101.
                 </div>↔
102.
             </form>←
103.
         </div>←
104.
         <!-- Footer containing inline email and linked social media icons -->↔
105.
         <footer class="container-fluid">←
             ←
106.
107.
                 ←
108.
                     Connect 
109.
                 ↩
110.
                 class="list-inline-item">←
                     <!-- When the envelope icon is selected, the user will be able
111.
    to email the company. \leftarrow
                         The user's default email system will open,
112.
```

```
113.
                        and the recepient's details and subject will be
     automatically filled in -->↔
114.
                    <a href="mailto:levelcoder.wm@gmail.com?</pre>
     subject=***Mail_via_LevelCoder_WestMids***&body=Dear_LevelCoder,"←
115.
                        target="_blank" rel="noopener noreferrer">↔
                        <i class="fa-solid fa-envelope" aria-hidden="true"></i>↔
116.
117.
                        <span class="sr-only">Email LevelCoder</span>←
118.
                    </a>←
119.
                ↔
120.
                ←
                    <a target="_blank" href="https://twitter.com/levelcoder_wm">←
121.
                        <i class="fa-brands fa-twitter" aria-hidden="true"></i>↔
122.
                        <span class="sr-only">LevelCoder West Mids
123.
     Twitter</span>↔
124.
                    </a>←
125.
                ↩
126.
                ←
                    <a target="_blank"</pre>
127.
     href="https://www.linkedin.com/in/janetdornan/">↔
128.
                        <i class="fa-brands fa-linkedin-in" aria-hidden="true">
     </i>←
                        <span class="sr-only">Janet Dornan LinkedIn</span>←
129.
130.
                    </a>←
131.
                ←
132.
                ←
133.
                    <a target=" blank" href="https://www.tiktok.com/en/">←
134.
                        <i class="fa-brands fa-tiktok" aria-hidden="true"></i>
135.
                        <span class="sr-only">TikTok</span>↔
136.
                    </a>←
137.
                 ↩
             ←
138.
         </footer>↔
139.
140. ←
141.
         <script
     src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.11.6/dist/umd/popper.min.js
142.
            integrity="sha384-
     oBqDVmMz9ATKxIep9tiCxS/Z9fNfEXiDAYTujMAeBAsjFuCZSmKbSSUnQlmh/jp3"
     crossorigin="anonymous">←
143.
         </script>↩
144.
         <script
     src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/js/bootstrap.min.js"

145.
             integrity="sha384-
     7VPbUDkoPSGFnVtYi0QogXtr74QeVeeIs99Qfg5YCF+TidwNdjvaKZX19NZ/e6oz"
     crossorigin="anonymous">←
146.
         </script>↩
147. </body>←
148. ←
149. </html>
Used the HTML parser.
```

Total execution time 11 milliseconds.

About this checker • Report an issue • Version: 22.10.6