# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source ☐ outline ☐ image report

[Options…]

Check by [text input ⌄] ☐ css

```
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="description" content="Information about
LevelCoder">
    <meta name="keywords" content="contact, LevelCoder, email,
developers, career, tech, west midlands">
    <meta name="author" content="Janet Dornan">
    <meta name="viewport" content="width=device-width, initial-
scale=1.0">
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/css/boots
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

Document checking completed. No errors or warnings to show.

Source

1. `<!DOCTYPE html>↵`
2. `<html lang="en">↵`
3. `↵`
4. `<head>↵`
5. `    <meta charset="UTF-8">↵`
6. `    <meta http-equiv="X-UA-Compatible" content="IE=edge">↵`
7. `    <meta name="description" content="Information about LevelCoder">↵`
8. `    <meta name="keywords" content="contact, LevelCoder, email, developers, career, tech, west midlands">↵`

```html
9.      <meta name="author" content="Janet Dornan">
10.     <meta name="viewport" content="width=device-width, initial-scale=1.0">
11.     <link
   href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/css/bootstrap.min.css"
   rel="stylesheet"
12.        integrity="sha384-
   iYQeCzEYFbKjA/T2uDLTpkwGzCiq6soy8tYaI1GyVh/UjpbCx/TYkiZhlZB6+fzT"
   crossorigin="anonymous">
13.     <script src="https://kit.fontawesome.com/7c6e646adf.js"
   crossorigin="anonymous"></script>
14.     <link rel="stylesheet" href="assets/css/style.css">
15.     <title>LevelCoder | Connect with us | Join our tech community</title>
16. </head>
17.
18. <body>
19.     <!-- Bootstrap standard navbar with collapsing Burger menu for mobiles --
   >
20.     <nav class="navbar fixed-top navbar-expand-lg navbar-dark bg-dark">
21.         <div class="container-fluid">
22.             <a class="navbar-brand" href="index.html">LevelCoder</a>
23.             <button class="navbar-toggler" type="button" data-bs-
   toggle="collapse"
24.                 data-bs-target="#navbarSupportedContent" aria-
   controls="navbarSupportedContent" aria-expanded="false"
25.                 aria-label="Toggle navigation">
26.                 <span class="navbar-toggler-icon"></span>
27.             </button>
28.             <div class="collapse navbar-collapse"
   id="navbarSupportedContent">
29.                 <ul class="navbar-nav me-auto mb-2 mb-lg-0">
30.                     <li class="nav-item">
31.                         <a class="nav-link" href="index.html">Home</a>
32.                     </li>
33.                     <li class="nav-item">
34.                         <a class="nav-link" href="courses.html">Courses</a>
35.                     </li>
36.                     <li class="nav-item">
37.                         <a class="nav-link active" aria-current="page"
   href="about.html">About</a>
38.                     </li>
39.                 </ul>
40.             </div>
41.         </div>
42.     </nav>
43.     <!-- Hero image with opaque overlay to darken the image and provide site
   wide consistency -->
44.     <div class="container-fluid hero-container  about-container">
45.         <div class="opaque-overlay"> </div>
46.         <!-- Signup form with explanatory text, enticing the user to subscribe
   to a newsletter.
47.         Instead of the page being refreshed, after selecting the Subscribe
   button, a confirmation page will be opened in the same tab -->
48.         <form class="row g-5" method="GET" action="confirmation.html">
49.             <div class="col-12">
50.                 <h2 class="about-h2">What is this site about?</h2>
51.                 <p>
52.                     This is a one-stop site for those wishing to find a career
   in software or web development, within
53.                     the West Midlands area of England.
54.                     You will find listings of local courses; hybrid or remote,
   part-time or full-time, free or paid.
55.                     Many of these courses require no prior qualifications,
56.                     only the desire to learn. Due to the lack of diversity in
   tech, some of the courses listed are
57.                     restricted to certain demographics e.g. gender, ethnicity,
   etc.
58.                     Future pages will feature local and remote meetups,
   friendly open source communities and projects,
59.                     career support and free tools.
60.                 </p>
```

```
61.            </div>↵
62.            <div class="col-12">↵
63.                <h2>Who are we?</h2>↵
64.                <p>↵
65.                    We are LevelCoder, a group of tech lovers working and
     studying within a 50 mile radius of Birmingham↵
66.                    city centre.↵
67.                    Our aim is to make learning open to everyone with a
     passion for tech. We recognise that many↵
68.                    beginners, whether they be education leavers or career
     changers,↵
69.                    are clueless about where and how to start their journey
     into a tech career.↵
70.                </p>↵
71.                <p>↵
72.                    Currently this is a minimal viable product (MVP) which
     will be made open source in the near future.↵
73.                    We hope that others will contribute to this project, by
     improving it, adding to it or even coping it↵
74.                    for their own community.↵
75.                    Join our friendly community and keep up to date with local
     events by subscribing to our newspaper↵
76.                    below.↵
77.                </p>↵
78.            </div>↵
79.            <h2>Sign up for our weekly newsletter <i class="fa-solid fa-users-
     between-lines"></i></h2>↵
80.            <div class="col-md-6">↵
81.                <label for="inputFirstName" class="form-label">First
     Name</label>↵
82.                <input type="text" class="form-control" id="inputFirstName"
     placeholder="First name" required>↵
83.            </div>↵
84.            <div class="col-md-6">↵
85.                <label for="inputEmail4" class="form-label">Email</label>↵
86.                <input type="email" class="form-control" id="inputEmail4"
     placeholder="Email address" required>↵
87.            </div>↵
88.            <div class="col-12 btn-subscribe">↵
89.                <button type="submit" class="btn btn-
     warning">Subscribe</button>↵
90.            </div>↵
91.        </form>↵
92.    </div>↵
93.    <!-- Footer containing inline email and linked social media icons -->↵
94.    <footer class="container-fluid">↵
95.        <ul class="list-inline social-links py-3">↵
96.            <li class="list-inline-item">↵
97.                <p>Connect </p>↵
98.            </li>↵
99.            <li class="list-inline-item">↵
100.               <!-- When the envelope icon is selected, the user will be able
     to email the company. ↵
101.                   The user's default email system will open,  ↵
102.                   and the recepient's details and subject will be
     automatically filled in -->↵
103.               <a href="mailto:janet.d.coder@gmail.com?
     subject=***Mail_via_LevelCoder***&body=Dear_Janet,"↵
104.                   target="_blank" rel="noopener noreferrer">↵
105.                   <i class="fa-solid fa-envelope" aria-hidden="true"></i>↵
106.                   <span class="sr-only">Email LevelCoder</span>↵
107.               </a>↵
108.           </li>↵
109.           <li class="list-inline-item">↵
110.               <a target="_blank" href="https://twitter.com/techmids">↵
111.                   <i class="fa-brands fa-twitter" aria-hidden="true"></i>↵
112.                   <span class="sr-only">TechMids Twitter</span>↵
113.               </a>↵
114.           </li>↵
115.           <li class="list-inline-item">↵
```

```
116.                    <a target="_blank"
       href="https://www.linkedin.com/in/janetdornan/">↵
117.                        <i class="fa-brands fa-linkedin-in" aria-hidden="true">
       </i>↵
118.                        <span class="sr-only">Janet Dornan LinkedIn</span>↵
119.                    </a>↵
120.                </li>↵
121.                <li class="list-inline-item">↵
122.                    <a target="_blank" href="https://www.tiktok.com/en/">↵
123.                        <i class="fa-brands fa-tiktok" aria-hidden="true"></i>↵
124.                        <span class="sr-only">TikTok</span>↵
125.                    </a>↵
126.                </li>↵
127.            </ul>↵
128.        </footer>↵
129. ↵
130.        <script
       src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.11.6/dist/umd/popper.min.js
       "↵
131.            integrity="sha384-
       oBqDVmMz9ATKxIep9tiCxS/Z9fNfEXiDAYTujMAeBAsjFuCZSmKbSSUnQlmh/jp3"
       crossorigin="anonymous">↵
132.        </script>↵
133.        <script
       src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/js/bootstrap.min.js"↵
134.            integrity="sha384-
       7VPbUDkoPSGFnVtYi0QogXtr74QeVeeIs99Qfg5YCF+TidwNdjvaKZX19NZ/e6oz"
       crossorigin="anonymous">↵
135.        </script>↵
136. </body>↵
137. ↵
138. </html>
```

Used the HTML parser.

Total execution time 11 milliseconds.