

1 point
1.
Semantics is
the practice of giving content on the page meaning and structure by using proper element
the set of rules that defines the combinations of symbols that are considered to be a correctly structured document or fragment in that language
circular
1 point  2.  Semantic code describes the of content on a page, regardless of the style or appearance of that content.
semantic code describes the of content on a page, regardless of the style of appearance of that content.
number
value
language
1 point
3.
Using tags that have semantic meaning
increases accessibility and improve search engine optimization
increases search engine optimization
breaks the separation between content and layout
1 point 4.

https://www.coursera.org/learn/html/exam/a0yq0/tags

Τά	well-formed HTML document should include: ags!
Qu	iz, doguștie head, body
	doctype, header, body
	header, nav, footer
	alt text
1 poir	nt
5.	
What	is wrong with the following code?
1	<a href="picture.jpg">My dog</a> chews socks.
	You can not have text after the closing  tag.
	The link in the href must have a full URL
	The alt text attributes is missing from the tag.
	This code is semantically and syntactically correct.
1 poir	
6.	
	level elements begin on a new line
	True
	False
4	
1 poir	nt .
7.	
inline-	level elements begin on a new line
	True
	False

6/18/20	Introduction to HTML5 - Home   Coursera
<b>←</b>	Tags! point Quiz, 30 questions
	8. A <div> block is an inline-level element</div>
	True
	C False
	1 point 9.
	A <span> block is an inline-level element</span>
	True 5-1
	False
	1 point  10.  Which tag represents a line break (new line)?
	<pre><li><li><li><li></li></li></li></li></pre>
	< b>
	 br>
	<pre><break></break></pre>
	1 point
	11. Which of the following is the correct way to comment on HTML5?
	HTML
	<# HTML>
	HTML

<\$-- HTML -->



12.

Mhich co	t of alamant	tage is uses	++-	the bighest	level heading?
VVIIICII SE	i oi elemeni	1467 17 11760	i io creale	THE HISHEST	ievei neading/

<header>..</header>

<h9>..</h9>

<h6>...</h6>

( ) <h1>...</h1>

1 point

13.

All of the content you wish to appear on the screen should be in which tag?

<html>

<main>

<br/><body>

<content>

1 point

14.

Which tag is used to create a link?

<hyper>

( ) <a>

<anchor>

1 point

15

Which of the following code is the correct way to link to an email address?

Quiz, 2% HYSPLONShayhowe@awesome.com?subject=Hi&body=How%20are%20you">Email <a href="shayhowe@awesome.com?subject=Hi&amp;body=How%20are%20you">Email</a> <a href="shayhowe@awesome.com?subject=Hi&amp;body=How%20are%20you">Shayhowe@awesome.com?subject=Hi&amp;body=How%20are%20you"&gt;Shayhowe@awesome.com?subject=Hi&amp;body=How%20are%20you"&gt;Shayhowe@awesome.com?subject=Hi&amp;body=How%20are%20you"&gt;Shayhowe@awesome.com?subject=Hi&amp;body=How%20are%20you"&gt;Shayhowe@awesome.com?subject=Hi&amp;body=How%20are%20you"&gt;Shayhowe@awesome.com?subject=Hi&amp;body=How%20are%20you"&gt;Shayhowe@awesome.com?subj</a>	Ta	<a href="shayhowe@awesome.com?subject=Hi&amp;body=How are you">Email</a> $gs!$
<pre></pre>		
<pre></pre>		<a href="shayhowe@awesome.com?subject=Hi&amp;body=How%are%you">Email</a>
1 point  16.  Which HTML element will number items for you?		
point  16.  Which HTML element will number items for you?		<a href="&lt;u&gt;shayhowe@awesome.com&lt;/u&gt;?subject=Hi&amp;body=How%20are%20you">Email<a></a></a>
point  16.  Which HTML element will number items for you?		
point  16.  Which HTML element will number items for you?	1	
Which HTML element will number items for you?    < d >   <u >   <num>    <o >   True</o ></num></u >		
< d >   < u >   < num>   < o >   1	16.	
<ul> <li><ul> <li><ul></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul></li></ul>	Which	HTML element will number items for you?
Independent of the start attribute defines the number from which an unordered list should start. True False The reverse attribute allows a list to appear in a reverse order in an unordered list. True False True False		<dl></dl>
Independent of the start attribute defines the number from which an unordered list should start. True False The reverse attribute allows a list to appear in a reverse order in an unordered list. True False True False		
1   point   17.   The start attribute defines the number from which an unordered list should start.   True   False   False   True   True   True   False   True   False   True   False   True   False   True   False   True   False   True   False   True		
1 point  17.  The start attribute defines the number from which an unordered list should start.  True  False  1 point  18.  The reverse attribute allows a list to appear in a reverse order in an unordered list.  True  False		<num></num>
1 point  17.  The start attribute defines the number from which an unordered list should start.  True  False  1 point  18.  The reverse attribute allows a list to appear in a reverse order in an unordered list.  True  False		<ol></ol>
point  17. The start attribute defines the number from which an unordered list should start.  True False  1 point  18. The reverse attribute allows a list to appear in a reverse order in an unordered list.  True False		
point  18.  The reverse attribute allows a list to appear in a reverse order in an unordered list.  True  False	17.	ort attribute defines the number from which an unordered list should start.  True
18.  The reverse attribute allows a list to appear in a reverse order in an unordered list.  True  False	1	
The reverse attribute allows a list to appear in a reverse order in an unordered list.  True  False	poin	
True False	18.	
False	The rev	verse attribute allows a list to appear in a reverse order in an unordered list.
1		True
1		False
point	1	
	poin	

Which attribute can be used to change its number within an ordered list?



Tags!

Quiz, இழுஷestions



change

value

```
1
point
```

20.

Which code properly creates the nested list structure shown here?

```
1 1. Vegetables
2 2. Fruit
3 ·Blueberries
4 ·Bananas
```

Notice that the blueberries and bananas are part of the fruit component.

```
1 
    1 
        2 Vegetables
        3 Fruit>/li>

            4 
             6 Blueberries
            7 

        8
```



```
1 
2   Vegetables
3   Fruit>/li>
4   
5         Blueberries
6         Bananas
7         
8
```



```
<l
1
2
    Vegetables
3
    Fruit
     </
4
       Blueberries
5
    Bananas
6
7
     8
```

1 point

21.

The and <o> elements may contain only elements.

( ) True

False

1 point

22.

The tags to create definitions are:

- <def>, <dt>,
- <def>, <dt>, <dd>
- <dl>, <dt>, <dd>
- <dl>, <term>, <def>

1 point

	Opens the link in a new tab or window
	Opens the link in a in a tab called "_blank"
	This is not a valid expression.
1	
poin	
24.	
n orde	r for the <img/> element to work, a src attribute and value must be included to specify the source of the image.
	True
	False
1	
poin	
25.	
he alt	text of an image should describe the appearance of an image
he alt	text of an image should describe the appearance of an image
he alt	text of an image should describe the appearance of an image  True
The alt	
he alt	True
The alt	True
1	True False
1 point	True False
1 point	True False
1 point 26.	True False should an image have null (empty) alt text (alt - "")
1 point 26.	True False  chould an image have null (empty) alt text (alt - "")  When the image is black and white
1 point 26.	True False should an image have null (empty) alt text (alt - "")
1 point 26.	True False  chould an image have null (empty) alt text (alt - "")  When the image is black and white
1 point	True False  should an image have null (empty) alt text (alt - "")  When the image is black and white  When the image is complex  When the image is decorative
1 point 26.	True False  should an image have null (empty) alt text (alt - "")  When the image is black and white  When the image is complex

https://www.coursera.org/learn/html/exam/a0yq0/tags

27.

Which Ta	of the following is the best way to use a Font Awesome icon to link to Twitter?
	ट, ३७ फ्राब्डी#एंफ्सtps://twitter.com/" aria-label="Twitter"> <i class="fa fa-twitter"></i>
	<a> <i class="fa fa-twitter"></i></a>
	<a href="https://twitter.com/"> <i aria-label="Twitter" class="fa fa-twitter"></i></a>
	<a href="https://twitter.com/"> <i class="fa fa-twitter"></i></a>
1 point	
28.	
	re the elements to help organize the data and structure of a table?
	<caption>, <head>, <body>, <foot></foot></body></head></caption>
	<caption>, <thead>, , <foot></foot></thead></caption>
	<caption>, <thead>, , <tfoot></tfoot></thead></caption>
	<caption>, <thead>, <body>, <foot></foot></body></thead></caption>
point	
29.	
What c	loes <thead> stand for?</thead>
	The head
	Table head
	Table header
	None of the above
1 point	
30.	
	code will properly insert headings along each row?
	<pre>1  2 AgeTeam 3 ColleenBrowns</pre>
	4



Tags!<sup>1</sup> 
Quiz, 30 question&r>AgeColleen

- 4 TeamBrowns
- 5
- 1
  - 2 NameAgeTeam

  - 4
- 1

  - 4

Upgrade to submit





