

Work plan July - September

Mark Blyth

bristol.ac.uk



Plan

Short presentation this time!

- Ideas a september conference paper should cover
- Work that needs to be done for that to happen



Highlight issues with Fourier discretisation



- Highlight issues with Fourier discretisation
 - Noise, dimensionality



- Highlight issues with Fourier discretisation
 - Noise, dimensionality
- Show how surrogate modelling fixes noise



- Highlight issues with Fourier discretisation
 - Noise, dimensionality
- Show how surrogate modelling fixes noise
- Show how surrogate model can be discretised with standard techniques, for lower dimensionality than Fourier



- Highlight issues with Fourier discretisation
 - Noise, dimensionality
- Show how surrogate modelling fixes noise
- Show how surrogate model can be discretised with standard techniques, for lower dimensionality than Fourier
 - Ideally, surrogate model will discretise data, but there's still value in having separate surrogate and discretisation steps



- Highlight issues with Fourier discretisation
 - Noise, dimensionality
- Show how surrogate modelling fixes noise
- Show how surrogate model can be discretised with standard techniques, for lower dimensionality than Fourier
 - Ideally, surrogate model will discretise data, but there's still value in having separate surrogate and discretisation steps
- ✓ Other CBC arguments



- Highlight issues with Fourier discretisation
 - Noise, dimensionality
- Show how surrogate modelling fixes noise
- Show how surrogate model can be discretised with standard techniques, for lower dimensionality than Fourier
 - Ideally, surrogate model will discretise data, but there's still value in having separate surrogate and discretisation steps
- ✓ Other CBC arguments
 - More accurate signal reconstruction from discretisation?



- Highlight issues with Fourier discretisation
 - Noise, dimensionality
- Show how surrogate modelling fixes noise
- Show how surrogate model can be discretised with standard techniques, for lower dimensionality than Fourier
 - Ideally, surrogate model will discretise data, but there's still value in having separate surrogate and discretisation steps
- ✓ Other CBC arguments
 - More accurate signal reconstruction from discretisation?
 - Faster control-target evaluation?



- Highlight issues with Fourier discretisation
 - Noise, dimensionality
- Show how surrogate modelling fixes noise
- Show how surrogate model can be discretised with standard techniques, for lower dimensionality than Fourier
 - Ideally, surrogate model will discretise data, but there's still value in having separate surrogate and discretisation steps
- ✓ Other CBC arguments
 - More accurate signal reconstruction from discretisation?
 - Faster control-target evaluation?
 - Discretisation-free prediction step?



Discretise the cleaned surrogate-modelled signal



- Discretise the cleaned surrogate-modelled signal
 - Conduct a mini-survey of available discretisation methods



- Discretise the cleaned surrogate-modelled signal
 - ► Conduct a mini-survey of available discretisation methods
 - Use a discretisation that encodes periodicity, ideally a hybrid surrogate and discretisation



- Discretise the cleaned surrogate-modelled signal
 - Conduct a mini-survey of available discretisation methods
 - Use a discretisation that encodes periodicity, ideally a hybrid surrogate and discretisation
- Rigorous validation of models



- Discretise the cleaned surrogate-modelled signal
 - Conduct a mini-survey of available discretisation methods
 - Use a discretisation that encodes periodicity, ideally a hybrid surrogate and discretisation
- Rigorous validation of models
 - Start writing paper at this point!



- Discretise the cleaned surrogate-modelled signal
 - Conduct a mini-survey of available discretisation methods
 - Use a discretisation that encodes periodicity, ideally a hybrid surrogate and discretisation
- Rigorous validation of models
 - Start writing paper at this point!
- Comparison of BARS / GPR to other popular time series models



- Discretise the cleaned surrogate-modelled signal
 - Conduct a mini-survey of available discretisation methods
 - Use a discretisation that encodes periodicity, ideally a hybrid surrogate and discretisation
- Rigorous validation of models
 - Start writing paper at this point!
- Comparison of BARS / GPR to other popular time series models
- Run simple transformations (logs, sigmoids) for GPR on non-stationary signals



- Discretise the cleaned surrogate-modelled signal
 - Conduct a mini-survey of available discretisation methods
 - Use a discretisation that encodes periodicity, ideally a hybrid surrogate and discretisation
- Rigorous validation of models
 - Start writing paper at this point!
- Comparison of BARS / GPR to other popular time series models
- Run simple transformations (logs, sigmoids) for GPR on non-stationary signals
- Warping GPRs for automatically transforming nonstationary signals



- Discretise the cleaned surrogate-modelled signal
 - Conduct a mini-survey of available discretisation methods
 - Use a discretisation that encodes periodicity, ideally a hybrid surrogate and discretisation
- Rigorous validation of models
 - Start writing paper at this point!
- Comparison of BARS / GPR to other popular time series models
- Run simple transformations (logs, sigmoids) for GPR on non-stationary signals
- Warping GPRs for automatically transforming nonstationary signals
- Testing discretisation results on in-silico CBC