

Your average score is 53.85 / 100

1. Question

Which Auth0 endpoint is used to initiate the logout process and explicitly attempt to log the user out of all associated Identity Providers (IdPs), thereby ending the external IdP session?

Your Response

☐ /v2/logout?returnTo

☒ /oidc/logout?federated

☐ /saml/logout

☐ /event/backchannel-logout

Score

100%

SHOW CORRECT ANSWER

SHOW FEEDBACK

2. Question

When an Auth0 Developer needs to modify advanced settings for an LDAP or Active Directory Enterprise Connection that are **NOT** available in the standard Auth0 Dashboard.

Which method is required to change these configurations?

Your Response

☐ Making changes directly on the LDAP/Active Directory servers

☒ Using Auth0 Management API

☐ Modifying the config.json file

3. Question
Which OpenID Connect (OIDC) token should a developer primarily use to securely access a user's basic profile identity information, such as name, email, and user ID?

Your Response

☐ Refresh Token

☐ SAML Token

☒ ID Token

☐ Access Token

Score
100%

SHOW CORRECT ANSWER

SHOW FEEDBACK

4. Question
Which are the two sources that Auth0 uses to update a user's profile during Progressive Profiling? (Choose two.)

Your Response

☒ Attributes supplied by the IdP

☐ Attributes supplied in a json file

☒ Attributes managed by the Application

☐ Attributes supplied by third-party cookies

Score
100%

5. Question
Does Auth0 map this attribute to the normalized user profile only when the corresponding details are available?

Your Response

☐ email

☐ nickname

☒ user_id

☐ name

Score
0%

SHOW CORRECT ANSWER

SHOW FEEDBACK

6. Question
Which statement accurately describes the purpose and functionality of Auth0 extensions?

Your Response

☐ Third-party add-ons are **NOT** supported.

☒ Auth0 extensions enable the installation of applications or the execution of commands/scripts that extend the functionality of the Auth0 base product.

☐ Each Auth0 extension is interconnected with all other extensions.

☐ Auth0 extensions are pieces of software that add a custom function to a core browser.

Score
100%

SHOW CORRECT ANSWER

SHOW FEEDBACK

7. Question
- When you use Embedded Login and host the login form within your application's domain, which authentication scenario requires the Cross-Origin Authentication flow to function correctly?

Your Response

- ☐ When authenticating using enterprise federation.
- ☐ When authenticating a user against a database or directory using a username and password on a web application
- ☐ When authenticating against a social login.
- ☒ When authenticating native applications using embedded login.

Score
0%

SHOW CORRECT ANSWER

SHOW FEEDBACK

8. Question
- Which two is an example of a type of application that can securely store credentials, such as a Client Secret? (Choose two.)

Your Response

- ☐ Native Application
- ☒ Machine to Machine Application
- ☐ Single Page Application
- ☒ Regular Web Application

Score
100%

SHOW CORRECT ANSWER

SHOW FEEDBACK

9.

Question

What mechanism does Auth0's New Universal Login page use to store the user's session for enabling Single Sign-On (SSO) across different applications?

Your Response

☒ OIDC tokens

☐ HTTP cookie

☐ Local storage

☐ SAML token

Score

0%

SHOW CORRECT ANSWER

SHOW FEEDBACK

10.

Question

An Auth0 Developer is creating a username/password database to contain user information.

What is a valid use case for the Auth0 Action configured to run in the Pre User Registration?

Your Response

☐ Sending an email after the user changes their password

☐ Adding custom claims to the access token

☒ Adding user roles to ID and access tokens

☐ Denying registration to a user by location

Score

0%



11. Question

An Auth0 Developer implements a custom database action script (for example, Login or Get User) and does **NOT** invoke the final callback function in the script's execution path.

Which behavior does the Auth0 environment exhibit?

Your Response

- ☐ Auth0 will automatically call the callback function
- ☐ The action script will execute indefinitely
- ☐ The action script will run successfully without any issues
- ☒ Execution of the action script will stall, and an error will be returned when the Webtask container is recycled

Score
100%

SHOW CORRECT ANSWER

SHOW FEEDBACK

12. Question

When you retrieve log events by using the Auth0 Management API and receive an HTTP 429 status code, what is the most likely cause of this response?

Your Response

- ☒ The request URI is invalid
- ☐ The request had insufficient scopes
- ☐ The Request-URI is too large
- ☐ A rate limit has been exceeded

Score
0%

13. Question

An Auth0 Developer is tasked with performing a bulk user import to migrate a large user base into a new tenant.

What is the primary data format supported for this bulk import process?

Your Response

☐ XML

☒ JSON

☐ CSV

☐ YAML

Score
100%

SHOW CORRECT ANSWER

SHOW FEEDBACK

14. Question

What step should an Auth0 Developer take to prevent new users from signing up using stolen credentials?

Your Response

☒ Enable Breached Password Detection under Attack Protection.

☐ Enable Bot Detection under Attack Protection.

☐ Enable Suspicious IP Throttling under Attack Protection.

☐ Send an email verification message to validate that the email address belongs to the user.

Score
100%

SHOW CORRECT ANSWER

SHOW FEEDBACK

15. Question

An Auth0 Developer wants to create an Action that blocks users who are logging in from multiple countries.

Which property of the event.request object should the developer use to determine the user's country?

Your Response

☐ event.request.body

☐ event.request.hostname

☐ event.request.ip

☒ event.request.geoip

Score
100%

SHOW CORRECT ANSWER

SHOW FEEDBACK

16. Question

An Auth0 Developer wants to use a Organization placeholder {organization_name} to create a valid redirect URL for an application.

Which URL structure correctly supports this placeholder in an application redirect configuration?

Your Response

☐ https://{organization_name}*.exampleco.com

☐ com.example.app://{organization_name}.exampleco.com

☒ https://{organization_name}.exampleco.com

☐ https://{organization_name}

☐ https://exampleco.com/{organization_name}

17. Question
Which are the two valid options when configuring the Auth0 Authentication Profile for Universal Login? (Choose two.)

Your Response

☐ Identifier First + Biometrics

☒ Social Login

☐ Biometrics

☒ Passwordless

☐ Identifier First

Score
0%

SHOW CORRECT ANSWER

SHOW FEEDBACK

18. Question
Which are the two valid ways a user can become a member of an Auth0 Organization? (Choose two.)

Your Response

☐ All Auth0 Administrators are automatically added as organization members

☐ Users who reset their passwords through New Universal Login are added

☒ Users who complete the email verification process automatically become members

☒ Users are added via the Auth0 Dashboard or the Management API

☐ Just-in-time membership is enabled for a specific federated connection

Score
0%

SHOW CORRECT ANSWER

SHOW FEEDBACK

19. Question

Which two Classic Login pages that can be customized through the Auth0 Management Dashboard? (Choose two.)

Your Response

☐ No-code editor

☐ Password Reset

☒ Multi-Factor Authentication (MFA)

☒ The page template on the Management API

☐ Post Change Password Action

Score

0%

SHOW CORRECT ANSWER

SHOW FEEDBACK

20. Question

An Auth0 Developer is integrating an external OpenID Connect (OIDC) enterprise Identity Provider (IdP) with Auth0.

Which two capabilities are primarily used to manage user data transformation and enhance protocol security? (Choose two.)

Your Response

☒ Proof Key for Code Exchange (PKCE)

☐ Device Code Flow

☒ Attribute claims and access token mapping

☐ Client Credentials Flow

☐ Security Assertion Markup Language (SAML)

Score

100%

SHOW CORRECT ANSWER

SHOW FEEDBACK