2026 Senate forecast - Most_Magnificent_Model

scheduled


Team 5: Elizabeth Miller, Mark Scott, Ethan Verrone, Boaz Alkalay, Leo Westebbe

scheduled run, 2026-11-02 17:10


P(DEMOCRATS >= 51 SEATS)	EXPECTED DEMOCRATIC SEATS	KALSHI CONTROL MARKET	RUN
84.4%	**52.9**	**74.5%**	**2026-11-02 17:10**
simulation precision ±0.2 pts	median 53 | 80%: 50-56 | 95%: 48-57	sum of race prices: 52.8 seats	100,000 simulations | data as of 2026-11-02 | 5 min

The model and Kalshi expect about the same number of Democratic seats (52.9 vs 52.8); the model's higher control odds come from rating Maine, Michigan, Ohio and Texas higher for Democrats than the market does.


Seat distribution



Map


Race ratings (number = Model P(D/Ind wins); D includes independents)
Toss-up under 60%, Lean 60%-75%, Likely 75%-95%, Safe 95%+
AK 60%
ME 88%
VT
NH 99%
WA
ID <1%
MT 5%
ND
MN 94%
IL >99%
WI
MI 92%
NY
RI >99%
MA >99%
OR >99%
NV
WY <1%
SD <1%
IA 47%
IN
OH 79%
PA
NJ 99%
CT
CA
UT
CO >99%
NE 25%
MO
KY 2%
WV <1%
VA >99%
MD
DE >99%
AZ
NM >99%
KS 68%
AR <1%
TN <1%
NC >99%
SC 30%
OK <1%
LA 4%
MS 11%
AL <1%
GA >99%
HI
TX 78%
FL 12%
Safe D (12)
Likely D (5)
Lean D (2)
Toss-up (1)
Lean R (2)
Likely R (2)
Safe R (11)
No election (15)


Race by race




Race	Call	Model P(D/Ind)	Kalshi P(D/Ind)	Model - Kalshi (pts)	Projected margin	+/- (1 SD)	Polls	Model change since first run (pts)	Kalshi change since first run (pts)
Massachusetts	Safe D	>99%	99%	+1	D+30.5	+/-5.3	14	+0	+1
Rhode Island	Safe D	>99%	>99%	+1	D+30.5	+/-5.0	5	+0	+0
Virginia	Safe D	>99%	>99%	+1	D+18.9	+/-5.8	1	+0	+1
Colorado	Safe D	>99%	>99%	+0	D+19.2	+/-5.9	1	+0	+1
Oregon	Safe D	>99%	99%	+1	D+29.1	+/-9.4	0	+0	-0
Delaware	Safe D	>99%	>99%	+0	D+29.1	+/-9.4	0	+0	+1
New Mexico	Safe D	>99%	99%	+1	D+19.0	+/-6.3	2	+0	+0

Race	Call	Model P(D/Ind)	Kalshi P(D/Ind)	Model - Kalshi (pts)	Projected margin	+/- (1 SD)	Polls	Model change since first run (pts)	Kalshi change since first run (pts)
Illinois	Safe D	>99%	98%	+1	D+15.0	+/-5.2	3	-0	+0
North Carolina	Safe D	>99%	97%	+2	D+12.1	+/-4.4	41	+0	+1
Georgia	Safe D	>99%	97%	+2	D+11.3	+/-4.6	18	+0	+1
New Hampshire	Safe D	99%	94%	+4	D+10.6	+/-4.5	23	+4	+4
New Jersey	Safe D	99%	98%	+0	D+21.1	+/-9.4	0	+0	+1
Minnesota	Likely D	94%	92%	+3	D+7.5	+/-4.9	8	+4	+2
Michigan	Likely D	92%	78%	+14	D+6.1	+/-4.4	45	+4	+3
Maine	Likely D	88%	72%	+16	D+5.0	+/-4.3	20	+13	+8
Ohio	Likely D	79%	70%	+10	D+3.6	+/-4.5	34	+3	+0
Texas	Likely D	78%	72%	+6	D+3.3	+/-4.3	54	+9	+3
Kansas	Lean D	68%	62%	+5	D+2.0	+/-4.4	8	+20	+14
Alaska	Lean D	60%	70%	-10	D+1.2	+/-4.9	19	+1	+2
Iowa	Toss-up	47%	50%	-3	R+0.3	+/-4.5	26	+2	+3
South Carolina	Lean R	30%	32%	-2	R+2.3	+/-4.6	4	+2	+5
Nebraska	Lean R	25%	30%	-5	R+3.2	+/-4.9	4	+0	-2
Florida	Likely R	12%	14%	-1	R+5.2	+/-4.5	18	+2	+3
Mississippi	Likely R	11%	16%	-5	R+6.4	+/-5.3	3	+2	+5
Montana	Safe R	5%	9%	-4	R+9.4	+/-5.7	26	+1	-3
Louisiana	Safe R	4%	14%	-9	R+12.1	+/-7.0	0	+1	+4
Kentucky	Safe R	2%	4%	-3	R+20.7	+/-9.4	0	-0	+1
Idaho	Safe R	<1%	5%	-4	R+17.0	+/-7.0	1	-1	-1
Oklahoma	Safe R	<1%	2%	-1	R+24.7	+/-9.4	0	-0	-1
South Dakota	Safe R	<1%	5%	-4	R+13.6	+/-5.0	4	+0	-1
Alabama	Safe R	<1%	2%	-1	R+16.1	+/-5.6	5	-0	-0
Arkansas	Safe R	<1%	4%	-4	R+14.4	+/-4.8	5	-0	-0
Tennessee	Safe R	<1%	2%	-2	R+22.7	+/-6.7	1	-0	-2
West Virginia	Safe R	<1%	1%	-1	R+36.5	+/-9.4	0	+0	-1
Wyoming	Safe R	<1%	1%	-1	R+36.7	+/-9.4	0	-0	+0

History


P(D >= 51) over time
95% simulation interval
Most_Magnificent_Model
Kalshi control market
100%
80%
60%
40%
20%
0%
Oct 30 12 AM
Oct 30 12 PM
Oct 31 12 AM
Oct 31 12 PM
Nov 01 12 AM
Nov 01 12 PM
Nov 02 12 AM
Nov 02 12 PM
Nov 03 12 AM


Expected Democratic seats over time
80% seat range
Most_Magnificent_Model mean
Kalshi (sum of race prices)
D seats
56
55
54
53
52
51
50
49
Oct 30 12 AM
Oct 30 12 PM
Oct 31 12 AM
Oct 31 12 PM
Nov 01 12 AM
Nov 01 12 PM
Nov 02 12 AM
Nov 02 12 PM
Nov 03 12 AM

Notes

- Model Testing: 34 PASS | 8 WARN | 0 FAIL (details in model_warnings.xlsx).
- Data: votehub_senate live, votehub_generic_ballot live, votehub_approval live, kalshi_races live, kalshi_national live.

Key settings

Poll source	VoteHub API
Poll age	all polls, half-life 7 days
Polls : fundamentals : Kalshi	Bayesian precision (poll floor 3.9, prior SD 9.3); Kalshi precision 1/8^2, longshot-corrected, conversion SD >= 4.42
Poll reliability (thin races)	automatic (Bayesian precision)
Fundamentals	PVI x 2 + national environment (generic-ballot blend 0.75) + candidate effects x 0.30
Incumbency	3.8 pts (appointed 1)
LV : RV : A	1 : 0.85 : 0.7; RV shift +0.9 (measured)
Flooding penalty	1/k^0.5
House effects	in-cycle, shrunk to scorecard (k 5)
Ungraded pollsters	random
National signals	VoteHub polls + Kalshi averages (= 5 polls)
Kalshi races	Bayesian input + comparison (found automatically)
Source errors	correlated (rho 0.3); sims: national 2.5 + region 1.5 + state, in pts
Calibration	calibration.json (2026-10-29 22:45)
Simulations	100,000

Equations and weights

1. WEIGHT OF EACH POLL

$$w = 0.5^{\text{age}/7} \times \left(\frac{\min(n,\,2500)}{800}\right)^{0.5} \times w_{\text{pop}} \times w_{\text{partisan}} \times w_{\text{generic}} \times w_{\text{field}} \times w_{\text{quality}} \times w_{\text{accuracy}} \times \frac{1}{k^{0.5}} \times \frac{1}{\text{versions}}$$

Population: LV 1, RV 0.85, adults 0.7. Partisan sponsor 0.6. Generic-party question 0.5. Full field 0.9. Quality 0.5 to 1 by VoteHub grade (ungraded firms get a random graded firm's grade in each simulation). Accuracy = (1.25 x 4 / poll SD)^2, kept between 0.5 and 2. k = the pollster's polls of that race.

---

2. EACH POLL'S MARGIN

$$m = (D - R)\,\frac{D + R + U}{D + R} + s_{RV} \pm s_{\text{partisan}} - h, \qquad h = \frac{\sum \text{residuals} + 5\,h_{\text{scorecard}}}{n_{\text{polls}} + 5}$$

U = undecided. RV shift s_RV = +0.88 pts (registered-voter polls only; measured from LV/RV pairs). Partisan shift = 3 pts against the sponsor. Residual = poll minus the same state's average of other pollsters, from the last 60 days.

---

3. POLLING AVERAGE

$$\bar{m} = \frac{\sum w\,m}{\sum w}, \qquad SD_{\text{polls}} = \sqrt{\frac{SD_{\text{poll}}^2}{n_{\text{eff}}} + 3.87^2 + SD_U^2}, \qquad n_{\text{eff}} = \frac{(\sum w)^2}{\sum w^2}$$

The middle term is the error all polls of a state share, so more polls can't remove it.

---

4. NATIONAL ENVIRONMENT

$$\text{env} = 0.75 \times \text{GB} + 0.25 \times 0.35 \times (-\text{net approval}), \qquad \text{signal} = \frac{n_{\text{fresh}} \cdot \text{VoteHub} + 5 \cdot \text{Kalshi}}{n_{\text{fresh}} + 5}$$

GB = generic ballot. Each VoteHub poll counts 0.5^(age / 14) toward n_fresh. This run: env = D+9.3.

---

5. PRIOR (FUNDAMENTALS)

$$\text{prior} = 2 \times \text{PVI} + \text{env} \pm 3.78\,[\text{incumbent}] + 0.30 \times c, \qquad SD_{\text{prior}} = 9.32$$

Appointed incumbents get 1 pt. c = candidate effect: the nominees' past margin minus a generic candidate's (capped at +/- 25). Independent-led races: SD x 1.3.

---

6. KALSHI

$$P' = \text{logistic}\,(1.15 \cdot \text{logit}\,P), \qquad \text{margin}_K = \Phi^{-1}(P') \cdot \max\,(4.42,\ SD_{F+P}), \qquad SD_K = 8$$

Used only when 6% <= P <= 94%.

---

7. EACH RACE

$$\text{margin} = \frac{\pi_F \cdot \text{prior} + \pi_P \cdot \bar{m} + \pi_K \cdot \text{margin}_K}{\pi_F + \pi_P + \pi_K}, \quad \pi = \frac{1}{SD^2}, \quad SD^2 = \frac{1}{\Pi} + \frac{2(0.3)}{\Pi^2}\left(\sqrt{\pi_F\pi_P} + \sqrt{\pi_F\pi_K} + \sqrt{\pi_P\pi_K}\right) + 0.76^2 \cdot \text{days left}$$

Pi = the sum of the three precisions. The second term widens the range because the three sources tend to miss together.

$$\tilde{m}_i = \text{margin}_i + N + R_{g(i)} + L\,f_i + e_i, \qquad \text{D seats} = 34 + \sum_i \mathbf{1}[\tilde{m}_i > 0], \qquad P(D \geq 51) = \text{share of simulations}$$

N = national miss (SD 2.52, t with df 8). R = regional miss (SD 1.51). L = lean factor (SD 1), f_i = PVI / 10. e = the rest of the race's SD (t with df 10.9). An independent's win counts for Democrats with probability: Nebraska 0.8.