
Практика номер 11 Кирюшкин Артём ИС221



```
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"</pre>
                  </LinearLayout>
<u>%</u>
                      android:layout_margin="10dp'
                               android:id="@+id/button_clear
                               android:layout_width="wrap_content"
                               android:background="@drawable/shapefortop"/>
                           <androidx.appcompat.widget.AppCompatButton</pre>
                               style="@style/Button_Style"
                               android:layout_height="90dp"
                               android:background="@drawable/shapefortop"
₩
                               android:id="@+id/button_bracket_right"
①
2
                               android:background="@drawable/shapefortop"
                               android:layout_height="90dp"
ଫ
                               android:text=")"
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"</pre>
~
8
                              android:layout_height="90dp"
                      </TableRow>
                          <androidx.appcompat.widget.AppCompatButton</pre>
₩
                              android:id="@+id/button_9"
①
2
လှ
```

```
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"</pre>
                      <TableRow>
2
                      <TableRow>
                              android:layout_width="wrap_content"
₩
                              android:text="5" />
①
2
જ
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"</pre>
-0-
%
                     <TableRow>
                     </TableRow>
                         <androidx.appcompat.widget.AppCompatButton</pre>
                             android:text="1" />
₩
                             android:text="2" />
①
                             android:id="@+id/button_3"
2
ഷ
```

```
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"</pre>
<u>%</u>
                              android:text="3" />
                               android:background="@drawable/shapefororange"
                      </TableRow>
                              android:text="%" />
₩
                              android:text="0" />
₩
①
<u>></u>
ഷ
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"</pre>
8
₩
₩
```

```
-0-
                 <androidx.constraintlayout.widget.ConstraintLayout xmlns:android="http://schemas.android.com/apk/res/android"</pre>
<u>%</u>
39
                           android:gravity="center"
                  package com.onlylose.ex9
       17 ▷ ♦ class MainActivity : AppCompatActivity() {
18 private lateinit var <u>binding</u>: ActivityMainBinding
19 ⑤ override fun onCreate(savedInstanceState: Bundle?) {
                          binding = ActivityMainBinding.inflate(layoutInflater)
super.onCreate(savedInstanceState)
                                   } catch (e: IOException) {
    e.printStackTrace()
₩
                                   } catch (e: IOException) {
class MainActivity : AppCompatActivity() {
-0-
                           override fun onCreate(savedInstanceState: Bundle?) {
64
₩
∌
①
                                     addToInputText( value: "6")
2
ଫ
```

```
8
                       binding.button9.setOnClickListener {
                      binding.buttonAddition.setOnClickListener {
₩
₩
①
<u>></u>
අ
|
|
    override fun onCreate(savedInstanceState: Bundle?) {
<u>%</u>
                  private fun addToInputText(value: String) {
                  private fun getInputExpression(): String {
                          val result = ExpressionBuilder(expression).build().evaluate()
₩
₩
```

