

Name: Mark Harold D. Logmao

Section: 4IT-C

MIDTERM SPA ACTIVITY

ITP110
Web Technologies

Output:

Home Page



Coffee Shop

Home Order Loyalty Program Contact Us

Start Your Day With Coffee



Order Now!

Menu



Cappuccino
₱100
Espresso with steamed milk and a deep layer of foam



Macchiato
₱100
Espresso with a small amount of foamed milk

Coffee Shop

Home Order Loyalty Program Contact Us

Coffee Shop

[Home](#) [Order](#) [Loyalty Program](#) [Contact Us](#)



Americano

₱90

Espresso shots topped with hot water

[Order Now](#)



Latte

₱110

Espresso with steamed milk and a light layer of foam

[Order Now](#)

© Copyright 2025. All Rights Reserved | Author: Mark Harold Logmao

ITP-110 | Web Technologies

Order Page

Coffee Shop

[Home](#) [Order](#) [Loyalty Program](#) [Contact Us](#)

Order

Coffee Menu



Cappuccino

Espresso with steamed milk and a deep layer of foam



Macchiato

Espresso with a small amount of steamed milk

Customer Details

Full Name

Phone Number

Your Order

Coffee Shop

[Home](#) [Order](#) [Loyalty Program](#) [Contact Us](#)

Espresso with steamed milk and a deep layer of foam

₱100

Add to Order

Espresso with a small amount of steamed milk

₱100

Add to Order



Americano

Espresso with hot water for a smoother taste

₱90

Add to Order

Latte

Espresso with steamed milk and a light layer of foam

₱110

Add to Order

Your Order

Your order is empty

Add items from the menu

Total:

₱0

[Place Order](#)

Coffee Shop

[Home](#) [Order](#) [Loyalty Program](#) [Contact Us](#)

Pastry Menu



Croissant

Buttery, flaky pastry perfect with coffee

₱80

Add to Order



Blueberry Muffin

Sweet muffin bursting with blueberries

₱70

Add to Order

Coffee Shop

[Home](#) [Order](#) [Loyalty Program](#) [Contact Us](#)



Chocolate Cookie

Rich chocolate cookie with chunks

₱60

Add to Order



Cinnamon Roll

Sweet, spiced pastry with cream cheese icing

₱95

Add to Order

Loyalty Program Page

Coffee Shop

Home Order Loyalty Program Contact Us

Program Benefits

- Earn 1 point for every \$1 spent
- Free birthday drink
- Exclusive member-only offers
- Free Wi-Fi extended access
- Skip the line during busy hours

Reward Tiers



Bronze - Silver - Gold

Join Our Loyalty Program

Fill out the form below to start earning rewards

First Name

Last Name

Email Address

We'll never share your email with anyone else.

Phone Number

For text alerts about special offers

Coffee Shop

Home Order Loyalty Program Contact Us

Favorite Drink

Select your favorite...

How often do you visit us?

- Daily
- Weekly
- Monthly

I agree to the terms and conditions

Send me special offers and updates

Join Now

Already a member? [Sign in to your account](#)

Contact Us Page

Coffee Shop

Home Order Loyalty Program Contact Us

Contact Us

Full Name

Your name

Email Address

Your email

Subject

Select a subject

Message

Your message...

Coffee Shop

Home Order Loyalty Program Contact Us

Send Message

Other Ways to Reach Us

📍 **Address**

Mamatid, Cabuyao, Laguna

📞 **Phone**

(123) 456-7890

✉️ **Email**

info@coffeeshop.com

⌚ **Hours**

Monday-Friday: 7am-9pm

Saturday-Sunday: 8am-10pm

© Copyright 2025. All Rights Reserved | Author: Mark Harold Logmao

ITP-110 | Web Technologies

Program Code: (React Vite)

App.jsx

```
import { BrowserRouter as Router, Routes, Route } from 'react-router-dom';
import Navbar from './components/Navbar';
import Footer from './components/Footer';
import Home from './components/Home';
import Order from './components/Order';
import LoyaltyProgram from './components/LoyaltyProgram';
import ContactUs from './components/ContactUs';
import 'bootstrap/dist/css/bootstrap.min.css';
import './index.css';

function App() {
  return (
    <Router>
      <div className="App">
        <Navbar />
        <Routes>
          <Route path="/" element={<Home />} />
          <Route path="/order" element={<Order />} />
          <Route path="/loyalty" element={<LoyaltyProgram />} />
          <Route path="/contact" element={<ContactUs />} />
        </Routes>
        <Footer />
      </div>
    </Router>
  );
}

export default App;
```

Pages:

Home.jsx

```
import { useEffect } from 'react';
import { Link } from 'react-router-dom';
import '../styles/home_style.css';

const Home = () => {
  const scrollToMenu = (e) => {
    e.preventDefault();
    const target = document.querySelector('#menu-section');
  }
}
```

```
if (target) {
  target.scrollIntoView({ behavior: 'smooth', block: 'start' });
}

};

return (
  <div>
    <div style={{marginTop: '75px'}}></div>
    <section className="introduction">
      <div className="container">
        <h1 className="display-4 fw-bold mb-4">Start Your Day With Coffee</h1>
        <div className="row justify-content-center mb-4">
          <div className="col-md-3 col-6 mb-3">
            
          </div>
          <div className="col-md-3 col-6">
            
          </div>
        </div>
        <a href="#menu-section" className="order-btn" onClick={scrollToMenu}>
          Order Now!
        </a>
      </div>
    </section>

    <section id="menu-section" className="py-5">
      <div className="container">
        <h2 className="text-center mb-5 fw-bold">Menu</h2>
        <div className="row">
          {/* Cappuccino */}
          <div className="col-md-6 mb-5">
            <div className="coffee-card card">
              
            </div>
          </div>
        </div>
      </div>
    </section>
  </div>
)
```

```
        alt="Cappuccino"
    />
<div className="card-body">
    <h3 className="card-title">Cappuccino</h3>
    <p className="price">₱100</p>
    <p className="card-text">Espresso with steamed milk and a deep layer of foam</p>
    <Link to="/order" className="card-order-btn">Order Now</Link>
</div>
</div>
</div>

/* Macchiato */
<div className="col-md-6 mb-5">
    <div className="coffee-card card">
        
        <div className="card-body">
            <h3 className="card-title">Macchiato</h3>
            <p className="price">₱100</p>
            <p className="card-text">Espresso with a small amount of foamed milk</p>
            <Link to="/order" className="card-order-btn">Order Now</Link>
        </div>
    </div>
</div>

/* Americano */
<div className="col-md-6 mb-5">
    <div className="coffee-card card">
        
        <div className="card-body">
            <h3 className="card-title">Americano</h3>
            <p className="price">₱90</p>
            <p className="card-text">Espresso shots topped with hot water</p>
            <Link to="/order" className="card-order-btn">Order Now</Link>
        </div>
    </div>
</div>
```

```

        </div>

        /* Latte */
        <div className="col-md-6 mb-5">
          <div className="coffee-card card">
            
            <div className="card-body">
              <h3 className="card-title">Latte</h3>
              <p className="price">₱110</p>
              <p className="card-text">Espresso with steamed milk and a light layer of foam</p>
              <Link to="/order" className="card-order-btn">Order Now</Link>
            </div>
          </div>
        </div>
      </div>
    </div>
  </section>
</div>
);
};

export default Home;

```

Order.jsx

```

import { useState } from 'react';
import './styles/order_style.css';

const API_BASE_URL = import.meta.env.VITE_API_BASE_URL;

const Order = () => {
  const [currentOrder, setCurrentOrder] = useState([]);
  const [showConfirmation, setShowConfirmation] = useState(false);
  const [confirmedPrice, setConfirmedPrice] = useState(0);
  const [loading, setLoading] = useState(false);

  const menuItems = {
    coffee: [
      {
        name: "Cappuccino",

```

```
        price: 100,
        image: "https://images.unsplash.com/photo-1572442388796-11668a67e53d?ixlib=rb-
4.0.3&auto=format&fit=crop&w=500&q=80",
        description: "Espresso with steamed milk and a deep layer of foam"
    },
    {
        name: "Macchiato",
        price: 100,
        image: "https://images.unsplash.com/photo-1679148404766-
a8bf879695e5?fm=jpg&q=60&w=3000&ixlib=rb-
4.1.0&ixid=M3wxMjA3fDB8MHxzZWY2h8MTR8fG1hY2NoaWF0b3xlbnnwfHwwfHx8MA%3D%3D",
        description: "Espresso with a small amount of steamed milk"
    },
    {
        name: "Americano",
        price: 90,
        image: "https://images.unsplash.com/photo-1514432324607-
a09d9b4aefdd?fm=jpg&q=60&w=3000&ixlib=rb-
4.1.0&ixid=M3wxMjA3fDB8MHxzZWY2h8M3x8YW1lcmljYW5vfGVufDB8fDB8fHww",
        description: "Espresso with hot water for a smoother taste"
    },
    {
        name: "Latte",
        price: 110,
        image: "https://images.unsplash.com/photo-1517701604599-bb29b565090c?ixlib=rb-
4.0.3&auto=format&fit=crop&w=500&q=80",
        description: "Espresso with steamed milk and a light layer of foam"
    }
],
pastry: [
    {
        name: "Croissant",
        price: 80,
        image: "https://images.unsplash.com/photo-1623334044303-241021148842?ixlib=rb-
4.0.3&auto=format&fit=crop&w=500&q=80",
        description: "Buttery, flaky pastry perfect with coffee"
    },
    {
        name: "Blueberry Muffin",
        price: 70,
        image: "https://images.unsplash.com/photo-1607958996333-
41aef7caefaa?fm=jpg&q=60&w=3000&ixlib=rb-
4.1.0&ixid=M3wxMjA3fDB8MHxzZWY2h8Mnx8bXVmZmluc3xlbnnwfHwwfHx8MA%3D%3D",
        description: "Sweet muffin bursting with blueberries"
    },
    {
        name: "Chocolate Cookie",
        price: 60,
```

```
    image: "https://images.unsplash.com/photo-1568051243858-  
533a607809a5?fm=jpg&q=60&w=3000&ixlib=rb-  
4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D",  
    description: "Rich chocolate cookie with chunks"  
  },  
  {  
    name: "Cinnamon Roll",  
    price: 95,  
    image: "https://images.unsplash.com/photo-1639695854242-  
1385cdd69a08?q=80&w=870&auto=format&fit=crop&ixlib=rb-  
4.1.0&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D",  
    description: "Sweet, spiced pastry with cream cheese icing"  
  }  
]  
};  
  
const addToOrder = (name, price) => {  
  setCurrentOrder(prevOrder => {  
    const itemIndex = prevOrder.findIndex(item => item.name === name);  
    if (itemIndex !== -1) {  
      const updatedOrder = [...prevOrder];  
      updatedOrder[itemIndex].quantity++;  
      return updatedOrder;  
    } else {  
      return [...prevOrder, { name, price, quantity: 1 }];  
    }  
  });  
};  
  
const getTotalPrice = () => {  
  return currentOrder.reduce((total, item) => total + (item.price * item.quantity), 0);  
};  
  
const handleNewOrder = () => {  
  setShowConfirmation(false);  
  document.getElementById('fullName').value = "";  
  document.getElementById('phoneNumber').value = "";  
};  
  
const handlePlaceOrder = async (e) => {  
  e.preventDefault();  
  
  const fullName = document.getElementById('fullName').value.trim();  
  const phoneNumber = document.getElementById('phoneNumber').value.trim();  
  
  if (!fullName || !phoneNumber) {  
    alert('Please fill in your name and phone number.');//  
    return;  
  }  
};
```

```
}

if (currentOrder.length === 0) {
  alert('Please add at least one item to your order.');
  return;
}

if (phoneNumber.length !== 11) {
  alert('Please enter a valid 11-digit phone number.');
  return;
}

 setLoading(true);

try {
  const orderData = {
    customer_name: fullName,
    phone_number: phoneNumber,
    order_items: currentOrder,
    total_amount: getTotalPrice()
  };

  const response = await fetch(`.${API_BASE_URL}/save_order.php`, {
    method: 'POST',
    headers: {
      'Content-Type': 'application/json',
    },
    body: JSON.stringify(orderData)
  });

  const result = await response.json();

  if (result.success) {
    setConfirmedPrice(getTotalPrice());
    setShowConfirmation(true);
    setCurrentOrder([]);
    // Clear form
    document.getElementById('fullName').value = '';
    document.getElementById('phoneNumber').value = '';
  } else {
    alert('Error placing order: ' + result.message);
  }
} catch (error) {
  console.error('Error:', error);
  alert('Error submitting order. Please try again.');
} finally {
  setLoading(false);
}
```

```

};

return (
  <div className="main-content">
    <div className="container">
      <div className="d-flex justify-content-center">
        <div className="order-container">
          <h2 className="text-center mb-4">Order</h2>

          {!showConfirmation ? (
            <div className="row">
              <div className="col-md-8">
                {/* Coffee Menu */}
                <div className="menu-category">
                  <h3>Coffee Menu</h3>
                  <div className="row">
                    {menuItems.coffee.map((item, index) => (
                      <div key={index} className="col-md-6 mb-4">
                        <div className="menu-item">
                          <img src={item.image} className="menu-item-img" alt={item.name} />
                          <div className="menu-item-body">
                            <h5 className="menu-item-title">{item.name}</h5>
                            <p className="mb-2">{item.description}</p>
                            <div className="d-flex justify-content-between align-items-center">
                              <span className="menu-item-price">₱{item.price}</span>
                              <button
                                className="add-to-order"
                                onClick={() => addToOrder(item.name, item.price)}>
                                Add to Order
                              </button>
                            </div>
                          </div>
                        </div>
                      </div>
                    )))
                  </div>
                </div>
              </div>
            </div>
          )}

          {/* Pastry Menu */}
          <div className="menu-category">
            <h3>Pastry Menu</h3>
            <div className="row">
              {menuItems.pastry.map((item, index) => (
                <div key={index} className="col-md-6 mb-4">
                  <div className="menu-item">
                    <img src={item.image} className="menu-item-img" alt={item.name} />
                    <div className="menu-item-body">

```

```

<h5 className="menu-item-title">{item.name}</h5>
<p className="mb-2">{item.description}</p>
<div className="d-flex justify-content-between align-items-center">
  <span className="menu-item-price">₹{item.price}</span>
  <button
    className="add-to-order"
    onClick={() => addToOrder(item.name, item.price)}
  >
    Add to Order
  </button>
</div>
</div>
</div>
</div>
))}

</div>
</div>
</div>
</div>

<div className="col-md-4">
  /* Customer Details */
  <div className="customer-details">
    <h3>Customer Details</h3>
    <form id="customer-form">
      <div className="row">
        <div className="form-group col-md-12 mb-3">
          <label htmlFor="fullName" className="form-label">Full Name</label>
          <input type="text" className="form-control" id="fullName" required />
        </div>
        <div className="form-group col-md-12 mb-3">
          <label htmlFor="phoneNumber" className="form-label">Phone Number</label>
          <input
            type="tel"
            className="form-control"
            id="phoneNumber"
            pattern="[0-9]{11}"
            maxLength="11"
            required
          />
        </div>
      </div>
      </form>
    </div>
  </div>
  /* Current Order Summary */
  <div className="current-order">
    <h3>Your Order</h3>
    <div id="order-summary">

```

```
{currentOrder.length === 0 ? (
  <div className="empty-order text-center py-3">
    <p>Your order is empty</p>
    <p className="small">Add items from the menu</p>
  </div>
) : (
  currentOrder.map((item, index) => (
    <div key={index} className="order-item">
      <div className="order-item-details">
        <span>{item.name} x {item.quantity}</span>
        <span>₹{item.price * item.quantity}</span>
      </div>
    </div>
  ))
)
</div>
<div className="total-display mt-3">
  <p className="mb-0 fw-bold">Total:</p>
  <p className="total-price mb-0">₹{getTotalPrice()}</p>
</div>
<button
  id="place-order"
  className="place-order-btn mt-3"
  onClick={handlePlaceOrder}
  disabled={loading}
>
  {loading ? 'Placing Order...' : 'Place Order'}
</button>
</div>
</div>
) : (
  <div id="order-confirmation" className="order-confirmation">
    <h3 className="text-success">Order Confirmed!</h3>
    <p>Your order will be ready soon.</p>
    <p>Total: <span id="confirmed-price" className="fw-bold">₹{confirmedPrice}</span></p>
    <button id="new-order" className="new-order-btn" onClick={handleNewOrder}>
      Place Another Order
    </button>
  </div>
)
</div>
</div>
</div>
);
};
```

```
export default Order;
```

LoyaltyProgram.jsx

```
import './styles/loyalty_program_style.css';

const LoyaltyProgram = () => {
  const handleSubmit = (e) => {
    e.preventDefault();
    alert('Thank you for joining our loyalty program!');
  };

  return (
    <div className="main-content">
      <div className="container">
        <div className="row">
          <div className="col-md-5 mb-4">
            <div className="card benefits-card h-100">
              <div className="card-body">
                <h3 className="card-title">Program Benefits</h3>
                <ul className="list-group list-group-flush">
                  <li className="list-group-item">
                    <i className="bi bi-check-circle-fill text-success"></i> Earn 1 point for every $1 spent
                  </li>
                  <li className="list-group-item">
                    <i className="bi bi-check-circle-fill text-success"></i> Free birthday drink
                  </li>
                  <li className="list-group-item">
                    <i className="bi bi-check-circle-fill text-success"></i> Exclusive member-only offers
                  </li>
                  <li className="list-group-item">
                    <i className="bi bi-check-circle-fill text-success"></i> Free Wi-Fi extended access
                  </li>
                  <li className="list-group-item">
                    <i className="bi bi-check-circle-fill text-success"></i> Skip the line during busy hours
                  </li>
                </ul>
                <div className="mt-4">
                  <h5>Reward Tiers</h5>
                  <div className="progress mb-2" style={{ height: '20px' }}>
                    <div className="progress-bar bg-warning" style={{ width: '30%' }}>50 pts</div>
                    <div className="progress-bar bg-info" style={{ width: '30%' }}>100 pts</div>
                    <div className="progress-bar bg-danger" style={{ width: '40%' }}>200 pts</div>
                  </div>
                  <small className="text-muted">Bronze - Silver - Gold</small>
                </div>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  );
}

export default LoyaltyProgram;
```

```
</div>
</div>
</div>
</div>

<div className="col-md-7">
  <div className="card-form-container">
    <div className="card-header bg-white">
      <h3 className="mb-0">Join Our Loyalty Program</h3>
      <p className="text-muted">Fill out the form below to start earning rewards</p>
    </div>
    <div className="card-body">
      <form onSubmit={handleSubmit}>
        <div className="row mb-3">
          <div className="col-md-6">
            <label htmlFor="firstName" className="form-label">First Name</label>
            <input type="text" className="form-control" id="firstName" required />
          </div>
          <div className="col-md-6">
            <label htmlFor="lastName" className="form-label">Last Name</label>
            <input type="text" className="form-control" id="lastName" required />
          </div>
        </div>
        <div className="mb-3">
          <label htmlFor="email" className="form-label">Email Address</label>
          <input type="email" className="form-control" id="email" required />
          <div className="form-text">We'll never share your email with anyone else.</div>
        </div>

        <div className="mb-3">
          <label htmlFor="phone" className="form-label">Phone Number</label>
          <input type="tel" className="form-control" id="phone" />
          <div className="form-text">For text alerts about special offers</div>
        </div>

        <div className="mb-3">
          <label className="form-label">Favorite Drink</label>
          <select className="form-select">
            <option selected>Select your favorite...</option>
            <option>Cappuccino</option>
            <option>Macchiato</option>
            <option>Americano</option>
            <option>Other</option>
          </select>
        </div>

        <div className="mb-3">

```

```

<label className="form-label">How often do you visit us?</label>
<div className="form-check">
  <input className="form-check-input" type="radio" name="visitFrequency" id="daily" />
  <label className="form-check-label" htmlFor="daily">Daily</label>
</div>
<div className="form-check">
  <input className="form-check-input" type="radio" name="visitFrequency" id="weekly" />
  <label className="form-check-label" htmlFor="weekly">Weekly</label>
</div>
<div className="form-check">
  <input className="form-check-input" type="radio" name="visitFrequency" id="monthly" />
  <label className="form-check-label" htmlFor="monthly">Monthly</label>
</div>
</div>

<div className="mb-3 form-check">
  <input type="checkbox" className="form-check-input" id="terms" required />
  <label className="form-check-label" htmlFor="terms">I agree to the terms and conditions</label>
</div>

<div className="mb-3 form-check">
  <input type="checkbox" className="form-check-input" id="offers" />
  <label className="form-check-label" htmlFor="offers">Send me special offers and updates</label>
</div>

  <button type="submit" className="btn btn-coffee btn-lg w-100">Join Now</button>
</form>
</div>
</div>

<div className="mt-3 text-center">
  <p>Already a member? <a href="#" className="text-decoration-none">Sign in to your account</a></p>
  </div>
</div>
</div>
</div>
</div>
);
};

export default LoyaltyProgram;

```

ContactUs.jsx

```
import { useState } from 'react';
import './styles/contact_us_style.css';

const ContactUs = () => {
  const [showConfirmation, setShowConfirmation] = useState(false);

  const handleSubmit = (e) => {
    e.preventDefault();

    const name = document.getElementById('name').value;
    const email = document.getElementById('email').value;
    const message = document.getElementById('message').value;

    if (!name || !email || !message) {
      alert('Please fill in all required fields.');
      return;
    }

    setShowConfirmation(true);
  };

  const handleNewMessage = () => {
    document.getElementById('name').value = '';
    document.getElementById('email').value = '';
    document.getElementById('subject').selectedIndex = 0;
    document.getElementById('message').value = '';
    setShowConfirmation(false);
  };

  return (
    <div className="main-content">
      <div className="container">
        <div className="d-flex justify-content-center">
          <div className="contact-container">
            <h2>Contact Us</h2>

            {!showConfirmation ? (
              <div className="contact-form">
                <div className="mb-3">
                  <label htmlFor="name">Full Name</label>
                  <input type="text" id="name" className="form-control" placeholder="Your name" required />
                </div>
            ) : null}
          </div>
        </div>
      </div>
    </div>
  );
}
```

```

        <label htmlFor="email">Email Address</label>
        <input type="email" id="email" className="form-control" placeholder="Your email"
required />
        </div>

        <div className="mb-3">
            <label htmlFor="subject">Subject</label>
            <select id="subject" className="form-select">
                <option value="">Select a subject</option>
                <option value="general">General Inquiry</option>
                <option value="complaint">Complaint</option>
                <option value="compliment">Compliment</option>
                <option value="suggestion">Suggestion</option>
                <option value="other">Other</option>
            </select>
        </div>

        <div className="mb-4">
            <label htmlFor="message">Message</label>
            <textarea id="message" className="form-control" placeholder="Your message..." required></textarea>
        </div>

        <button onClick={handleSubmit} className="submit-btn">Send Message</button>
    </div>
) : (
    <div className="confirmation-message">
        <h3 className="text-success">Message Sent!</h3>
        <p>Thank you for contacting us. We'll get back to you soon.</p>
        <button onClick={handleNewMessage} className="submit-btn" style={{backgroundColor: 'var(--secondary-color)'}}>
            Send Another Message
        </button>
    </div>
)
}

<div className="contact-info">
    <h3>Other Ways to Reach Us</h3>

    <div className="info-item">
        <div className="info-icon">📍 </div>
        <div>
            <strong>Address</strong><br />
            Mamatid, Cabuyao, Laguna
        </div>
    </div>

    <div className="info-item">

```

```

<div className="info-icon">📞 </div>
<div>
  <strong>Phone</strong><br />
  (123) 456-7890
</div>
</div>

<div className="info-item">
  <div className="info-icon">✉️ </div>
  <div>
    <strong>Email</strong><br />
    info@coffeeshop.com
  </div>
</div>

<div className="info-item">
  <div className="info-icon">⌚ </div>
  <div>
    <strong>Hours</strong><br />
    Monday-Friday: 7am-9pm<br />
    Saturday-Sunday: 8am-10pm
  </div>
</div>
</div>
</div>
</div>
</div>
</div>
);
};

export default ContactUs;

```

Components:

Navbar.jsx

```

import { useState, useEffect } from 'react';
import { Link, useLocation } from 'react-router-dom';

const Navbar = () => {
  const [isMenuOpen, setIsMenuOpen] = useState(false);
  const [isScrolled, setIsScrolled] = useState(false);
  const location = useLocation();

```

```

const isHomePage = location.pathname === '/';

useEffect(() => {
  if (isHomePage) {
    // Only apply scroll effect on home page
    const handleScroll = () => {
      const scrollY = window.scrollY;
      setIsScrolled(scrollY > 50);
    };

    window.addEventListener('scroll', handleScroll);
    handleScroll(); // Set initial state

    return () => window.removeEventListener('scroll', handleScroll);
  } else {
    // For other pages, navbar should always be white
    setIsScrolled(true);
  }
}, [isHomePage, location.pathname]);

const isActive = (path) => location.pathname === path;

return (
<nav className={`navbar navbar-expand-lg navbar-light fixed-top ${isHomePage ? (isScrolled ? 'navbar-scrolled' : 'navbar-transparent') : 'navbar-white'}`}>
  <div className="container">
    <Link className="logo" to="/">Coffee Shop</Link>
    <button
      className={`navbar-toggler ${isMenuOpen ? 'collapsed'}`}
      type="button"
      onClick={() => setIsMenuOpen(!isMenuOpen)}
    >
      <span></span>
      <span></span>
      <span></span>
    </button>
    <div className={`collapse navbar-collapse justify-content-end ${isMenuOpen ? 'show' : ''}`}>
      <ul className="navbar-nav">
        <li className="nav-item">
          <Link
            className={`nav-link ${isActive('/') ? 'active' : ''}`}
            to="/"
          >
            Home
          </Link>
        </li>
        <li className="nav-item">

```

```

<Link
  className={`${isActive('/order') ? 'active' : ''}`}
  to="/order"
>
  Order
</Link>
</li>
<li className="nav-item">
  <Link
    className={`${isActive('/loyalty') ? 'active' : ''}`}
    to="/loyalty"
  >
    Loyalty Program
  </Link>
</li>
<li className="nav-item">
  <Link
    className={`${isActive('/contact') ? 'active' : ''}`}
    to="/contact"
  >
    Contact Us
  </Link>
</li>
</ul>
</div>
</div>
</nav>
);
};

export default Navbar;

```

Footer.jsx

```

const Footer = () => {
  return (
    <footer className="text-center py-3">
      <p>&copy; Copyright 2025. All Rights Reserved | Author: Mark Harold Logmao</p>
      <p>ITP-110 | Web Technologies</p>
    </footer>
  );
};

export default Footer;

```