
ECT 421 Homework 2	
wis a column vector by default	
f(w) = wA	
$\nabla_{\mathbf{w}} \mathbf{J}(\mathbf{w}) = \mathbf{A}$	
$f(w) = wAw = (A+A^{T})w$	
Question, $X = X_1 X_2$	$\frac{1}{\sqrt{14}} = \sqrt{14} $
$(x) = x^{T}A_{Y} + x^{T}A^{T}V + x^{T}A_{W} + x^{T}A^{T}W$	
$\nabla_{m} f(w) = A Y + A^{T} Y + A^{T} Y + A Y$	$X = X_1 X_2 \dots X_d$
= 2Av + 2ATv $= 2(Av + ATv)$	$\frac{\partial \mathcal{J}}{\partial w} = \chi^{T} = (\gamma^{T} \Lambda^{T})^{T} = \Lambda \gamma$
$= 2(A+AT)\gamma$	$=$ $\begin{array}{c} \times_2 \\ \times_d \end{array}$
$(b) f(w) = w^{T} A w$	
$\nabla_{W}f(W) = (A+A^{T})W$	
$(c) f(w) = \log \left(\frac{d}{d} e^{w_i} \right)$	
$\nabla_{w}f(w) = \frac{1}{2} $	$\frac{1}{2}$
$\begin{pmatrix} v_{m} \\ v_{m} \end{pmatrix} \begin{pmatrix} v_{m} \\ v_{m} \end{pmatrix} \begin{pmatrix} v_{m} \\ v_{m} \\ v_{m} \end{pmatrix} \begin{pmatrix} v_{m} \\ v_{m} \\ v_{m} \end{pmatrix}$	
$= \frac{1}{2} \left(\frac{1}{2} \left(\frac{1}{2} \right) \frac{1}{2}$	Column Vector

(9) Z(M)=) (=1	log (It	ewc))=	200	1+6		100	yClt	-ew ₂)+.	 +
					9	(Ite	2 _{MG}					
<u> </u>		w, C		9		(1+	- N					
QMI	1+0	W C	($\supset_{\mathcal{M}'}$)						
	- WI											
	1+6 _{w1}											
\triangle^{M} $\mathbb{A}(\mathbb{A}) =$												
	- Gug											
	1+6mg											
(e) f(w) =	-/1+	$- \left \left \right \right \left \left \right ^{2}_{2}$										
=	-//+	W12 + W	2+		. M9	2						
<u>A(w)</u> =	2 (1		2 \	- 1	V (71//						
)WI	2	TIM	2)		X _	2 //	I					
		2	- 1	١.								
	(+	12 Norm		ΥΥı								
				γ,								
			,	Wa								
√w∫ (w) =	(+	$ \gamma ^2$	7	М3								
				Mq								
				y V U								

		on.													
X1 X2		-1 ,	_												
X3		١,	N3	=	1										
Ein	(N)=	1	3	Oc.		() ()	2							
<u> </u>	- Wo	ot W	v.Xi	(= 1											
(V)	₩ *	=	CYC	Mir	1	3	K	- CW		2					
		X_{1}^{T}	11 (-										
\mathfrak{X}	=	X ₂ ^T X ₃ ^T	=	1)										
		Ŋ1 \\3'		-2	1										
2)	=	Ja	_	0											
		Ja)											
(b)	* _W	-(X	\mathcal{X}	-1 >	<u> </u>									
				,			1		\-	1	1		-2		
			<u> </u>	()	1			1		<u> </u>					
			,		, –		<u>'</u>			`		' <u> </u>			
		=	3	0			=	1 m							
			0	7		3_		2							

			/	/			Ĵi =	_	3	+ 13				
		/												
(6)	1	- \\\(-	- - \	~ +.	\\\(\ \ \ \	, <u>a</u>								
(C)	<u> </u>	1	X,	X^{2}	110,/		-(
(c) £	_	1	X ₂	X ₂ ³	=	\								
			X ₃	X3)	1)						
Ein((w)													
M*	=(XĪ.	\mathcal{X}	_/ 7	T									
		0												
		3 7 7 N												
		2					2							
Ein	(M)	=	3	X.	W-()								
			1		-	1		\bigcirc		-2	2			
		_	3		0	0	×	3	_	0				
				1)	1		-1						
		=	\bigcirc											



$\vec{P}_n(+\times) = \Theta($	$(W^T \times) = \frac{e^{W^T \times}}{1 + e^{W^T \times}}$
$\hat{P}_{W}(-1 x) = 1-$	$\widehat{P}_{N}(X) = - \underbrace{e^{w^{T}X}}_{1 + e^{w^{T}X}}$
	$-e^{\mu_{\perp} \times} - e^{-\mu_{\perp} \times}$
PN () ×) =	$\frac{e^{yw^{T}x}}{1+e^{yw^{T}x}} = \frac{1}{1+e^{-yw^{T}x}}$
Loss Function Ca	
Loss = log PmG	
Jn W ^T Xn	Jn WTXn En(w)
+1 >>0 +1 <	>> Small
-1 >>0	XO Large >>0 Small
$F_{10}(w) = 1$	$\log(1+e^{-ywx})$
$\sum_{i} (w) = \sum_{i} \frac{1}{N}$ $w^* = \underset{i}{\text{argmin}} \sum_{i} \frac{1}{N}$	
<u> </u>	

Rec	juka	riZO	tion			2	IIV	orm									
min		in()	√) 1		W												
Ma	kimu	mlil	kelih	.ood													
Pn	() ₁	, J2,	> ()n	Χι,	X ₂ ,	-··)	$\langle n \rangle$		N=1	P4 (Yn	(Xn)				
W*	_	CVYC	ymox	N=1	P. (Yn	(Xn)										
	_	arc	mir	i Eir	(W												
Part																	
<u>)</u> =	+1		-	p(Yn	Xn)	=}	(Xn									
<u> </u>			-	PC	Yn	Xn)	_ -	-hC	(x_n)								
	N 	Ph (Yn	(nX		max		n=1	Ph (Yn	Xn)						
						MOX	N=1	m	Ph (Yn	Xn)						
						min	N		m	Ph (In	(Xn)					
Lin((M)	_		N N=1	/n	Ph ((Xn)									
		_		N N				[In]	\(Xr)+[JJh			In((-h	(Xr	
					I	(<u>)</u> =	11)				I	<u>y</u> =	-1)				

	N N		rIIIn	(/\(Xn)	+	In-		m	-	1 ·h (x	(n)
Part B,	₽ W ^T ×		1								
$\Theta(MX) =$	Ite ^w	<u> </u>	1+e-w1×								
Fin(w) =	DE!		rIIIn	$\int (Xn)$	+	Dh=		<u> </u>		h (x	(n)
h(Xn)	HE	WTX	Jn-	= ,	InCF	te-w1	×)				
$\frac{1}{1-h(xn)}$	1+ €	$\times^T Y$	Jn=	=- ,	In(1	te ^{wy}					
Fin(w) =	N D		r JJ In	(Ite		Dh-		In (1+	ewtx.	
	N N	1 (1+	= -ynwx								
Exercise 3.7)		N								
V Ein(w)	= \	7 N 2	h lu		= -yr	\W\Xn\					
			h lu			\W \X_1)					
	_ /	N N=1	-yn>	ne ^y	n₩Xn ^T ×n		N N=1	.) .	yn) †e	⟨n yn w [™] X	n

				-	N				e ^{-y}	ηW ^τ Χ	n				
				N	<u></u>	yn)	Xn Xn () -	+ P	-yn V	y^TXy				
				-	N		,	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		, T.	,)				
				N	0-1	Jn)	Xn () (-Jw	M , \times	n				
					11-1										
Mis	sClo	ssific	atio	Λ,	yn)	$\gamma^{T}X_{1}$	Λ <	0,	A((+)	>(5.5			
Mis	ect	Aus	sitia	ation	D. VY	X^{T}	n>	0,	Θ	_) <u>_</u>	, < (), =)		
		0,10	((0	,, ,,			,							