C++ Coding Standards and Guidelines Peer Review Checklist

Last Updated: 25 April 2016

Reviewer's Name:	Mark Shinozaki			Peer	r Review	Date:	10/18/23
Project Name:				Project ID:			
				Enter if applicable		able	
Developer's Name:			Project Le	ad:			
Review Files & Source code							
Code Approved							

The following check list is to be used in the assessment of C++ source code during a peer review. Items which represent the code being reviewed should be checked.

1. General Programming Standards and Guidelines

Refer to the OHD General Programming Standards and Guidelines Peer Review Checklist to assess the adherence to the OHD General Programming Standards and Guidelines.

2. C++ Programming Standards

2.1 Readability and Maintainability

- yes Consistent indentation (3 or 4 spaces)
- yes Consistent use of braces
- No No tabs used

2.2 File Names

Header files and namespace files use suffixes: .h, .H, .hh, .hpp, or .hxx

1

- yes Source files use suffixes: .C, .cc, .cpp, or .cxx
- No UpperMixedCase is used for class or namespace file names
- No lowerMixedCase is used for function file names

2.3 File Organization

- No Each file contains only one class declaration or definition except functors and static classes
- No File includes a brief description of the file after the *documentation block*
- No The content of the file is in the following order:
 - 1. The preprocessor directives to prevent multiple inclusions in header files.
 - 2. The *Documentation block* described in the "OHD General Software Development Standards and Guidelines"
 - 3. A brief description of the file
 - 4. Include files
 - 5. #defines and Macros
 - 6. The 'use' directives in the source files but not in header files
 - 7. Class or function declaration or definition

2.4 Include Files

- <u>yes</u> C++ standard library headers that have no extension are used
- yes New prefix c is used instead of the old extension .h for C standard header files
- ____yes_ The < > pair for library and system headers is used
- yes The " " pair for non-system (user defined) headers is used
 - No absolute or relative paths to point to the header files are used
- yes The system header files first in alphabetical order followed by the non system include files (including COTS includes) also in alphabetical order

2.5 Comments

- No The JavaDoc convention format is used for the documentation comment
- yes The C++ comment "//" style or the C style (/* ... */) is used for inline comments

2.6 Naming Schemes

- yes namespace, class, struct, template argument, and parameter names use uppercase letters as word separators with the first character capitalized
- Macro and #defined constant, enum, union, class static data member, and global variable names are all capitalized with underscore as separators
- yes Class methods and variable names use uppercase letters as word separators with the first character is not capitalized
- <u>yes</u> Private class data member names are prepended with the underscore, the rest is

2

11/16/2006 Version 1.9

the	same	as	method	names
uic	Same	α	memou	mannes

- No static const data members are all uppercase
- yes typedef names reflect the style appropriate to the underlying type
- yes Class, struct, variable, and method names that differ by case only are not used
- yes C function names follow the OHD C Programming Standards and Guidelines

2.7 Class Design

- Class members are declared in this order: public members, protected members, private members
- yes Data members are properly protected (declared as private or protected)
- Classes (except functors and static classes) implement a default constructor, a virtual destructor, a copy constructor, and an overloaded assignment operator
- yes Static classes declare a private default constructor to prevent instantiation

2.8 Safety and Performance

- Global variables are not used except in rare cases and when used include an inline comment describing the reason for use.
- yes Dynamically allocated memory is deallocated when no longer needed
- There is no dangling pointers. Pointers are always tested for NULL values before trying to dereference them
- There is no hardcoded numerical values, const or enum type values are used instead
- yes Large objects are created on the heap
- yes The arguments specified in a function prototype are associated with variable names

3. C++ Programming Guidelines

3.1 Readability and Maintainability

- <u>yes</u> A space is put between the parenthesis and the keywords or the function names
- yes A space is put between variables, keywords and operators
- yes Pointers are named in some fashion that distinguishes them from other "ordinary" variables
- yes Parentheses are used in macros to ensure correct evaluation of the macro

no The goto statement is used very sparingly

3.2 User Defined Types

- yes static const members are used instead of #defined constants
- yes Proper typedefs are used instead of using templates directly
- no enum is used to define a collection of integral constants

3.3 Variables

- yes const correctness has been practiced
- <u>no</u> All variables are correctly initialized
- yes Local variables are declared near their first use.
- The copy constructor is used to construct an object instead of the assignment operator (=)

3.4 Performance

- ___yes_inline functions are used instead of Macros
- ______The prefix form (++i or --i) is used instead of postfix form (i++ or i--)
- yes Pointer arithmetic has been avoided

3.5 Class Design

yes Parts-of relation inheritance has been avoided

4