```
1 package pacOrg;
3 import java.awt.BorderLayout;
29 public class RadnaStolicaFrame2 extends JFrame {
30
      /**
31
32
       */
33
34
      private static final long serialVersionUID = -3244858851595117191L;
35
      private JPanel contentPane;
36
      private JTextField textField_0;
37
      private JTextField textField_1;
38
      private JTextField textField_2;
39
      private JTextField textField_3;
40
      private JTextField txtGornjiLevi;
41
      private JTextField txtGornjiDesni;
42
      private JTextField txtBellowLEft;
43
      private JTextField txtBellowRight;
44
45
46
      public Firma firma = new Firma();
47
      public Mwain mwain = new Mwain();
      private JTextField textFieldDatum;
48
49
50
51
52
      /**
53
       * Launch the application.
54
55
      public static void main(String[] args) {
56
          EventQueue.invokeLater(new Runnable() {
57
               public void run() {
58
                   try {
                       RadnaStolicaFrame2 frame = new RadnaStolicaFrame2();
59
60
                       frame.setVisible(true);
61
                       frame.setResizable(false);
62
                   } catch (Exception e) {
63
                       e.printStackTrace();
64
65
               }
66
          });
67
      }
68
      /**
69
70
       * Create the frame.
71
72
      public RadnaStolicaFrame2() {
73
           setTitle("Frame Radna Stolica 2");
74
           setBounds(100, 100, 689, 390);
75
           contentPane = new JPanel();
76
           contentPane.setBackground(new Color(211, 211, 211));
77
           contentPane.setBorder(new EmptyBorder(5, 5, 5, 5));
78
           setContentPane(contentPane);
79
          contentPane.setLayout(null);
80
81
          Panel panel = new Panel();
82
           panel.setBackground(new Color(60, 179, 113));
83
          panel.setForeground(new Color(255, 255, 255));
84
          panel.setBounds(10, 10, 304, 229);
85
          contentPane.add(panel);
86
          GridBagLayout gbl_panel = new GridBagLayout();
```

```
87
           gbl_panel.columnWidths = new int[]{0, 0, 0, 0, 0, 0};
 88
           gbl_panel.rowHeights = new int[]{0, 0, 0, 0, 0, 0, 0, 0, 0};
 89
           gbl_panel.columnWeights = new double[]{0.0, 0.0, 0.0, 0.0, 1.0, Double.MIN_VALUE};
 90
           Double.MIN VALUE };
 91
           panel.setLayout(gbl panel);
 92
           JLabel lblNewLabel = new JLabel("Broj Operacije");
 93
 94
           lblNewLabel.setFont(new Font("MS Gothic", Font.ITALIC, 14));
 95
           lblNewLabel.setToolTipText("Broj redosleda operacije koja se izvrsava.");
           GridBagConstraints gbc_lblNewLabel = new GridBagConstraints();
 96
97
           gbc_lblNewLabel.gridwidth = 4;
98
           gbc lblNewLabel.insets = new Insets(0, 0, 5, 5);
99
           gbc_lblNewLabel.gridx = 0;
100
           gbc_lblNewLabel.gridy = 0;
101
           panel.add(lblNewLabel, gbc_lblNewLabel);
102
103
           textField_0 = new JTextField();
104
           textField_0.setToolTipText("int = unos moze biti samo broj ! bez decimala !");
           GridBagConstraints gbc_textField_0 = new GridBagConstraints();
105
106
           gbc_textField_0.insets = new Insets(0, 0, 5, 0);
107
           gbc textField 0.fill = GridBagConstraints.HORIZONTAL;
           gbc_textField_0.gridx = 4;
108
           gbc textField 0.gridy = 0;
109
           panel.add(textField_0, gbc_textField_0);
110
111
           textField 0.setColumns(10);
112
113
           JLabel lblNewLabel_1 = new JLabel("Ime i Prezime");
114
           lblNewLabel_1.setFont(new Font("MS Gothic", Font.ITALIC, 14));
115
           lblNewLabel_1.setToolTipText("Ime i prezime pacijenta na kome se radi sve u istom
   polju.");
116
           GridBagConstraints gbc_lblNewLabel_1 = new GridBagConstraints();
117
           gbc_lblNewLabel_1.gridwidth = 4;
           gbc_lblNewLabel_1.insets = new Insets(0, 0, 5, 5);
118
           gbc_lblNewLabel_1.gridx = 0;
119
120
           gbc_lblNewLabel_1.gridy = 1;
           panel.add(lblNewLabel_1, gbc_lblNewLabel_1);
121
122
           textField 1 = new JTextField();
123
124
           textField_1.setToolTipText("String = Unos moze biti bilo sta.");
125
           GridBagConstraints gbc_textField_1 = new GridBagConstraints();
126
           gbc_textField_1.insets = new Insets(0, 0, 5, 0);
127
           gbc_textField_1.fill = GridBagConstraints.HORIZONTAL;
128
           gbc_textField_1.gridx = 4;
129
           gbc_textField_1.gridy = 1;
130
           panel.add(textField_1, gbc_textField_1);
131
           textField_1.setColumns(10);
132
133
           JLabel lblNewLabel_2 = new JLabel("Pocetno vreme");
           lblNewLabel_2.setFont(new Font("MS Gothic", Font.ITALIC, 14));
134
           lblNewLabel_2.setToolTipText("Vreme pocetka operacije.");
135
           GridBagConstraints gbc_lblNewLabel_2 = new GridBagConstraints();
136
137
           gbc lblNewLabel 2.gridwidth = 4;
138
           gbc_lblNewLabel_2.insets = new Insets(0, 0, 5, 5);
139
           gbc_lblNewLabel_2.gridx = 0;
140
           gbc_lblNewLabel_2.gridy = 2;
           panel.add(lblNewLabel_2, gbc_lblNewLabel_2);
141
142
143
           textField_2 = new JTextField();
           textField 2.setToolTipText("String = Unos moze biti bilo sta.");
144
           GridBagConstraints gbc_textField_2 = new GridBagConstraints();
145
146
           gbc_textField_2.insets = new Insets(0, 0, 5, 0);
```

```
gbc_textField_2.fill = GridBagConstraints.HORIZONTAL;
147
148
           gbc_textField_2.gridx = 4;
149
           gbc_textField_2.gridy = 2;
150
           panel.add(textField_2, gbc_textField_2);
151
           textField_2.setColumns(10);
152
           JLabel lblNewLabel 3 = new JLabel("Krajnje vreme");
153
154
           lblNewLabel_3.setFont(new Font("MS Gothic", Font.ITALIC, 14));
155
           lblNewLabel_3.setToolTipText("Krajnje vreme operacije koja se izvrsava.");
156
           GridBagConstraints gbc_lblNewLabel_3 = new GridBagConstraints();
           gbc lblNewLabel 3.gridwidth = 4;
157
           gbc_lblNewLabel_3.insets = new Insets(0, 0, 5, 5);
158
159
           gbc_lblNewLabel_3.gridx = 0;
160
           gbc_lblNewLabel_3.gridy = 3;
161
           panel.add(lblNewLabel_3, gbc_lblNewLabel_3);
162
163
           textField_3 = new JTextField();
164
           textField_3.setToolTipText("String = Unos moze biti bilo sta.");
165
           GridBagConstraints gbc_textField_3 = new GridBagConstraints();
           gbc textField 3.insets = new Insets(0, 0, 5, 0);
166
           gbc_textField_3.fill = GridBagConstraints.HORIZONTAL;
167
           gbc textField 3.gridx = 4;
168
           gbc_textField_3.gridy = 3;
169
           panel.add(textField_3, gbc_textField_3);
170
171
           textField_3.setColumns(10);
172
173
           JLabel lblNewLabel_4 = new JLabel("Gornji Levi Zubi");
           lblNewLabel_4.setFont(new Font("MS Gothic", Font.ITALIC, 14));
174
175
           lblNewLabel_4.setToolTipText("Unos onoga sto se radilo na njima.");
           GridBagConstraints gbc_lblNewLabel_4 = new GridBagConstraints();
176
           gbc_lblNewLabel_4.gridwidth = 4;
177
178
           gbc_lblNewLabel_4.insets = new Insets(0, 0, 5, 5);
179
           gbc_lblNewLabel_4.gridx = 0;
           gbc lblNewLabel 4.gridy = 4;
180
           panel.add(lblNewLabel_4, gbc_lblNewLabel_4);
181
182
           txtGornjiLevi = new JTextField();
183
184
           txtGornjiLevi.setToolTipText("String = Unos moze biti bilo sta.");
           GridBagConstraints gbc_txtGornjiLevi = new GridBagConstraints();
185
186
           gbc txtGornjiLevi.insets = new Insets(0, 0, 5, 0);
           gbc txtGornjiLevi.fill = GridBagConstraints.HORIZONTAL;
187
188
           gbc_txtGornjiLevi.gridx = 4;
189
           gbc_txtGornjiLevi.gridy = 4;
           panel.add(txtGornjiLevi, gbc_txtGornjiLevi);
190
191
           txtGornjiLevi.setColumns(10);
192
193
           JLabel lblNewLabel 5 = new JLabel("Gornji Desni Zubi");
           lblNewLabel_5.setFont(new Font("MS Gothic", Font.ITALIC, 14));
194
195
           lblNewLabel_5.setToolTipText("Unos onoga sto se radilo na njima.");
           GridBagConstraints gbc_lblNewLabel_5 = new GridBagConstraints();
196
           gbc_lblNewLabel_5.gridwidth = 4;
197
           gbc_lblNewLabel_5.insets = new Insets(0, 0, 5, 5);
198
           gbc lblNewLabel 5.gridx = 0;
199
200
           gbc lblNewLabel 5.gridy = 5;
201
           panel.add(lblNewLabel 5, gbc lblNewLabel 5);
202
203
           txtGornjiDesni = new JTextField();
           txtGornjiDesni.setToolTipText("String = Unos moze biti bilo sta.");
204
205
           GridBagConstraints gbc_txtGornjiDesni = new GridBagConstraints();
206
           gbc txtGornjiDesni.insets = new Insets(0, 0, 5, 0);
           gbc_txtGornjiDesni.fill = GridBagConstraints.HORIZONTAL;
207
208
           gbc_txtGornjiDesni.gridx = 4;
```

```
209
           gbc_txtGornjiDesni.gridy = 5;
210
           panel.add(txtGornjiDesni, gbc_txtGornjiDesni);
211
           txtGornjiDesni.setColumns(10);
212
           JLabel lblNewLabel_6 = new JLabel("Donji Levi Zubi");
213
214
           lblNewLabel 6.setFont(new Font("MS Gothic", Font.ITALIC, 14));
           lblNewLabel 6.setToolTipText("Unos onoga sto se radilo na njima.");
216
           GridBagConstraints gbc_lblNewLabel_6 = new GridBagConstraints();
           gbc_lblNewLabel_6.gridwidth = 4;
217
218
           gbc_lblNewLabel_6.insets = new Insets(0, 0, 5, 5);
219
           gbc lblNewLabel 6.gridx = 0;
220
           gbc_lblNewLabel_6.gridy = 6;
           panel.add(lblNewLabel 6, gbc lblNewLabel 6);
221
222
           txtBellowLEft = new JTextField();
223
224
           txtBellowLEft.setToolTipText("String = Unos moze biti bilo sta.");
225
           GridBagConstraints gbc_txtBellowLEft = new GridBagConstraints();
226
           gbc_txtBellowLEft.insets = new Insets(0, 0, 5, 0);
227
           gbc_txtBellowLEft.fill = GridBagConstraints.HORIZONTAL;
228
           gbc txtBellowLEft.gridx = 4;
229
           gbc_txtBellowLEft.gridy = 6;
230
           panel.add(txtBellowLEft, gbc txtBellowLEft);
231
           txtBellowLEft.setColumns(10);
232
           JLabel lblNewLabel_7 = new JLabel("Donji Desni Zubi");
233
           lblNewLabel 7.setFont(new Font("MS Gothic", Font.ITALIC, 14));
234
235
           lblNewLabel_7.setToolTipText("Unos onoga Sto se radilo na njima.");
236
           GridBagConstraints gbc_lblNewLabel_7 = new GridBagConstraints();
237
           gbc_lblNewLabel_7.gridwidth = 4;
238
           gbc_lblNewLabel_7.insets = new Insets(0, 0, 5, 5);
           gbc_lblNewLabel_7.gridx = 0;
239
240
           gbc_lblNewLabel_7.gridy = 7;
241
           panel.add(lblNewLabel_7, gbc_lblNewLabel_7);
242
           txtBellowRight = new JTextField();
243
244
           txtBellowRight.setToolTipText("String = Unos moze biti bilo sta.");
           GridBagConstraints gbc_txtBellowRight = new GridBagConstraints();
245
246
           gbc txtBellowRight.insets = new Insets(0, 0, 5, 0);
247
           gbc_txtBellowRight.fill = GridBagConstraints.HORIZONTAL;
           gbc_txtBellowRight.gridx = 4;
248
249
           gbc txtBellowRight.gridy = 7;
250
           panel.add(txtBellowRight, gbc_txtBellowRight);
251
           txtBellowRight.setColumns(10);
252
           JLabel lblNewLabel_8 = new JLabel("Datum operacije");
253
254
           lblNewLabel_8.setFont(new Font("MS Gothic", Font.ITALIC, 14));
255
           GridBagConstraints gbc lblNewLabel 8 = new GridBagConstraints();
256
           gbc_lblNewLabel_8.gridwidth = 4;
257
           gbc_lblNewLabel_8.insets = new Insets(0, 0, 0, 5);
           gbc_lblNewLabel_8.gridx = 0;
258
           gbc_lblNewLabel_8.gridy = 8;
259
           panel.add(lblNewLabel_8, gbc_lblNewLabel_8);
260
261
           textFieldDatum = new JTextField();
262
           GridBagConstraints gbc_textFieldDatum = new GridBagConstraints();
263
264
           gbc_textFieldDatum.fill = GridBagConstraints.HORIZONTAL;
265
           gbc_textFieldDatum.gridx = 4;
           gbc_textFieldDatum.gridy = 8;
266
267
           panel.add(textFieldDatum, gbc_textFieldDatum);
           textFieldDatum.setColumns(10);
268
269
270
           Panel panel 1 = new Panel();
```

```
271
           panel_1.setBackground(new Color(60, 179, 113));
272
           panel_1.setBounds(10, 245, 205, 108);
273
           contentPane.add(panel_1);
274
           GridBagLayout gbl_panel_1 = new GridBagLayout();
275
           gbl_panel_1.columnWidths = new int[]{0, 0};
276
           gbl panel 1.rowHeights = new int[]{0, 0, 0, 0, 0};
           gbl_panel_1.columnWeights = new double[]{1.0, Double.MIN_VALUE};
277
278
           gbl_panel_1.rowWeights = new double[]{0.0, 0.0, 0.0, 0.0, Double.MIN_VALUE};
279
           panel_1.setLayout(gbl_panel_1);
280
           JButton btnNewButton = new JButton("Unos podataka");
281
           btnNewButton.setFont(new Font("MS Gothic", Font. ITALIC, 12));
282
283
           btnNewButton.addActionListener(new ActionListener() {
284
               public void actionPerformed(ActionEvent e) {
285
286
                    firma.loadStolica("radnaStolica2.txt");
287
                    firma.loadHistoriat("Historiat.txt");
288
289
                    String imeDoktora = textField_1.getText().trim();
290
                    String vremePocetno = textField 2.getText().trim();
                    String vremeKranje = textField_3.getText().trim();
291
                    String gornjiLevi = txtGornjiLevi.getText().trim();
292
                    String gornjiDesni = txtGornjiDesni.getText().trim();
293
294
                    String DonjiL1 = txtBellowLEft.getText().trim();
295
                    String DonjiL2 = txtBellowRight.getText().trim();
296
                    String Datum = textFieldDatum.getText().trim();
297
298
                    String id = textField 0.getText().trim();
299
                    if (Mwain.isNumber(id)== true) {
300
301
                        int idX = Integer.parseInt(id);
302
303
                        RadnaStolica radnaStolica = new RadnaStolica(idX, imeDoktora,
304
   vremePocetno, vremeKranje,
305
                                gornjiLevi, gornjiDesni, DonjiL1, DonjiL2);
306
307
                        Historiat historiat = new Historiat(idX, imeDoktora, gornjiLevi,
   gornjiDesni,
308
                                DonjiL1, DonjiL2, Datum);
309
310
311
312
                        boolean provera = firma.dodavanjeStolice2(radnaStolica);
313
                        if (provera) {
314
                            JOptionPane.showMessageDialog(null, "Unos podataje je uspesno
   uradjen.", "Unos uspesno izvrsen", 1);
315
                            firma.dodavanjeHistoriata(historiat);
316
                            //System.out.println("Unos podataje je uspesno uradjen.");
317
                        }else {
                            JOptionPane.showMessageDialog(null, "Unos podataje je neuspesno
318
   uradjen.", "Unos neuspesno izvrsen", 1);
319
                            //System.out.println("Unos podataka je nesupesno uradjen.");
320
                        }
321
322
323
324
325
                    }else {
326
                        JOptionPane.showMessageDialog(null, "Id mora biti broj! bez decimala
327
   !", "GRESKA PRI UNOSU !", 1);
```

```
328
329
                   }
330
331
                }
332
           });
333
           GridBagConstraints gbc btnNewButton = new GridBagConstraints();
           gbc btnNewButton.insets = new Insets(0, 0, 5, 0);
334
335
           gbc_btnNewButton.fill = GridBagConstraints.HORIZONTAL;
336
           gbc btnNewButton.gridx = 0;
337
           gbc_btnNewButton.gridy = 0;
           panel_1.add(btnNewButton, gbc_btnNewButton);
338
339
340
           JButton btnNewButton 1 = new JButton("Brisanje ID - 1 instanca");
           btnNewButton_1.setFont(new Font("MS Gothic", Font.ITALIC, 12));
341
342
           btnNewButton 1.addActionListener(new ActionListener() {
343
                public void actionPerformed(ActionEvent e) {
344
345
346
                    firma.loadStolica("radnaStolica2.txt");
347
348
                    String id = textField_0.getText().trim();
349
350
                    if (Mwain.isNumber(id) == true) {
351
                        int idX = Integer.parseInt(id);
352
353
354
                        RadnaStolica provera = firma.stolicaBrisanjeID2(idX);
355
                        if (provera == null) {
                            JOptionPane.showMessageDialog(null, "Unet ID broj se ne nalazi u
   listi.", "GRESKA PRI UNOSU !", 1);
                            //System.out.println("Zadati broj ne postoji u listi.");
357
358
                        }else {
359
                            JOptionPane.showMessageDialog(null, "Brisanje jedne instance po ID
   je uspesno izvrseno.",
                           "Brisanje uspesno uradjeno", 1);
360
                        }
361
362
                    } else {
                        JOptionPane.showMessageDialog(null, "ID mora biti broj! bez decimala
363
       "GRESKA PRI UNOSU !", 1);
364
                    }
365
366
367
           });
           btnNewButton_1.setToolTipText("Brisanje jedne grupe podataka preko
368
   Identifikatora");
369
           GridBagConstraints gbc_btnNewButton_1 = new GridBagConstraints();
370
           gbc btnNewButton 1.fill = GridBagConstraints.HORIZONTAL;
371
           gbc_btnNewButton_1.insets = new Insets(0, 0, 5, 0);
372
           gbc_btnNewButton_1.gridx = 0;
373
           gbc_btnNewButton_1.gridy = 1;
374
           panel_1.add(btnNewButton_1, gbc_btnNewButton_1);
375
           JButton btnNewButton 2 = new JButton("Brisanje SVIH podataka");
376
377
           btnNewButton_2.setFont(new Font("MS Gothic", Font.ITALIC, 12));
378
           btnNewButton 2.addActionListener(new ActionListener() {
379
                public void actionPerformed(ActionEvent e) {
380
381
                    firma.brisanjeSvihP2();
                    JOptionPane.showMessageDialog(null, "Brisanje svih podataka je uspesno
382
   uradjeno", "SVI PODACI LISTE SU OBRISANI !", 1);
383
384
                }
```

```
385
           });
386
           btnNewButton_2.setToolTipText("Brise sve podatke iz liste podataka za radnu stolicu
   pritisnuti samo kada zelite ociscenu listu !");
           GridBagConstraints gbc_btnNewButton_2 = new GridBagConstraints();
387
388
           gbc_btnNewButton_2.fill = GridBagConstraints.HORIZONTAL;
389
           gbc btnNewButton 2.insets = new Insets(0, 0, 5, 0);
390
           gbc btnNewButton 2.gridx = 0;
           gbc_btnNewButton_2.gridy = 2;
391
392
           panel_1.add(btnNewButton_2, gbc_btnNewButton_2);
393
           JButton btnNewButton 3 = new JButton("Lista Svih podataka");
394
           btnNewButton_3.setFont(new Font("MS Gothic", Font.ITALIC, 12));
395
396
           btnNewButton 3.addActionListener(new ActionListener() {
397
               public void actionPerformed(ActionEvent e) {
398
399
                   Console console = new Console();
400
                   console.init();
401
                   firma.lstStolica2();
402
403
               }
404
           });
405
           btnNewButton 3.setToolTipText("Prikaz svih unetih podataka za dan");
           GridBagConstraints gbc_btnNewButton_3 = new GridBagConstraints();
406
           gbc_btnNewButton_3.fill = GridBagConstraints.HORIZONTAL;
407
           gbc_btnNewButton_3.gridx = 0;
408
409
           gbc btnNewButton 3.gridy = 3;
410
           panel_1.add(btnNewButton_3, gbc_btnNewButton_3);
411
412
           JLabel lblWorkDay = new JLabel("");
413
           Image img1 = new
   usefull copy it latter
414
           lblWorkDay.setIcon(new ImageIcon(img1));
415
           lblWorkDay.setBounds(320, 10, 344, 195);
416
           contentPane.add(lblWorkDay);
417
418
           JPanel panel_2 = new JPanel();
419
           panel 2.setBackground(new Color(60, 179, 113));
420
           panel_2.setBounds(221, 245, 47, 108);
421
           contentPane.add(panel 2);
422
           GridBagLayout gbl_panel_2 = new GridBagLayout();
423
           gbl_panel_2.columnWidths = new int[]{0, 0};
424
           gbl_panel_2.rowHeights = new int[]{0, 0, 0, 0, 0};
425
           gbl_panel_2.columnWeights = new double[]{1.0, Double.MIN_VALUE};
426
           gbl_panel_2.rowWeights = new double[]{0.0, 0.0, 0.0, 0.0, Double.MIN_VALUE};
427
           panel_2.setLayout(gbl_panel_2);
428
           JButton btnNewButton_4 = new JButton("?");
429
           btnNewButton_4.setFont(new Font("MS Gothic", Font.ITALIC, 12));
430
431
           btnNewButton_4.addActionListener(new ActionListener() {
432
               public void actionPerformed(ActionEvent e) {
                   JOptionPane.showMessageDialog(null, "Opcija 1 - unos korisnika ocekuje sve
433
   podatke u tabeli iznad.", "The Help Me BUTTON :)", 1);
434
               }
435
           });
436
           btnNewButton_4.setToolTipText("Its the help me button !");
437
           GridBagConstraints gbc_btnNewButton_4 = new GridBagConstraints();
438
           gbc_btnNewButton_4.fill = GridBagConstraints.HORIZONTAL;
439
           gbc_btnNewButton_4.insets = new Insets(0, 0, 5, 0);
440
           gbc btnNewButton 4.gridx = 0;
441
           gbc_btnNewButton_4.gridy = 0;
442
           panel_2.add(btnNewButton_4, gbc_btnNewButton_4);
```

```
443
444
           JButton btnNewButton_5 = new JButton("?");
           btnNewButton_5.setFont(new Font("MS Gothic", Font. ITALIC, 12));
445
446
           btnNewButton_5.addActionListener(new ActionListener() {
447
               public void actionPerformed(ActionEvent e) {
448
                    JOptionPane.showMessageDialog(null, "Opcija 2 - Brisanje jedne instance
   podataka ocekuje ID u tabeli iznad za pretragu i brisanje", "The Help Me BUTTON :)", 1);
449
450
           });
451
           btnNewButton_5.setToolTipText("Its the help me button !");
           GridBagConstraints gbc btnNewButton 5 = new GridBagConstraints();
452
           gbc_btnNewButton_5.fill = GridBagConstraints.HORIZONTAL;
453
454
           gbc btnNewButton 5.insets = new Insets(0, 0, 5, 0);
455
           gbc_btnNewButton_5.gridx = 0;
456
           gbc_btnNewButton_5.gridy = 1;
457
           panel_2.add(btnNewButton_5, gbc_btnNewButton_5);
458
459
           JButton btnNewButton_6 = new JButton("?");
460
           btnNewButton_6.setFont(new Font("MS Gothic", Font. ITALIC, 12));
           btnNewButton 6.addActionListener(new ActionListener() {
461
462
               public void actionPerformed(ActionEvent e) {
463
                   JOptionPane.showMessageDialog(null, "Opcija 3 - Ne ocekuje nista opasno
   dugme brise sve podatke iz liste podataka, pritisnuti na kraju ili pocetku radnog dana kada
   vam treba prazna lista !", "The Help Me BUTTON :)", 1);
464
               }
465
           });
466
           btnNewButton_6.setToolTipText("Its the help me button !");
467
           GridBagConstraints gbc_btnNewButton_6 = new GridBagConstraints();
468
           gbc_btnNewButton_6.fill = GridBagConstraints.HORIZONTAL;
469
           gbc_btnNewButton_6.insets = new Insets(0, 0, 5, 0);
470
           gbc_btnNewButton_6.gridx = 0;
471
           gbc_btnNewButton_6.gridy = 2;
472
           panel_2.add(btnNewButton_6, gbc_btnNewButton_6);
473
           JButton btnNewButton 7 = new JButton("?");
474
           btnNewButton_7.setFont(new Font("MS Gothic", Font. ITALIC, 12));
475
476
           btnNewButton_7.addActionListener(new ActionListener() {
477
               public void actionPerformed(ActionEvent e) {
478
                    JOptionPane.showMessageDialog(null, "Opcija 4 - Lista svih podataka ne
   ocekuje nista.", "The Help Me BUTTON :)", 1);
479
               }
480
           });
481
           btnNewButton_7.setToolTipText("Its the help me button !");
482
           GridBagConstraints gbc_btnNewButton_7 = new GridBagConstraints();
483
           gbc_btnNewButton_7.fill = GridBagConstraints.HORIZONTAL;
484
           gbc_btnNewButton_7.gridx = 0;
485
           gbc btnNewButton 7.gridy = 3;
           panel_2.add(btnNewButton_7, gbc_btnNewButton_7);
486
487
488
           JLabel label = new JLabel("");
           Image img2 = new ImageIcon(this.getClass().getResource("/cogs5.gif")).getImage();
489
     this code is usefull copy it latter
490
           label.setIcon(new ImageIcon(img2));
491
           label.setBounds(320, 245, 344, 101);
           contentPane.add(label);
492
493
       }
494 }
495
```