

RadnaStolicaFrame3.java

```

1 package pacOrg;
2
3 import java.awt.BorderLayout;
28
29 public class RadnaStolicaFrame3 extends JFrame {
30
31     /**
32      *
33      */
34     private static final long serialVersionUID = -3244858851595117191L;
35     private JPanel contentPane;
36     private JTextField textField_0;
37     private JTextField textField_1;
38     private JTextField textField_2;
39     private JTextField textField_3;
40     private JTextField txtGornjiLevi;
41     private JTextField txtGornjiDesni;
42     private JTextField txtBellowLeft;
43     private JTextField txtBellowRight;
44
45
46     public Firma firma = new Firma();
47     public Mwain mwain = new Mwain();
48     private JTextField textFieldDatum;
49
50
51
52     /**
53      * Launch the application.
54      */
55     public static void main(String[] args) {
56         EventQueue.invokeLater(new Runnable() {
57             public void run() {
58                 try {
59                     RadnaStolicaFrame3 frame = new RadnaStolicaFrame3();
60                     frame.setVisible(true);
61                     frame.setResizable(false);
62                 } catch (Exception e) {
63                     e.printStackTrace();
64                 }
65             }
66         });
67     }
68
69     /**
70      * Create the frame.
71      */
72     public RadnaStolicaFrame3() {
73         setTitle("Frame Radna Stolica 3");
74         setBounds(100, 100, 689, 390);
75         contentPane = new JPanel();
76         contentPane.setBackground(new Color(211, 211, 211));
77         contentPane.setBorder(new EmptyBorder(5, 5, 5, 5));
78         setContentPane(contentPane);
79         contentPane.setLayout(null);
80
81         Panel panel = new Panel();
82         panel.setBackground(new Color(60, 179, 113));
83         panel.setForeground(new Color(255, 255, 255));
84         panel.setBounds(10, 10, 304, 229);
85         contentPane.add(panel);
86         GridBagLayout gbl_panel = new GridBagLayout();

```

```

87     gbl_panel.columnWidths = new int[]{0, 0, 0, 0, 0, 0, 0};
88     gbl_panel.rowHeights = new int[]{0, 0, 0, 0, 0, 0, 0, 0, 0, 0};
89     gbl_panel.columnWeights = new double[]{0.0, 0.0, 0.0, 0.0, 1.0, Double.MIN_VALUE};
90     gbl_panel.rowWeights = new double[]{0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0,
Double.MIN_VALUE};
91     panel.setLayout(gbl_panel);
92
93     JLabel lblNewLabel = new JLabel("Broj Operacije");
94     lblNewLabel.setFont(new Font("MS Gothic", Font.ITALIC, 14));
95     lblNewLabel.setToolTipText("Broj redosleda operacije koja se izvrsava.");
96     GridBagConstraints gbc_lblNewLabel = new GridBagConstraints();
97     gbc_lblNewLabel.gridwidth = 4;
98     gbc_lblNewLabel.insets = new Insets(0, 0, 5, 5);
99     gbc_lblNewLabel.gridx = 0;
100    gbc_lblNewLabel.gridy = 0;
101    panel.add(lblNewLabel, gbc_lblNewLabel);
102
103    textField_0 = new JTextField();
104    textField_0.setToolTipText("int = unos moze biti samo broj ! bez decimala !");
105    GridBagConstraints gbc_textField_0 = new GridBagConstraints();
106    gbc_textField_0.insets = new Insets(0, 0, 5, 0);
107    gbc_textField_0.fill = GridBagConstraints.HORIZONTAL;
108    gbc_textField_0.gridx = 4;
109    gbc_textField_0.gridy = 0;
110    panel.add(textField_0, gbc_textField_0);
111    textField_0.setColumns(10);
112
113    JLabel lblNewLabel_1 = new JLabel("Ime i Prezime");
114    lblNewLabel_1.setFont(new Font("MS Gothic", Font.ITALIC, 14));
115    lblNewLabel_1.setToolTipText("Ime i prezime pacijenta na kome se radi sve u istom
polju.");
116    GridBagConstraints gbc_lblNewLabel_1 = new GridBagConstraints();
117    gbc_lblNewLabel_1.gridwidth = 4;
118    gbc_lblNewLabel_1.insets = new Insets(0, 0, 5, 5);
119    gbc_lblNewLabel_1.gridx = 0;
120    gbc_lblNewLabel_1.gridy = 1;
121    panel.add(lblNewLabel_1, gbc_lblNewLabel_1);
122
123    textField_1 = new JTextField();
124    textField_1.setToolTipText("String = Unos moze biti bilo sta.");
125    GridBagConstraints gbc_textField_1 = new GridBagConstraints();
126    gbc_textField_1.insets = new Insets(0, 0, 5, 0);
127    gbc_textField_1.fill = GridBagConstraints.HORIZONTAL;
128    gbc_textField_1.gridx = 4;
129    gbc_textField_1.gridy = 1;
130    panel.add(textField_1, gbc_textField_1);
131    textField_1.setColumns(10);
132
133    JLabel lblNewLabel_2 = new JLabel("Pocetno vreme");
134    lblNewLabel_2.setFont(new Font("MS Gothic", Font.ITALIC, 14));
135    lblNewLabel_2.setToolTipText("Vreme pocetka operacije.");
136    GridBagConstraints gbc_lblNewLabel_2 = new GridBagConstraints();
137    gbc_lblNewLabel_2.gridwidth = 4;
138    gbc_lblNewLabel_2.insets = new Insets(0, 0, 5, 5);
139    gbc_lblNewLabel_2.gridx = 0;
140    gbc_lblNewLabel_2.gridy = 2;
141    panel.add(lblNewLabel_2, gbc_lblNewLabel_2);
142
143    textField_2 = new JTextField();
144    textField_2.setToolTipText("String = Unos moze biti bilo sta.");
145    GridBagConstraints gbc_textField_2 = new GridBagConstraints();
146    gbc_textField_2.insets = new Insets(0, 0, 5, 0);

```

```

147     gbc_textField_2.fill = GridBagConstraints.HORIZONTAL;
148     gbc_textField_2.gridx = 4;
149     gbc_textField_2.gridy = 2;
150     panel.add(textField_2, gbc_textField_2);
151     textField_2.setColumns(10);
152
153     JLabel lblNewLabel_3 = new JLabel("Krajnje vreme");
154     lblNewLabel_3.setFont(new Font("MS Gothic", Font.ITALIC, 14));
155     lblNewLabel_3.setToolTipText("Krajnje vreme operacije koja se izvrsava.");
156     GridBagConstraints gbc_lblNewLabel_3 = new GridBagConstraints();
157     gbc_lblNewLabel_3.gridwidth = 4;
158     gbc_lblNewLabel_3.insets = new Insets(0, 0, 5, 5);
159     gbc_lblNewLabel_3.gridx = 0;
160     gbc_lblNewLabel_3.gridy = 3;
161     panel.add(lblNewLabel_3, gbc_lblNewLabel_3);
162
163     textField_3 = new JTextField();
164     textField_3.setToolTipText("String = Unos moze biti bilo sta.");
165     GridBagConstraints gbc_textField_3 = new GridBagConstraints();
166     gbc_textField_3.insets = new Insets(0, 0, 5, 0);
167     gbc_textField_3.fill = GridBagConstraints.HORIZONTAL;
168     gbc_textField_3.gridx = 4;
169     gbc_textField_3.gridy = 3;
170     panel.add(textField_3, gbc_textField_3);
171     textField_3.setColumns(10);
172
173     JLabel lblNewLabel_4 = new JLabel("Gornji Levi Zubi");
174     lblNewLabel_4.setFont(new Font("MS Gothic", Font.ITALIC, 14));
175     lblNewLabel_4.setToolTipText("Unos onoga sto se radilo na njima.");
176     GridBagConstraints gbc_lblNewLabel_4 = new GridBagConstraints();
177     gbc_lblNewLabel_4.gridwidth = 4;
178     gbc_lblNewLabel_4.insets = new Insets(0, 0, 5, 5);
179     gbc_lblNewLabel_4.gridx = 0;
180     gbc_lblNewLabel_4.gridy = 4;
181     panel.add(lblNewLabel_4, gbc_lblNewLabel_4);
182
183     txtGornjiLevi = new JTextField();
184     txtGornjiLevi.setToolTipText("String = Unos moze biti bilo sta.");
185     GridBagConstraints gbc_txtGornjiLevi = new GridBagConstraints();
186     gbc_txtGornjiLevi.insets = new Insets(0, 0, 5, 0);
187     gbc_txtGornjiLevi.fill = GridBagConstraints.HORIZONTAL;
188     gbc_txtGornjiLevi.gridx = 4;
189     gbc_txtGornjiLevi.gridy = 4;
190     panel.add(txtGornjiLevi, gbc_txtGornjiLevi);
191     txtGornjiLevi.setColumns(10);
192
193     JLabel lblNewLabel_5 = new JLabel("Gornji Desni Zubi");
194     lblNewLabel_5.setFont(new Font("MS Gothic", Font.ITALIC, 14));
195     lblNewLabel_5.setToolTipText("Unos onoga sto se radilo na njima.");
196     GridBagConstraints gbc_lblNewLabel_5 = new GridBagConstraints();
197     gbc_lblNewLabel_5.gridwidth = 4;
198     gbc_lblNewLabel_5.insets = new Insets(0, 0, 5, 5);
199     gbc_lblNewLabel_5.gridx = 0;
200     gbc_lblNewLabel_5.gridy = 5;
201     panel.add(lblNewLabel_5, gbc_lblNewLabel_5);
202
203     txtGornjiDesni = new JTextField();
204     txtGornjiDesni.setToolTipText("String = Unos moze biti bilo sta.");
205     GridBagConstraints gbc_txtGornjiDesni = new GridBagConstraints();
206     gbc_txtGornjiDesni.insets = new Insets(0, 0, 5, 0);
207     gbc_txtGornjiDesni.fill = GridBagConstraints.HORIZONTAL;
208     gbc_txtGornjiDesni.gridx = 4;

```

```

209     gbc_txtGornjiDesni.gridx = 5;
210     panel.add(txtGornjiDesni, gbc_txtGornjiDesni);
211     txtGornjiDesni.setColumns(10);
212
213     JLabel lblNewLabel_6 = new JLabel("Donji Levi Zubi");
214     lblNewLabel_6.setFont(new Font("MS Gothic", Font.ITALIC, 14));
215     lblNewLabel_6.setToolTipText("Unos onoga sto se radilo na njima.");
216     GridBagConstraints gbc_lblNewLabel_6 = new GridBagConstraints();
217     gbc_lblNewLabel_6.gridwidth = 4;
218     gbc_lblNewLabel_6.insets = new Insets(0, 0, 5, 5);
219     gbc_lblNewLabel_6.gridx = 0;
220     gbc_lblNewLabel_6.gridy = 6;
221     panel.add(lblNewLabel_6, gbc_lblNewLabel_6);
222
223     txtBellowLeft = new JTextField();
224     txtBellowLeft.setToolTipText("String = Unos moze biti bilo sta.");
225     GridBagConstraints gbc_txtBellowLeft = new GridBagConstraints();
226     gbc_txtBellowLeft.insets = new Insets(0, 0, 5, 0);
227     gbc_txtBellowLeft.fill = GridBagConstraints.HORIZONTAL;
228     gbc_txtBellowLeft.gridx = 4;
229     gbc_txtBellowLeft.gridy = 6;
230     panel.add(txtBellowLeft, gbc_txtBellowLeft);
231     txtBellowLeft.setColumns(10);
232
233     JLabel lblNewLabel_7 = new JLabel("Donji Desni Zubi");
234     lblNewLabel_7.setFont(new Font("MS Gothic", Font.ITALIC, 14));
235     lblNewLabel_7.setToolTipText("Unos onoga Sto se radilo na njima.");
236     GridBagConstraints gbc_lblNewLabel_7 = new GridBagConstraints();
237     gbc_lblNewLabel_7.gridwidth = 4;
238     gbc_lblNewLabel_7.insets = new Insets(0, 0, 5, 5);
239     gbc_lblNewLabel_7.gridx = 0;
240     gbc_lblNewLabel_7.gridy = 7;
241     panel.add(lblNewLabel_7, gbc_lblNewLabel_7);
242
243     txtBellowRight = new JTextField();
244     txtBellowRight.setToolTipText("String = Unos moze biti bilo sta.");
245     GridBagConstraints gbc_txtBellowRight = new GridBagConstraints();
246     gbc_txtBellowRight.insets = new Insets(0, 0, 5, 0);
247     gbc_txtBellowRight.fill = GridBagConstraints.HORIZONTAL;
248     gbc_txtBellowRight.gridx = 4;
249     gbc_txtBellowRight.gridy = 7;
250     panel.add(txtBellowRight, gbc_txtBellowRight);
251     txtBellowRight.setColumns(10);
252
253     JLabel lblNewLabel_8 = new JLabel("Datum operacije");
254     lblNewLabel_8.setFont(new Font("MS Gothic", Font.ITALIC, 14));
255     GridBagConstraints gbc_lblNewLabel_8 = new GridBagConstraints();
256     gbc_lblNewLabel_8.gridwidth = 4;
257     gbc_lblNewLabel_8.insets = new Insets(0, 0, 0, 5);
258     gbc_lblNewLabel_8.gridx = 0;
259     gbc_lblNewLabel_8.gridy = 8;
260     panel.add(lblNewLabel_8, gbc_lblNewLabel_8);
261
262     textFieldDatum = new JTextField();
263     GridBagConstraints gbc_textFieldDatum = new GridBagConstraints();
264     gbc_textFieldDatum.fill = GridBagConstraints.HORIZONTAL;
265     gbc_textFieldDatum.gridx = 4;
266     gbc_textFieldDatum.gridy = 8;
267     panel.add(textFieldDatum, gbc_textFieldDatum);
268     textFieldDatum.setColumns(10);
269
270     Panel panel_1 = new Panel();

```

RadnaStolicaFrame3.java

```

271 panel_1.setBackground(new Color(60, 179, 113));
272 panel_1.setBounds(10, 245, 205, 108);
273 contentPane.add(panel_1);
274 GridBagLayout gbl_panel_1 = new GridBagLayout();
275 gbl_panel_1.columnWidths = new int[]{0, 0};
276 gbl_panel_1.rowHeights = new int[]{0, 0, 0, 0, 0};
277 gbl_panel_1.columnWeights = new double[]{1.0, Double.MIN_VALUE};
278 gbl_panel_1.rowWeights = new double[]{0.0, 0.0, 0.0, 0.0, Double.MIN_VALUE};
279 panel_1.setLayout(gbl_panel_1);
280
281 JButton btnNewButton = new JButton("Unos podataka");
282 btnNewButton.setFont(new Font("MS Gothic", Font.ITALIC, 12));
283 btnNewButton.addActionListener(new ActionListener() {
284     public void actionPerformed(ActionEvent e) {
285
286         firma.loadStolica("radnaStolica3.txt");
287         firma.loadHistoriat("Historiat.txt");
288
289         String imeDoktora = textField_1.getText().trim();
290         String vremePocetno = textField_2.getText().trim();
291         String vremeKranje = textField_3.getText().trim();
292         String gornjiLevi = txtGornjiLevi.getText().trim();
293         String gornjiDesni = txtGornjiDesni.getText().trim();
294         String DonjiL1 = txtBellowLeft.getText().trim();
295         String DonjiL2 = txtBellowRight.getText().trim();
296         String Datum = textFieldDatum.getText().trim();
297
298         String id = textField_0.getText().trim();
299         if (Mwain.isNumber(id) == true) {
300
301             int idX = Integer.parseInt(id);
302
303
304             RadnaStolica radnaStolica = new RadnaStolica(idX, imeDoktora,
vremePocetno, vremeKranje,
305                 gornjiLevi, gornjiDesni, DonjiL1, DonjiL2);
306
307             Historiat historiat = new Historiat(idX, imeDoktora, gornjiLevi,
gornjiDesni,
308                 DonjiL1, DonjiL2, Datum);
309
310
311
312             boolean provera = firma.dodavanjeStolice3(radnaStolica);
313             if (provera) {
314                 JOptionPane.showMessageDialog(null, "Unos podataje je uspesno
uradjen.", "Unos uspesno izvršen", 1);
315                 firma.dodavanjeHistoriata(historiat);
316                 //System.out.println("Unos podataje je uspesno uradjen.");
317             } else {
318                 JOptionPane.showMessageDialog(null, "Unos podataje je neuspesno
uradjen.", "Unos neuspesno izvršen", 1);
319                 //System.out.println("Unos podataka je nesupesno uradjen.");
320             }
321
322
323
324
325         } else {
326
327             JOptionPane.showMessageDialog(null, "Id mora biti broj ! bez decimala
!", "GRESKA PRI UNOSU !", 1);

```

```

328
329     }
330
331     }
332     });
333     GridBagConstraints gbc_btnNewButton = new GridBagConstraints();
334     gbc_btnNewButton.insets = new Insets(0, 0, 5, 0);
335     gbc_btnNewButton.fill = GridBagConstraints.HORIZONTAL;
336     gbc_btnNewButton.gridx = 0;
337     gbc_btnNewButton.gridy = 0;
338     panel_1.add(btnNewButton, gbc_btnNewButton);
339
340     JButton btnNewButton_1 = new JButton("Brisanje ID - 1 instance");
341     btnNewButton_1.setFont(new Font("MS Gothic", Font.ITALIC, 12));
342     btnNewButton_1.addActionListener(new ActionListener() {
343         public void actionPerformed(ActionEvent e) {
344
345             firma.loadStolica("radnaStolica3.txt");
346
347             String id = textField_0.getText().trim();
348
349             if (Mwain.isNumber(id) == true) {
350
351                 int idX = Integer.parseInt(id);
352
353                 RadnaStolica provera = firma.stolicaBrisanjeID3(idX);
354                 if (provera == null) {
355                     JOptionPane.showMessageDialog(null, "Unet ID broj se ne nalazi u
356 listi.", "GRESKA PRI UNOSU !", 1);
357                     //System.out.println("Zadati broj ne postoji u listi.");
358                 } else {
359                     JOptionPane.showMessageDialog(null, "Brisanje jedne instance po ID
360 je uspesno izvršeno.", "Brisanje uspesno uradjeno", 1);
361                 }
362             } else {
363                 JOptionPane.showMessageDialog(null, "ID mora biti broj ! bez decimala
364 !", "GRESKA PRI UNOSU !", 1);
365             }
366         }
367     });
368     btnNewButton_1.setToolTipsText("Brisanje jedne grupe podataka preko
369 Identifikatora");
370     GridBagConstraints gbc_btnNewButton_1 = new GridBagConstraints();
371     gbc_btnNewButton_1.fill = GridBagConstraints.HORIZONTAL;
372     gbc_btnNewButton_1.insets = new Insets(0, 0, 5, 0);
373     gbc_btnNewButton_1.gridx = 0;
374     gbc_btnNewButton_1.gridy = 1;
375     panel_1.add(btnNewButton_1, gbc_btnNewButton_1);
376
377     JButton btnNewButton_2 = new JButton("Brisanje SVIH podataka");
378     btnNewButton_2.setFont(new Font("MS Gothic", Font.ITALIC, 12));
379     btnNewButton_2.addActionListener(new ActionListener() {
380         public void actionPerformed(ActionEvent e) {
381             firma.brisanjeSvihP3();
382             JOptionPane.showMessageDialog(null, "Brisanje svih podataka je uspesno
383 uradjeno", "SVI PODACI LISTE SU OBRISANI !", 1);
384         }

```



```

385     });
386     btnNewButton_2.setToolTipText("Brise sve podatke iz liste podataka za radnu stolicu
- pritisnuti samo kada zelite ociscenu listu !");
387     GridBagConstraints gbc_btnNewButton_2 = new GridBagConstraints();
388     gbc_btnNewButton_2.fill = GridBagConstraints.HORIZONTAL;
389     gbc_btnNewButton_2.insets = new Insets(0, 0, 5, 0);
390     gbc_btnNewButton_2.gridx = 0;
391     gbc_btnNewButton_2.gridy = 2;
392     panel_1.add(btnNewButton_2, gbc_btnNewButton_2);
393
394     JButton btnNewButton_3 = new JButton("Lista Svih podataka");
395     btnNewButton_3.setFont(new Font("MS Gothic", Font.ITALIC, 12));
396     btnNewButton_3.addActionListener(new ActionListener() {
397         public void actionPerformed(ActionEvent e) {
398
399             Console console = new Console();
400             console.init();
401             firma.lstStolica3();
402
403         }
404     });
405     btnNewButton_3.setToolTipText("Prikaz svih unetih podataka za dan");
406     GridBagConstraints gbc_btnNewButton_3 = new GridBagConstraints();
407     gbc_btnNewButton_3.fill = GridBagConstraints.HORIZONTAL;
408     gbc_btnNewButton_3.gridx = 0;
409     gbc_btnNewButton_3.gridy = 3;
410     panel_1.add(btnNewButton_3, gbc_btnNewButton_3);
411
412     JLabel lblWorkDay = new JLabel("");
413     Image img1 = new
ImageIcon(this.getClass().getResource("/workday3.png")).getImage();    // this code is
usefull copy it latter
414     lblWorkDay.setIcon(new ImageIcon(img1));
415     lblWorkDay.setBounds(320, 10, 344, 195);
416     contentPane.add(lblWorkDay);
417
418     JPanel panel_2 = new JPanel();
419     panel_2.setBackground(new Color(60, 179, 113));
420     panel_2.setBounds(221, 245, 47, 108);
421     contentPane.add(panel_2);
422     GridBagLayout gbl_panel_2 = new GridBagLayout();
423     gbl_panel_2.columnWidths = new int[]{0, 0};
424     gbl_panel_2.rowHeights = new int[]{0, 0, 0, 0, 0};
425     gbl_panel_2.columnWeights = new double[]{1.0, Double.MIN_VALUE};
426     gbl_panel_2.rowWeights = new double[]{0.0, 0.0, 0.0, 0.0, Double.MIN_VALUE};
427     panel_2.setLayout(gbl_panel_2);
428
429     JButton btnNewButton_4 = new JButton("?");
430     btnNewButton_4.setFont(new Font("MS Gothic", Font.ITALIC, 12));
431     btnNewButton_4.addActionListener(new ActionListener() {
432         public void actionPerformed(ActionEvent e) {
433             JOptionPane.showMessageDialog(null, "Opcija 1 - unos korisnika ocekuje sve
podatke u tabeli iznad.", "The Help Me BUTTON :", 1);
434         }
435     });
436     btnNewButton_4.setToolTipText("Its the help me button !");
437     GridBagConstraints gbc_btnNewButton_4 = new GridBagConstraints();
438     gbc_btnNewButton_4.fill = GridBagConstraints.HORIZONTAL;
439     gbc_btnNewButton_4.insets = new Insets(0, 0, 5, 0);
440     gbc_btnNewButton_4.gridx = 0;
441     gbc_btnNewButton_4.gridy = 0;
442     panel_2.add(btnNewButton_4, gbc_btnNewButton_4);

```

```

443
444 JButton btnNewButton_5 = new JButton("?");
445 btnNewButton_5.setFont(new Font("MS Gothic", Font.ITALIC, 12));
446 btnNewButton_5.addActionListener(new ActionListener() {
447     public void actionPerformed(ActionEvent e) {
448         JOptionPane.showMessageDialog(null, "Opcija 2 - Brisanje jedne instance
podataka ocekuj ID u tabeli iznad za pretragu i brisanje", "The Help Me BUTTON :)", 1);
449     }
450 });
451 btnNewButton_5.setToolTipText("Its the help me button !");
452 GridBagConstraints gbc_btnNewButton_5 = new GridBagConstraints();
453 gbc_btnNewButton_5.fill = GridBagConstraints.HORIZONTAL;
454 gbc_btnNewButton_5.insets = new Insets(0, 0, 5, 0);
455 gbc_btnNewButton_5.gridx = 0;
456 gbc_btnNewButton_5.gridy = 1;
457 panel_2.add(btnNewButton_5, gbc_btnNewButton_5);
458
459 JButton btnNewButton_6 = new JButton("?");
460 btnNewButton_6.setFont(new Font("MS Gothic", Font.ITALIC, 12));
461 btnNewButton_6.addActionListener(new ActionListener() {
462     public void actionPerformed(ActionEvent e) {
463         JOptionPane.showMessageDialog(null, "Opcija 3 - Ne ocekuje nista opasno
dugme brise sve podatke iz liste podataka, pritisnuti na kraju ili pocetku radnog dana kada
vam treba prazna lista !", "The Help Me BUTTON :)", 1);
464     }
465 });
466 btnNewButton_6.setToolTipText("Its the help me button !");
467 GridBagConstraints gbc_btnNewButton_6 = new GridBagConstraints();
468 gbc_btnNewButton_6.fill = GridBagConstraints.HORIZONTAL;
469 gbc_btnNewButton_6.insets = new Insets(0, 0, 5, 0);
470 gbc_btnNewButton_6.gridx = 0;
471 gbc_btnNewButton_6.gridy = 2;
472 panel_2.add(btnNewButton_6, gbc_btnNewButton_6);
473
474 JButton btnNewButton_7 = new JButton("?");
475 btnNewButton_7.setFont(new Font("MS Gothic", Font.ITALIC, 12));
476 btnNewButton_7.addActionListener(new ActionListener() {
477     public void actionPerformed(ActionEvent e) {
478         JOptionPane.showMessageDialog(null, "Opcija 4 - Lista svih podataka ne
ocekuje nista.", "The Help Me BUTTON :)", 1);
479     }
480 });
481 btnNewButton_7.setToolTipText("Its the help me button !");
482 GridBagConstraints gbc_btnNewButton_7 = new GridBagConstraints();
483 gbc_btnNewButton_7.fill = GridBagConstraints.HORIZONTAL;
484 gbc_btnNewButton_7.gridx = 0;
485 gbc_btnNewButton_7.gridy = 3;
486 panel_2.add(btnNewButton_7, gbc_btnNewButton_7);
487
488 JLabel label = new JLabel("");
489 Image img2 = new ImageIcon(this.getClass().getResource("/cogs5.gif")).getImage();
// this code is usefull copy it latter
490 label.setIcon(new ImageIcon(img2));
491 label.setBounds(320, 245, 344, 101);
492 contentPane.add(label);
493 }
494 }
495

```