

RadnaStolicaFrame.java

```

1 package pacOrg;
2
3 import java.awt.BorderLayout;
4 import java.awt.EventQueue;
5
6 import javax.swing.JFrame;
7 import javax.swing.JPanel;
8 import javax.swing.border.EmptyBorder;
9 import java.awt.Color;
10 import java.awt.Panel;
11 import java.awt.GridBagLayout;
12 import java.awt.Image;
13
14 import javax.swing.JTextField;
15 import java.awt.GridBagConstraints;
16 import java.awt.Insets;
17 import javax.swing.JLabel;
18 import javax.swing.JOptionPane;
19
20 import java.awt.Font;
21
22 import javax.print.attribute.standard.JobHoldUntil;
23 import javax.swing.ImageIcon;
24 import javax.swing.JButton;
25 import java.awt.event.ActionListener;
26 import java.awt.event.ActionEvent;
27 import javax.swing.SwingConstants;
28
29 public class RadnaStolicaFrame extends JFrame {
30
31     /**
32      *
33      */
34     private static final long serialVersionUID = -3244858851595117191L;
35     private JPanel contentPane;
36     private JTextField textField_0;
37     private JTextField textField_1;
38     private JTextField textField_2;
39     private JTextField textField_3;
40     private JTextField txtGornjiLevi;
41     private JTextField txtGornjiDesni;
42     private JTextField txtBellowLeft;
43     private JTextField txtBellowRight;
44
45
46     public Firma firma = new Firma();
47     public Mwain mwain = new Mwain();
48     private JTextField textFieldDatum;
49
50
51
52     /**
53      * Launch the application.
54      */
55     public static void main(String[] args) {
56         EventQueue.invokeLater(new Runnable() {
57             public void run() {
58                 try {
59                     RadnaStolicaFrame frame = new RadnaStolicaFrame();
60                     frame.setVisible(true);
61                     frame.setResizable(false);
62                 } catch (Exception e) {

```

```

63         e.printStackTrace();
64     }
65 }
66 });
67 }
68
69 /**
70  * Create the frame.
71  */
72 public RadnaStolicaFrame() {
73     setTitle("Frame Radna Stolica 1");
74     setBounds(100, 100, 689, 390);
75     contentPane = new JPanel();
76     contentPane.setBackground(new Color(211, 211, 211));
77     contentPane.setBorder(new EmptyBorder(5, 5, 5, 5));
78     setContentPane(contentPane);
79     contentPane.setLayout(null);
80
81     Panel panel = new Panel();
82     panel.setBackground(new Color(60, 179, 113));
83     panel.setForeground(new Color(255, 255, 255));
84     panel.setBounds(10, 10, 304, 229);
85     contentPane.add(panel);
86     GridBagLayout gbl_panel = new GridBagLayout();
87     gbl_panel.columnWidths = new int[]{0, 0, 0, 0, 0, 0, 0};
88     gbl_panel.rowHeights = new int[]{0, 0, 0, 0, 0, 0, 0, 0, 0, 0};
89     gbl_panel.columnWeights = new double[]{0.0, 0.0, 0.0, 0.0, 1.0, Double.MIN_VALUE};
90     gbl_panel.rowWeights = new double[]{0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, Double.MIN_VALUE};
91     panel.setLayout(gbl_panel);
92
93     JLabel lblNewLabel = new JLabel("Broj Operacije");
94     lblNewLabel.setFont(new Font("MS Gothic", Font.ITALIC, 14));
95     lblNewLabel.setToolTipText("Broj redosleda operacije koja se izvrsava.");
96     GridBagConstraints gbc_lblNewLabel = new GridBagConstraints();
97     gbc_lblNewLabel.gridwidth = 4;
98     gbc_lblNewLabel.insets = new Insets(0, 0, 5, 5);
99     gbc_lblNewLabel.gridx = 0;
100    gbc_lblNewLabel.gridy = 0;
101    panel.add(lblNewLabel, gbc_lblNewLabel);
102
103    textField_0 = new JTextField();
104    textField_0.setToolTipText("int = unos moze biti samo broj ! bez decimala !");
105    GridBagConstraints gbc_textField_0 = new GridBagConstraints();
106    gbc_textField_0.insets = new Insets(0, 0, 5, 0);
107    gbc_textField_0.fill = GridBagConstraints.HORIZONTAL;
108    gbc_textField_0.gridx = 4;
109    gbc_textField_0.gridy = 0;
110    panel.add(textField_0, gbc_textField_0);
111    textField_0.setColumns(10);
112
113    JLabel lblNewLabel_1 = new JLabel("Ime i Prezime");
114    lblNewLabel_1.setFont(new Font("MS Gothic", Font.ITALIC, 14));
115    lblNewLabel_1.setToolTipText("Ime i prezime pacijenta na kome se radi sve u istom polju.");
116    GridBagConstraints gbc_lblNewLabel_1 = new GridBagConstraints();
117    gbc_lblNewLabel_1.gridwidth = 4;
118    gbc_lblNewLabel_1.insets = new Insets(0, 0, 5, 5);
119    gbc_lblNewLabel_1.gridx = 0;
120    gbc_lblNewLabel_1.gridy = 1;
121    panel.add(lblNewLabel_1, gbc_lblNewLabel_1);
122

```

```

123     textField_1 = new JTextField();
124     textField_1.setToolTipText("String = Unos moze biti bilo sta.");
125     GridBagConstraints gbc_textField_1 = new GridBagConstraints();
126     gbc_textField_1.insets = new Insets(0, 0, 5, 0);
127     gbc_textField_1.fill = GridBagConstraints.HORIZONTAL;
128     gbc_textField_1.gridx = 4;
129     gbc_textField_1.gridy = 1;
130     panel.add(textField_1, gbc_textField_1);
131     textField_1.setColumns(10);
132
133     JLabel lblNewLabel_2 = new JLabel("Pocetno vreme");
134     lblNewLabel_2.setFont(new Font("MS Gothic", Font.ITALIC, 14));
135     lblNewLabel_2.setToolTipText("Vreme pocetka operacije.");
136     GridBagConstraints gbc_lblNewLabel_2 = new GridBagConstraints();
137     gbc_lblNewLabel_2.gridwidth = 4;
138     gbc_lblNewLabel_2.insets = new Insets(0, 0, 5, 5);
139     gbc_lblNewLabel_2.gridx = 0;
140     gbc_lblNewLabel_2.gridy = 2;
141     panel.add(lblNewLabel_2, gbc_lblNewLabel_2);
142
143     textField_2 = new JTextField();
144     textField_2.setToolTipText("String = Unos moze biti bilo sta.");
145     GridBagConstraints gbc_textField_2 = new GridBagConstraints();
146     gbc_textField_2.insets = new Insets(0, 0, 5, 0);
147     gbc_textField_2.fill = GridBagConstraints.HORIZONTAL;
148     gbc_textField_2.gridx = 4;
149     gbc_textField_2.gridy = 2;
150     panel.add(textField_2, gbc_textField_2);
151     textField_2.setColumns(10);
152
153     JLabel lblNewLabel_3 = new JLabel("Krajnje vreme");
154     lblNewLabel_3.setFont(new Font("MS Gothic", Font.ITALIC, 14));
155     lblNewLabel_3.setToolTipText("Krajnje vreme operacije koja se izvrsava.");
156     GridBagConstraints gbc_lblNewLabel_3 = new GridBagConstraints();
157     gbc_lblNewLabel_3.gridwidth = 4;
158     gbc_lblNewLabel_3.insets = new Insets(0, 0, 5, 5);
159     gbc_lblNewLabel_3.gridx = 0;
160     gbc_lblNewLabel_3.gridy = 3;
161     panel.add(lblNewLabel_3, gbc_lblNewLabel_3);
162
163     textField_3 = new JTextField();
164     textField_3.setToolTipText("String = Unos moze biti bilo sta.");
165     GridBagConstraints gbc_textField_3 = new GridBagConstraints();
166     gbc_textField_3.insets = new Insets(0, 0, 5, 0);
167     gbc_textField_3.fill = GridBagConstraints.HORIZONTAL;
168     gbc_textField_3.gridx = 4;
169     gbc_textField_3.gridy = 3;
170     panel.add(textField_3, gbc_textField_3);
171     textField_3.setColumns(10);
172
173     JLabel lblNewLabel_4 = new JLabel("Gornji Levi Zubi");
174     lblNewLabel_4.setFont(new Font("MS Gothic", Font.ITALIC, 14));
175     lblNewLabel_4.setToolTipText("Unos onoga sto se radilo na njima.");
176     GridBagConstraints gbc_lblNewLabel_4 = new GridBagConstraints();
177     gbc_lblNewLabel_4.gridwidth = 4;
178     gbc_lblNewLabel_4.insets = new Insets(0, 0, 5, 5);
179     gbc_lblNewLabel_4.gridx = 0;
180     gbc_lblNewLabel_4.gridy = 4;
181     panel.add(lblNewLabel_4, gbc_lblNewLabel_4);
182
183     txtGornjiLevi = new JTextField();
184     txtGornjiLevi.setToolTipText("String = Unos moze biti bilo sta.");

```

```

185 GridBagConstraints gbc_txtGornjiLevi = new GridBagConstraints();
186 gbc_txtGornjiLevi.insets = new Insets(0, 0, 5, 0);
187 gbc_txtGornjiLevi.fill = GridBagConstraints.HORIZONTAL;
188 gbc_txtGornjiLevi.gridx = 4;
189 gbc_txtGornjiLevi.gridy = 4;
190 panel.add(txtGornjiLevi, gbc_txtGornjiLevi);
191 txtGornjiLevi.setColumns(10);
192
193 JLabel lblNewLabel_5 = new JLabel("Gornji Desni Zubi");
194 lblNewLabel_5.setFont(new Font("MS Gothic", Font.ITALIC, 14));
195 lblNewLabel_5.setToolTipText("Unos onoga sto se radilo na njima.");
196 GridBagConstraints gbc_lblNewLabel_5 = new GridBagConstraints();
197 gbc_lblNewLabel_5.gridwidth = 4;
198 gbc_lblNewLabel_5.insets = new Insets(0, 0, 5, 5);
199 gbc_lblNewLabel_5.gridx = 0;
200 gbc_lblNewLabel_5.gridy = 5;
201 panel.add(lblNewLabel_5, gbc_lblNewLabel_5);
202
203 txtGornjiDesni = new JTextField();
204 txtGornjiDesni.setToolTipText("String = Unos moze biti bilo sta.");
205 GridBagConstraints gbc_txtGornjiDesni = new GridBagConstraints();
206 gbc_txtGornjiDesni.insets = new Insets(0, 0, 5, 0);
207 gbc_txtGornjiDesni.fill = GridBagConstraints.HORIZONTAL;
208 gbc_txtGornjiDesni.gridx = 4;
209 gbc_txtGornjiDesni.gridy = 5;
210 panel.add(txtGornjiDesni, gbc_txtGornjiDesni);
211 txtGornjiDesni.setColumns(10);
212
213 JLabel lblNewLabel_6 = new JLabel("Donji Levi Zubi");
214 lblNewLabel_6.setFont(new Font("MS Gothic", Font.ITALIC, 14));
215 lblNewLabel_6.setToolTipText("Unos onoga sto se radilo na njima.");
216 GridBagConstraints gbc_lblNewLabel_6 = new GridBagConstraints();
217 gbc_lblNewLabel_6.gridwidth = 4;
218 gbc_lblNewLabel_6.insets = new Insets(0, 0, 5, 5);
219 gbc_lblNewLabel_6.gridx = 0;
220 gbc_lblNewLabel_6.gridy = 6;
221 panel.add(lblNewLabel_6, gbc_lblNewLabel_6);
222
223 txtBellowLEft = new JTextField();
224 txtBellowLEft.setToolTipText("String = Unos moze biti bilo sta.");
225 GridBagConstraints gbc_txtBellowLEft = new GridBagConstraints();
226 gbc_txtBellowLEft.insets = new Insets(0, 0, 5, 0);
227 gbc_txtBellowLEft.fill = GridBagConstraints.HORIZONTAL;
228 gbc_txtBellowLEft.gridx = 4;
229 gbc_txtBellowLEft.gridy = 6;
230 panel.add(txtBellowLEft, gbc_txtBellowLEft);
231 txtBellowLEft.setColumns(10);
232
233 JLabel lblNewLabel_7 = new JLabel("Donji Desni Zubi");
234 lblNewLabel_7.setFont(new Font("MS Gothic", Font.ITALIC, 14));
235 lblNewLabel_7.setToolTipText("Unos onoga Sto se radilo na njima.");
236 GridBagConstraints gbc_lblNewLabel_7 = new GridBagConstraints();
237 gbc_lblNewLabel_7.gridwidth = 4;
238 gbc_lblNewLabel_7.insets = new Insets(0, 0, 5, 5);
239 gbc_lblNewLabel_7.gridx = 0;
240 gbc_lblNewLabel_7.gridy = 7;
241 panel.add(lblNewLabel_7, gbc_lblNewLabel_7);
242
243 txtBellowRight = new JTextField();
244 txtBellowRight.setToolTipText("String = Unos moze biti bilo sta.");
245 GridBagConstraints gbc_txtBellowRight = new GridBagConstraints();
246 gbc_txtBellowRight.insets = new Insets(0, 0, 5, 0);

```

RadnaStolicaFrame.java

```

247     gbc_txtBellowRight.fill = GridBagConstraints.HORIZONTAL;
248     gbc_txtBellowRight.gridx = 4;
249     gbc_txtBellowRight.gridy = 7;
250     panel.add(txtBellowRight, gbc_txtBellowRight);
251     txtBellowRight.setColumns(10);
252
253     JLabel lblNewLabel_8 = new JLabel("Datum operacije");
254     lblNewLabel_8.setFont(new Font("MS Gothic", Font.ITALIC, 14));
255     GridBagConstraints gbc_lblNewLabel_8 = new GridBagConstraints();
256     gbc_lblNewLabel_8.gridwidth = 4;
257     gbc_lblNewLabel_8.insets = new Insets(0, 0, 0, 5);
258     gbc_lblNewLabel_8.gridx = 0;
259     gbc_lblNewLabel_8.gridy = 8;
260     panel.add(lblNewLabel_8, gbc_lblNewLabel_8);
261
262     textFieldDatum = new JTextField();
263     GridBagConstraints gbc_textFieldDatum = new GridBagConstraints();
264     gbc_textFieldDatum.fill = GridBagConstraints.HORIZONTAL;
265     gbc_textFieldDatum.gridx = 4;
266     gbc_textFieldDatum.gridy = 8;
267     panel.add(textFieldDatum, gbc_textFieldDatum);
268     textFieldDatum.setColumns(10);
269
270     Panel panel_1 = new Panel();
271     panel_1.setBackground(new Color(60, 179, 113));
272     panel_1.setBounds(10, 245, 205, 108);
273     contentPane.add(panel_1);
274     GridBagLayout gbl_panel_1 = new GridBagLayout();
275     gbl_panel_1.columnWidths = new int[]{0, 0};
276     gbl_panel_1.rowHeights = new int[]{0, 0, 0, 0, 0};
277     gbl_panel_1.columnWeights = new double[]{1.0, Double.MIN_VALUE};
278     gbl_panel_1.rowWeights = new double[]{0.0, 0.0, 0.0, 0.0, Double.MIN_VALUE};
279     panel_1.setLayout(gbl_panel_1);
280
281     JButton btnNewButton = new JButton("Unos podataka");
282     btnNewButton.setFont(new Font("MS Gothic", Font.ITALIC, 12));
283     btnNewButton.addActionListener(new ActionListener() {
284         public void actionPerformed(ActionEvent e) {
285
286             firma.loadStolica("radnaStolica.txt");
287             firma.loadHistoriat("Historiat.txt");
288
289             String imeDoktora = textField_1.getText().trim();
290             String vremePocetno = textField_2.getText().trim();
291             String vremeKranje = textField_3.getText().trim();
292             String gornjiLevi = txtGornjiLevi.getText().trim();
293             String gornjiDesni = txtGornjiDesni.getText().trim();
294             String DonjiL1 = txtBellowLeft.getText().trim();
295             String DonjiL2 = txtBellowRight.getText().trim();
296             String Datum = textFieldDatum.getText().trim();
297
298             String id = textField_0.getText().trim();
299             if (Mwain.isNumber(id)== true) {
300
301                 int idX = Integer.parseInt(id);
302
303
304                 RadnaStolica radnaStolica = new RadnaStolica(idX, imeDoktora,
vremePocetno, vremeKranje,
305                     gornjiLevi, gornjiDesni, DonjiL1, DonjiL2);
306
307                 Historiat historiat = new Historiat(idX, imeDoktora, gornjiLevi,

```

RadnaStolicaFrame.java

```

gornjiDesni,
308         DonjiL1, DonjiL2, Datum);
309
310
311
312         boolean provera = firma.dodavanjeStolice(radnaStolica);
313         if (provera) {
314             JOptionPane.showMessageDialog(null, "Unos podataje je uspesno
uradjen.", "Unos uspesno izvršen", 1);
315             firma.dodavanjeHistoriata(historiat);
316             //System.out.println("Unos podataje je uspesno uradjen.");
317         }else {
318             JOptionPane.showMessageDialog(null, "Unos podataje je neuspesno
uradjen.", "Unos neuspesno izvršen", 1);
319             //System.out.println("Unos podataka je nesupesno uradjen.");
320         }
321
322
323
324
325         }else {
326
327             JOptionPane.showMessageDialog(null, "Id mora biti broj ! bez decimala
!", "GRESKA PRI UNOSU !", 1);
328
329         }
330
331     }
332 });
333 GridBagConstraints gbc_btnNewButton = new GridBagConstraints();
334 gbc_btnNewButton.insets = new Insets(0, 0, 5, 0);
335 gbc_btnNewButton.fill = GridBagConstraints.HORIZONTAL;
336 gbc_btnNewButton.gridx = 0;
337 gbc_btnNewButton.gridy = 0;
338 panel_1.add(btnNewButton, gbc_btnNewButton);
339
340 JButton btnNewButton_1 = new JButton("Brisanje ID - 1 instanca");
341 btnNewButton_1.setFont(new Font("MS Gothic", Font.ITALIC, 12));
342 btnNewButton_1.addActionListener(new ActionListener() {
343     public void actionPerformed(ActionEvent e) {
344
345
346         firma.loadStolica("radnaStolica.txt");
347
348         String id = textField_0.getText().trim();
349
350         if (Mwain.isNumber(id)== true) {
351
352             int idX = Integer.parseInt(id);
353
354             RadnaStolica provera = firma.stolicaBrisanjeID(idX);
355             if (provera == null) {
356                 JOptionPane.showMessageDialog(null, "Unet ID broj se ne nalazi u
listi.", "GRESKA PRI UNOSU !", 1);
357                 //System.out.println("Zadati broj ne postoji u listi.");
358             }else {
359                 JOptionPane.showMessageDialog(null, "Brisanje jedne instance po ID
je uspesno izvršeno.", "Brisanje uspesno uradjeno", 1);
360             }
361
362         } else {
363             JOptionPane.showMessageDialog(null, "ID mora biti broj ! bez decimala

```



```

    !", "GRESKA PRI UNOSU !", 1);
364         }
365
366     }
367 });
368 btnNewButton_1.setToolTipText("Brisanje jedne grupe podataka preko
Identifikatora");
369 GridBagConstraints gbc_btnNewButton_1 = new GridBagConstraints();
370 gbc_btnNewButton_1.fill = GridBagConstraints.HORIZONTAL;
371 gbc_btnNewButton_1.insets = new Insets(0, 0, 5, 0);
372 gbc_btnNewButton_1.gridx = 0;
373 gbc_btnNewButton_1.gridy = 1;
374 panel_1.add(btnNewButton_1, gbc_btnNewButton_1);
375
376 JButton btnNewButton_2 = new JButton("Brisanje SVIH podataka");
377 btnNewButton_2.setFont(new Font("MS Gothic", Font.ITALIC, 12));
378 btnNewButton_2.addActionListener(new ActionListener() {
379     public void actionPerformed(ActionEvent e) {
380
381         firma.brisanjeSvihP();
382         JOptionPane.showMessageDialog(null, "Brisanje svih podataka je uspesno
uradjeno", "SVI PODACI LISTE SU OBRISANI !", 1);
383
384     }
385 });
386 btnNewButton_2.setToolTipText("Brise sve podatke iz liste podataka za radnu stolicu
- pritisnuti samo kada zelite ociscenu listu !");
387 GridBagConstraints gbc_btnNewButton_2 = new GridBagConstraints();
388 gbc_btnNewButton_2.fill = GridBagConstraints.HORIZONTAL;
389 gbc_btnNewButton_2.insets = new Insets(0, 0, 5, 0);
390 gbc_btnNewButton_2.gridx = 0;
391 gbc_btnNewButton_2.gridy = 2;
392 panel_1.add(btnNewButton_2, gbc_btnNewButton_2);
393
394 JButton btnNewButton_3 = new JButton("Lista Svih podataka");
395 btnNewButton_3.setFont(new Font("MS Gothic", Font.ITALIC, 12));
396 btnNewButton_3.addActionListener(new ActionListener() {
397     public void actionPerformed(ActionEvent e) {
398
399         Console console = new Console();
400         console.init();
401         firma.lstStolica();
402
403     }
404 });
405 btnNewButton_3.setToolTipText("Prikaz svih unetih podataka za dan");
406 GridBagConstraints gbc_btnNewButton_3 = new GridBagConstraints();
407 gbc_btnNewButton_3.fill = GridBagConstraints.HORIZONTAL;
408 gbc_btnNewButton_3.gridx = 0;
409 gbc_btnNewButton_3.gridy = 3;
410 panel_1.add(btnNewButton_3, gbc_btnNewButton_3);
411
412 JLabel lblWorkDay = new JLabel("");
413 Image img1 = new
ImageIcon(this.getClass().getResource("/workday3.png")).getImage();    // this code is
usefull copy it latter
414 lblWorkDay.setIcon(new ImageIcon(img1));
415 lblWorkDay.setBounds(320, 10, 344, 195);
416 contentPane.add(lblWorkDay);
417
418 JPanel panel_2 = new JPanel();
419 panel_2.setBackground(new Color(60, 179, 113));

```

```

420 panel_2.setBounds(221, 245, 47, 108);
421 contentPane.add(panel_2);
422 GridBagLayout gbl_panel_2 = new GridBagLayout();
423 gbl_panel_2.columnWidths = new int[]{0, 0};
424 gbl_panel_2.rowHeights = new int[]{0, 0, 0, 0, 0};
425 gbl_panel_2.columnWeights = new double[]{1.0, Double.MIN_VALUE};
426 gbl_panel_2.rowWeights = new double[]{0.0, 0.0, 0.0, 0.0, Double.MIN_VALUE};
427 panel_2.setLayout(gbl_panel_2);
428
429 JButton btnNewButton_4 = new JButton("?");
430 btnNewButton_4.setFont(new Font("MS Gothic", Font.ITALIC, 12));
431 btnNewButton_4.addActionListener(new ActionListener() {
432     public void actionPerformed(ActionEvent e) {
433         JOptionPane.showMessageDialog(null, "Opcija 1 - unos korisnika ocekjuje sve
podatke u tabeli iznad.", "The Help Me BUTTON :)", 1);
434     }
435 });
436 btnNewButton_4.setToolTipText("Its the help me button !");
437 GridBagConstraints gbc_btnNewButton_4 = new GridBagConstraints();
438 gbc_btnNewButton_4.fill = GridBagConstraints.HORIZONTAL;
439 gbc_btnNewButton_4.insets = new Insets(0, 0, 5, 0);
440 gbc_btnNewButton_4.gridx = 0;
441 gbc_btnNewButton_4.gridy = 0;
442 panel_2.add(btnNewButton_4, gbc_btnNewButton_4);
443
444 JButton btnNewButton_5 = new JButton("?");
445 btnNewButton_5.setFont(new Font("MS Gothic", Font.ITALIC, 12));
446 btnNewButton_5.addActionListener(new ActionListener() {
447     public void actionPerformed(ActionEvent e) {
448         JOptionPane.showMessageDialog(null, "Opcija 2 - Brisanje jedne instance
podataka ocekjuje ID u tabeli iznad za pretragu i brisanje", "The Help Me BUTTON :)", 1);
449     }
450 });
451 btnNewButton_5.setToolTipText("Its the help me button !");
452 GridBagConstraints gbc_btnNewButton_5 = new GridBagConstraints();
453 gbc_btnNewButton_5.fill = GridBagConstraints.HORIZONTAL;
454 gbc_btnNewButton_5.insets = new Insets(0, 0, 5, 0);
455 gbc_btnNewButton_5.gridx = 0;
456 gbc_btnNewButton_5.gridy = 1;
457 panel_2.add(btnNewButton_5, gbc_btnNewButton_5);
458
459 JButton btnNewButton_6 = new JButton("?");
460 btnNewButton_6.setFont(new Font("MS Gothic", Font.ITALIC, 12));
461 btnNewButton_6.addActionListener(new ActionListener() {
462     public void actionPerformed(ActionEvent e) {
463         JOptionPane.showMessageDialog(null, "Opcija 3 - Ne ocekjuje nista opasno
dugme brise sve podatke iz liste podataka, pritisnuti na kraju ili pocetku radnog dana kada
vam treba prazna lista !", "The Help Me BUTTON :)", 1);
464     }
465 });
466 btnNewButton_6.setToolTipText("Its the help me button !");
467 GridBagConstraints gbc_btnNewButton_6 = new GridBagConstraints();
468 gbc_btnNewButton_6.fill = GridBagConstraints.HORIZONTAL;
469 gbc_btnNewButton_6.insets = new Insets(0, 0, 5, 0);
470 gbc_btnNewButton_6.gridx = 0;
471 gbc_btnNewButton_6.gridy = 2;
472 panel_2.add(btnNewButton_6, gbc_btnNewButton_6);
473
474 JButton btnNewButton_7 = new JButton("?");
475 btnNewButton_7.setFont(new Font("MS Gothic", Font.ITALIC, 12));
476 btnNewButton_7.addActionListener(new ActionListener() {
477     public void actionPerformed(ActionEvent e) {

```



```

478             JOptionPane.showMessageDialog(null, "Opcija 4 - Lista svih podataka ne
ocekuj nista.", "The Help Me BUTTON :", 1);
479         }
480     });
481     btnNewButton_7.setToolTipText("Its the help me button !");
482     GridBagConstraints gbc_btnNewButton_7 = new GridBagConstraints();
483     gbc_btnNewButton_7.fill = GridBagConstraints.HORIZONTAL;
484     gbc_btnNewButton_7.gridx = 0;
485     gbc_btnNewButton_7.gridy = 3;
486     panel_2.add(btnNewButton_7, gbc_btnNewButton_7);
487
488     JLabel label = new JLabel("");
489     Image img2 = new ImageIcon(this.getClass().getResource("/cogs5.gif")).getImage();
    // this code is usefull copy it latter
490     label.setIcon(new ImageIcon(img2));
491     label.setBounds(320, 245, 344, 101);
492     contentPane.add(label);
493 }
494 }
495

```