```
FREQUENCIES VARIABLES=Gender Education_Level Awareness_Level
  /STATISTICS=VARIANCE MINIMUM MAXIMUM MEAN MEDIAN MODE
  /ORDER=ANALYSIS.
```

Frequencies

Notes

Output Created		15-JUL-2025 10:12:31
Comments		
Input	Data	C:\Users\hp\Desktop\Internships\SchoolOfStatisticians\week 8\week8_data_2000rows.csv
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	1999
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Gender Education_Level Awareness_Level /STATISTICS=VARIANCE MINIMUM MAXIMUM MEAN MEDIAN MODE...
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.08

```
[DataSet1]
```

Statistics

		Gender of the participants	Highest level of education	Highest level of awareness of gvt services
N	Valid	1999	1999	1999
	Missing	0	0	0

Frequency Table

Gender of the participants

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	653	32.7	32.7	32.7
	1	703	35.2	35.2	67.8
	3	643	32.2	32.2	100.0
	Total	1999	100.0	100.0	

Highest level of education

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Bachelor's	417	20.9	20.9	20.9
	Diploma	390	19.5	19.5	40.4
	High School	385	19.3	19.3	59.6
	Master's	405	20.3	20.3	79.9
	PhD	402	20.1	20.1	100.0
	Total	1999	100.0	100.0	

Highest level of awareness of gvt services

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	High	663	33.2	33.2	33.2
	Low	713	35.7	35.7	68.8
	Moderate	623	31.2	31.2	100.0
	Total	1999	100.0	100.0	

```
CROSSTABS
  /TABLES=Education_Level BY Satisfaction_Score
  /FORMAT=AVALUE TABLES
  /CELLS=COUNT
  /COUNT ROUND CELL
  /BARCHART.
```

Crosstabs

Notes

Output Created		15-JUL-2025 10:16:50
Comments		
Input	Data	C:\Users\hp\Desktop\Internships\SchoolOfStatisticians\week 8\week8_data_2000rows.csv
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	1999
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Education_Level BY Satisfaction_Score /FORMAT=AVALUE TABLES /CELLS=COUNT /COUNT ROUND CELL /BARCHART.
Resources	Processor Time	00:00:02.72
	Elapsed Time	00:00:02.45
	Dimensions Requested	2
	Cells Available	131029

[DataSet1]

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Highest level of education * Highest level of satisfaction of gvt services	1999	100.0%	0	0.0%	1999	100.0%

Highest level of education * Highest level of satisfaction of gvt services Crosstabulation

Count

		Highest level of satisfaction of gvt services				
		1	2	3	4	5
Highest level of education	Bachelor's	78	97	91	76	75
	Diploma	80	89	73	77	71
	High School	78	92	82	70	63
	Master's	83	83	69	86	84
	PhD	78	84	73	75	92
Total		397	445	388	384	385

Highest level of education * Highest level of satisfaction of gvt services Crosstabulation

Count

		Total
Highest level of education	Bachelor's	417
	Diploma	390
	High School	385
	Master's	405
	PhD	402
Total		1999




```
CROSSTABS
  /TABLES=Awareness_Level BY Satisfaction_Score
  /FORMAT=AVALUE TABLES
  /CELLS=COUNT
  /COUNT ROUND CELL
  /BARCHART.
```

Crosstabs

Notes

Output Created		15-JUL-2025 10:17:52
Comments		
Input	Data	C:\Users\hp\Desktop\Internships\SchoolOfStatisticians\week 8\week8_data_2000rows.csv
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	1999
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Awareness_Level BY Satisfaction_Score /FORMAT=AVALUE TABLES /CELLS=COUNT /COUNT ROUND CELL /BARCHART.
Resources	Processor Time	00:00:00.31
	Elapsed Time	00:00:00.29
	Dimensions Requested	2
	Cells Available	131029

[DataSet1]

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Highest level of awareness of gvt services * Highest level of satisfaction of gvt services	1999	100.0%	0	0.0%	1999	100.0%

Highest level of awareness of gvt services * Highest level of satisfaction of gvt services Crosstabulation

Count

		Highest level of satisfaction of gvt services				
		1	2	3	4	5
Highest level of awareness of gvt services	High	133	130	145	137	118
	Low	160	150	139	117	147
	Moderate	104	165	104	130	120
Total		397	445	388	384	385

Highest level of awareness of gvt services * Highest level of satisfaction of gvt services Crosstabulation

Count

		Total
Highest level of awareness of gvt services	High	663
	Low	713
	Moderate	623
Total		1999



Notes

Output Created		15-JUL-2025 10:18:21
Comments		
Input	Data	C:\Users\hp\Desktop\Internships\SchoolOfStatisticians\week 8\week8_data_2000rows.csv
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	1999
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Age BY Satisfaction_Score /FORMAT=AVALUE TABLES /CELLS=COUNT /COUNT ROUND CELL /BARCHART.
Resources	Processor Time	00:00:00.36
	Elapsed Time	00:00:00.40
	Dimensions Requested	2
	Cells Available	131029

```
CROSSTABS
  /TABLES=Age_groups BY Satisfaction_Score
  /FORMAT=AVALUE TABLES
  /CELLS=COUNT
  /COUNT ROUND CELL
  /BARCHART.
```

Crosstabs

Notes

Output Created		15-JUL-2025 10:19:16
Comments		
Input	Data	C:\Users\hp\Desktop\Internships\SchoolOfStatisticians\week 8\week8_data_2000rows.csv
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	1999
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Age_groups BY Satisfaction_Score /FORMAT=AVALUE TABLES /CELLS=COUNT /COUNT ROUND CELL /BARCHART.
Resources	Processor Time	00:00:00.23
	Elapsed Time	00:00:00.27
	Dimensions Requested	2
	Cells Available	131029

[DataSet1]

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Age of respondents grouped according to ranges * Highest level of satisfaction of gvt services	1999	100.0%	0	0.0%	1999	100.0%

Age of respondents grouped according to ranges * Highest level of satisfaction of gvt services Crosstabulation

Count

		Highest level of satisfaction of gvt services				
		1	2	3	4	5
Age of respondents grouped according to ranges	Adult	134	123	105	101	138
	Senior	202	237	215	224	187
	Youth	61	85	68	59	60
Total		397	445	388	384	385

Age of respondents grouped according to ranges * Highest level of satisfaction of gvt services Crosstabulation

Count

		Total
Age of respondents grouped according to ranges	Adult	601
	Senior	1065
	Youth	333
Total		1999