M.U. Faculty of Engineering
Spring 2019-2020

June 09, 2020

STAT253/2053 (Introduction to) Probability and Statistics
Online Homework & Midterm Exam

Important Notice

- Points for each question are shown inline with the question next to the question number.
- Notes, slides, textbooks and other published materials are open. You may use calculators.
- The use of the Internet (either via computer/notebook or mobile phone) is not allowed.

Please follow the following steps in answering the questions and submitting your solution

1. Print this exam document and write your answers with your handwriting clearly and neatly. Show your work in answering the questions.
2. Fill the name, student ID and then sign at the top of **each page**.
3. If you cannot print this exam file,
   - Solve all questions in your handwriting on blank A4 sheets
   - Write the sentences below related to the honor code to the top of **each page** among with your name, student ID, date and then sign.
4. Scan all solution pages into a single file in PDF, and name it as "FirstName_LastName.pdf"
5. Upload your PDF file to the https://ues.marmara.edu.tr/ before deadline.

I hereby pledge and swear that I have not violated the honor code and the work done is totally my own. On my honor, I have neither given nor received nor observed any unauthorised aid or assistance on this exam.

Name Surname: _____

ID : _____

Signature : _____

Questions	1	2	3	4	Total Points
Points	30	30	20	20	100
Points you get					

Binomial Probability Distribution

$$P(x=k)=C_k^n p^k q^{n-k}=\frac{n!}{k!(n-k)!}p^k q^{n-k}$$

$$\text{Mean}:\mu=np$$

$$\text{Variance}:\sigma^2=npq$$

$$\text{Standard deviation}:\sigma=\sqrt{npq}$$

Hypergeometric Probability Distribution

$$P(x=k)=\frac{C_k^M C_{n-k}^{N-M}}{C_n^N}$$

M → successes, ***N-M*** → failures,
n → size of the random sample space

$$\text{Mean}:\mu=n\left(\frac{M}{N}\right)$$

$$\text{Variance}:\sigma^2=n\left(\frac{M}{N}\right)\left(\frac{N-M}{N}\right)\left(\frac{N-n}{N-1}\right)$$

Poisson Probability Distribution

$$P(x=k)=\frac{\mu^k e^{-\mu}}{k!}$$

Mean: $E(x)=\mu$

$$\text{Variance}:\sigma^2=\mu$$

Standard deviation: $\sigma=\sqrt{\mu}$

Variance of a Sample

$$s^2=\frac{\sum(x_i-\bar{x})^2}{n-1}=\frac{\sum x_i^{\,2}-\frac{(\sum x_i)^2}{n}}{n-1}$$

Variance of Population: $\sigma^2=\frac{\sum(x_i-\mu)^2}{N}$

Correlation coefficient, $r=\frac{s_{xy}}{s_x s_y}$

Covariance, $s_{xy}=\frac{\sum(x_i-\bar{x})(y_i-\bar{y})}{n-1}$, or

$$s_{xy}=\frac{\sum x_i y_i-\frac{(\sum x_i)(\sum y_i)}{n}}{n-1}$$

Regression line, $y = a + bx$

$$b=r\frac{s_y}{s_x} \quad , \quad a=\bar{y}-b\bar{x}$$

Normal Distribution, N(μ, σ^2)

$$f(x)=\frac{1}{\sigma\sqrt{2\pi}}e^{-\frac{1}{2}\left(\frac{x-\mu}{\sigma}\right)^2} \quad \text{for} -\infty<x<\infty$$

$$P(a<X<b)=\int_b^a f(x)\,dx$$

Standardizing the value of x :

$z=\frac{x-\mu}{\sigma}$, or in a sample, $z=\frac{x-\bar{x}}{s}$

STAT2053 Probability and Statistics, 2020

Name: _____ ID: _____ Signature _____

STAT253/2053 Probability and Statistics, Online Homework&Midterm Exam, 09 June 2020

Problems

1. (30 points) 30 students took the probability course midterm exam in last year. A stem-and-leaf plot of the 30 scores are shown below. The first column is the stem value, and the second colum is the leaves. Answer the following questions.

   Important note: Show your work. Provide the expressions and your approach on answering the questions. Results without supporting work will not be credited.

Stems	Leaves
3	4
5	79
6	03688
7	26799
8	1245667788
9	1234788

   (a) What is the value of the first quartile?

   Q1 = _____

   (b) What is the value of the third quartile?

   Q3 = _____

   (c) What is the interquartile range?

   IQR = _____

   (d) Find the lower fence.

   _____

   (e) Find the upper fence.

   _____

   (f) Construct a boxplot for this data.

   (g) Does the boxplot indicate the presence of any outliers?

   _____

Name: _____ **ID:** _____ **Signature** _____

2. (30 points) A computer dealer company is running advertisements on TV to make the brand known and to sell more items. Therefore, the company examined the relationship between the number of advertisements played on TV per week (represented as x) and the number of sales per week (represented as y) in thousands. The information on the number of adverstisements and sales are given below for 25 weeks::
$n = 25,\ \sum x_i = 126,\ \sum y_i = 545,\ \ \sum x_i y_i = 3146,\ s_x = 2.2635,$ and $s_y = 7.7406$

Important note: Show your work. Provide the expressions and your approach on answering the questions. Results without supporting work will not be credited.

Find the correlation coefficient for the number of advertisement per week and the number of weekly sales.

_____

Find the best-fitting line for the number of advertisement per week and the number of weekly sales.

$y =$ _____

If the computer dealer ran 8 TV advertisements per week, what would you predict the number of sales to be?

_____ thousand

3. (20 points) It is known that 20% of the computer engineering students use the library during the exam week. A random sample of 25 students (from computer engineering) is selected. Assume that studies at library are made independently, and let x represent number of students who studied in the library during the exam week.

Important note: Show your work. Provide the expressions and your approach on answering the questions. Results without supporting work will not be credited.

(a) What is the probability that exactly 4 students studied in the library?

_____

(b) What is the probability that no more than 5 students studied in the library?

_____

(c) What is the probability that at least 3 students studied in the library?

_____

(d) What is the probability that between 2 and 7 students, inclusively, studied in the library?

_____

4. (20 points) A notebook service center is reparing and taking care of the problems on the notebooks per day. Assume that the notebooks are brought to the service center randomly and independently of each other at a rate of 9 per hour, on average.

   Important note: Show your work. Provide the expressions and your approach on answering the questions. Results without supporting work will not be credited.

   (a) What is the standard deviation of the number of notebooks brought to the service center?

   _____

   (b) What is the probability of the service center being empty (no notebook to repair) in any given hour?

   _____

   (c) What is the probability that exactly 6 notebooks will be in the service center at any point during a given hour?

   _____

   (d) What is the probability that less than 4 notebooks will be in the service center at any point during a given hour?

   _____

STAT253 Probability and Statistics

Table: Cumulative Binomial probabilities $P[X \le c] = \sum_{x=0}^{c} \binom{n}{x} p^x (1-p)^{n-x}$

		p										
	c	0.05	0.10	0.20	0.30	0.40	0.50	0.60	0.70	0.80	0.90	0.95
n = 19	0	0.377	0.135	0.014	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	1	0.755	0.420	0.083	0.010	0.001	0.000	0.000	0.000	0.000	0.000	0.000
	2	0.933	0.705	0.237	0.046	0.005	0.000	0.000	0.000	0.000	0.000	0.000
	3	0.987	0.885	0.455	0.133	0.023	0.002	0.000	0.000	0.000	0.000	0.000
	4	0.998	0.965	0.673	0.282	0.070	0.010	0.001	0.000	0.000	0.000	0.000
	5	1.000	0.991	0.837	0.474	0.163	0.032	0.003	0.000	0.000	0.000	0.000
	6	1.000	0.998	0.932	0.666	0.308	0.084	0.012	0.001	0.000	0.000	0.000
	7	1.000	1.000	0.977	0.818	0.488	0.180	0.035	0.003	0.000	0.000	0.000
	8	1.000	1.000	0.993	0.916	0.667	0.324	0.088	0.011	0.000	0.000	0.000
	9	1.000	1.000	0.998	0.967	0.814	0.500	0.186	0.033	0.002	0.000	0.000
	10	1.000	1.000	1.000	0.989	0.912	0.676	0.333	0.084	0.007	0.000	0.000
	11	1.000	1.000	1.000	0.997	0.965	0.820	0.512	0.182	0.023	0.000	0.000
	12	1.000	1.000	1.000	0.999	0.988	0.916	0.692	0.334	0.068	0.002	0.000
	13	1.000	1.000	1.000	1.000	0.997	0.968	0.837	0.526	0.163	0.009	0.000
	14	1.000	1.000	1.000	1.000	0.999	0.990	0.930	0.718	0.327	0.035	0.002
	15	1.000	1.000	1.000	1.000	1.000	0.998	0.977	0.867	0.545	0.115	0.013
	16	1.000	1.000	1.000	1.000	1.000	1.000	0.995	0.954	0.763	0.295	0.067
	17	1.000	1.000	1.000	1.000	1.000	1.000	0.999	0.990	0.917	0.580	0.245
	18	1.000	1.000	1.000	1.000	1.000	1.000	1.000	0.999	0.986	0.865	0.623
	19	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
n = 20	0	0.358	0.122	0.012	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	1	0.736	0.392	0.069	0.008	0.001	0.000	0.000	0.000	0.000	0.000	0.000
	2	0.925	0.677	0.206	0.035	0.004	0.000	0.000	0.000	0.000	0.000	0.000
	3	0.984	0.867	0.411	0.107	0.016	0.001	0.000	0.000	0.000	0.000	0.000
	4	0.997	0.957	0.630	0.238	0.051	0.006	0.000	0.000	0.000	0.000	0.000
	5	1.000	0.989	0.804	0.416	0.126	0.021	0.002	0.000	0.000	0.000	0.000
	6	1.000	0.998	0.913	0.608	0.250	0.058	0.006	0.000	0.000	0.000	0.000
	7	1.000	1.000	0.968	0.772	0.416	0.132	0.021	0.001	0.000	0.000	0.000
	8	1.000	1.000	0.990	0.887	0.596	0.252	0.057	0.005	0.000	0.000	0.000
	9	1.000	1.000	0.997	0.952	0.755	0.412	0.128	0.017	0.001	0.000	0.000
	10	1.000	1.000	0.999	0.983	0.872	0.588	0.245	0.048	0.003	0.000	0.000
	11	1.000	1.000	1.000	0.995	0.943	0.748	0.404	0.113	0.010	0.000	0.000
	12	1.000	1.000	1.000	0.999	0.979	0.868	0.584	0.228	0.032	0.000	0.000
	13	1.000	1.000	1.000	1.000	0.994	0.942	0.750	0.392	0.087	0.002	0.000
	14	1.000	1.000	1.000	1.000	0.998	0.979	0.874	0.584	0.196	0.011	0.000
	15	1.000	1.000	1.000	1.000	1.000	0.994	0.949	0.762	0.370	0.043	0.003
	16	1.000	1.000	1.000	1.000	1.000	0.999	0.984	0.893	0.589	0.133	0.016
	17	1.000	1.000	1.000	1.000	1.000	1.000	0.996	0.965	0.794	0.323	0.075
	18	1.000	1.000	1.000	1.000	1.000	1.000	0.999	0.992	0.931	0.608	0.264
	19	1.000	1.000	1.000	1.000	1.000	1.000	1.000	0.999	0.988	0.878	0.642
	20	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000

STAT253 Probability and Statistics
STAT253 Probability and Statistics
STAT253 Probability and Statistics

Table: Cumulative Binomial probabilities (*continued*)

		p										
	c	0.05	0.10	0.20	0.30	0.40	0.50	0.60	0.70	0.80	0.90	0.95
n = 25	0	0.277	0.072	0.004	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	1	0.642	0.271	0.027	0.002	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	2	0.873	0.537	0.098	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	3	0.966	0.764	0.234	0.033	0.002	0.000	0.000	0.000	0.000	0.000	0.000
	4	0.993	0.902	0.421	0.090	0.009	0.000	0.000	0.000	0.000	0.000	0.000
	5	0.999	0.967	0.617	0.193	0.029	0.002	0.000	0.000	0.000	0.000	0.000
	6	1.000	0.991	0.780	0.341	0.074	0.007	0.000	0.000	0.000	0.000	0.000
	7	1.000	0.998	0.891	0.512	0.154	0.022	0.001	0.000	0.000	0.000	0.000
	8	1.000	1.000	0.953	0.677	0.274	0.054	0.004	0.000	0.000	0.000	0.000
	9	1.000	1.000	0.983	0.811	0.425	0.115	0.013	0.000	0.000	0.000	0.000
	10	1.000	1.000	0.994	0.902	0.586	0.212	0.034	0.002	0.000	0.000	0.000
	11	1.000	1.000	0.998	0.956	0.732	0.345	0.078	0.006	0.000	0.000	0.000
	12	1.000	1.000	1.000	0.983	0.846	0.500	0.154	0.017	0.000	0.000	0.000
	13	1.000	1.000	1.000	0.994	0.922	0.655	0.268	0.044	0.002	0.000	0.000
	14	1.000	1.000	1.000	0.998	0.966	0.788	0.414	0.098	0.006	0.000	0.000
	15	1.000	1.000	1.000	1.000	0.987	0.885	0.575	0.189	0.017	0.000	0.000
	16	1.000	1.000	1.000	1.000	0.996	0.946	0.726	0.323	0.047	0.000	0.000
	17	1.000	1.000	1.000	1.000	0.999	0.978	0.846	0.488	0.109	0.002	0.000
	18	1.000	1.000	1.000	1.000	1.000	0.993	0.926	0.659	0.220	0.009	0.000
	19	1.000	1.000	1.000	1.000	1.000	0.998	0.971	0.807	0.383	0.033	0.001
	20	1.000	1.000	1.000	1.000	1.000	1.000	0.991	0.910	0.579	0.098	0.007
	21	1.000	1.000	1.000	1.000	1.000	1.000	0.998	0.967	0.766	0.236	0.034
	22	1.000	1.000	1.000	1.000	1.000	1.000	1.000	0.991	0.902	0.463	0.127
	23	1.000	1.000	1.000	1.000	1.000	1.000	1.000	0.998	0.973	0.729	0.358
	24	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	0.996	0.928	0.723
	25	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000

STAT253 Probability and Statistics
STAT253 Probability and Statistics

STAT253 Probability and Statistics

Tables of the Poisson Cumulative Distribution

The table below gives the probability of that a Poisson random variable X with mean = λ is less than or equal to x. That is, the table gives

$$P(X \le x) = \sum_{r=0}^{x} \lambda^r \frac{e^{-\lambda}}{r!}$$

λ=		0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	1.0	1.2	1.4	1.6	1.8
x=	0	0.9048	0.8187	0.7408	0.6703	0.6065	0.5488	0.4966	0.4493	0.4066	0.3679	0.3012	0.2466	0.2019	0.1653
	1	0.9953	0.9825	0.9631	0.9384	0.9098	0.8781	0.8442	0.8088	0.7725	0.7358	0.6626	0.5918	0.5249	0.4628
	2	0.9998	0.9989	0.9964	0.9921	0.9856	0.9769	0.9659	0.9526	0.9371	0.9197	0.8795	0.8335	0.7834	0.7306
	3	1.0000	0.9999	0.9997	0.9992	0.9982	0.9966	0.9942	0.9909	0.9865	0.9810	0.9662	0.9463	0.9212	0.8913
	4	1.0000	1.0000	1.0000	0.9999	0.9998	0.9996	0.9992	0.9986	0.9977	0.9963	0.9923	0.9857	0.9763	0.9636
	5	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	0.9999	0.9998	0.9997	0.9994	0.9985	0.9968	0.9940	0.9896
	6	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	0.9999	0.9997	0.9994	0.9987	0.9974
	7	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	0.9999	0.9997	0.9994
	8	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	0.9999
	9	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000

λ=		2.0	2.2	2.4	2.6	2.8	3.0	3.2	3.4	3.6	3.8	4.0	4.5	5.0	5.5
x=	0	0.1353	0.1108	0.0907	0.0743	0.0608	0.0498	0.0408	0.0334	0.0273	0.0224	0.0183	0.0111	0.0067	0.0041
	1	0.4060	0.3546	0.3084	0.2674	0.2311	0.1991	0.1712	0.1468	0.1257	0.1074	0.0916	0.0611	0.0404	0.0266
	2	0.6767	0.6227	0.5697	0.5184	0.4695	0.4232	0.3799	0.3397	0.3027	0.2689	0.2381	0.1736	0.1247	0.0884
	3	0.8571	0.8194	0.7787	0.7360	0.6919	0.6472	0.6025	0.5584	0.5152	0.4735	0.4335	0.3423	0.2650	0.2017
	4	0.9473	0.9275	0.9041	0.8774	0.8477	0.8153	0.7806	0.7442	0.7064	0.6678	0.6288	0.5321	0.4405	0.3575
	5	0.9834	0.9751	0.9643	0.9510	0.9349	0.9161	0.8946	0.8705	0.8441	0.8156	0.7851	0.7029	0.6160	0.5289
	6	0.9955	0.9925	0.9884	0.9828	0.9756	0.9665	0.9554	0.9421	0.9267	0.9091	0.8893	0.8311	0.7622	0.6860
	7	0.9989	0.9980	0.9967	0.9947	0.9919	0.9881	0.9832	0.9769	0.9692	0.9599	0.9489	0.9134	0.8666	0.8095
	8	0.9998	0.9995	0.9991	0.9985	0.9976	0.9962	0.9943	0.9917	0.9883	0.9840	0.9786	0.9597	0.9319	0.8944
	9	1.0000	0.9999	0.9998	0.9996	0.9993	0.9989	0.9982	0.9973	0.9960	0.9942	0.9919	0.9829	0.9682	0.9462
	10	1.0000	1.0000	1.0000	0.9999	0.9998	0.9997	0.9995	0.9992	0.9987	0.9981	0.9972	0.9933	0.9863	0.9747
	11	1.0000	1.0000	1.0000	1.0000	1.0000	0.9999	0.9999	0.9998	0.9996	0.9994	0.9991	0.9976	0.9945	0.9890
	12	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	0.9999	0.9999	0.9998	0.9997	0.9992	0.9980	0.9955
	13	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	0.9999	0.9997	0.9993	0.9983
	14	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	0.9999	0.9998	0.9994
	15	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	0.9999	0.9998
	16	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	0.9999
	17	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000

STAT253 Probability and Statistics
STAT253 Probability and Statistics
STAT253 Probability and Statistics

STAT253 Probability and Statistics

Table of the Poisson Cumulative Distribution

$\lambda=$		6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	11.0	10.0	12.0	14.0	15.0
$x=$	0	0.0025	0.0015	0.0009	0.0006	0.0003	0.0002	0.0001	0.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	1	0.0174	0.0113	0.0073	0.0047	0.0030	0.0019	0.0012	0.0008	0.0005	0.0002	0.0005	0.0001	0.0000	0.0000
	2	0.0620	0.0430	0.0296	0.0203	0.0138	0.0093	0.0062	0.0042	0.0028	0.0012	0.0028	0.0005	0.0001	0.0000
	3	0.1512	0.1118	0.0818	0.0591	0.0424	0.0301	0.0212	0.0149	0.0103	0.0049	0.0103	0.0023	0.0005	0.0002
	4	0.2851	0.2237	0.1730	0.1321	0.0996	0.0744	0.0550	0.0403	0.0293	0.0151	0.0293	0.0076	0.0018	0.0009
	5	0.4457	0.3690	0.3007	0.2414	0.1912	0.1496	0.1157	0.0885	0.0671	0.0375	0.0671	0.0203	0.0055	0.0028
	6	0.6063	0.5265	0.4497	0.3782	0.3134	0.2562	0.2068	0.1649	0.1301	0.0786	0.1301	0.0458	0.0142	0.0076
	7	0.7440	0.6728	0.5987	0.5246	0.4530	0.3856	0.3239	0.2687	0.2202	0.1432	0.2202	0.0895	0.0316	0.0180
	8	0.8472	0.7916	0.7291	0.6620	0.5925	0.5231	0.4557	0.3918	0.3328	0.2320	0.3328	0.1550	0.0621	0.0374
	9	0.9161	0.8774	0.8305	0.7764	0.7166	0.6530	0.5874	0.5218	0.4579	0.3405	0.4579	0.2424	0.1094	0.0699
	10	0.9574	0.9332	0.9015	0.8622	0.8159	0.7634	0.7060	0.6453	0.5830	0.4599	0.5830	0.3472	0.1757	0.1185
	11	0.9799	0.9661	0.9467	0.9208	0.8881	0.8487	0.8030	0.7520	0.6968	0.5793	0.6968	0.4616	0.2600	0.1848
	12	0.9912	0.9840	0.9730	0.9573	0.9362	0.9091	0.8758	0.8364	0.7916	0.6887	0.7916	0.5760	0.3585	0.2676
	13	0.9964	0.9929	0.9872	0.9784	0.9658	0.9486	0.9261	0.8981	0.8645	0.7813	0.8645	0.6815	0.4644	0.3632
	14	0.9986	0.9970	0.9943	0.9897	0.9827	0.9726	0.9585	0.9400	0.9165	0.8540	0.9165	0.7720	0.5704	0.4657
	15	0.9995	0.9988	0.9976	0.9954	0.9918	0.9862	0.9780	0.9665	0.9513	0.9074	0.9513	0.8444	0.6694	0.5681
	16	0.9998	0.9996	0.9990	0.9980	0.9963	0.9934	0.9889	0.9823	0.9730	0.9441	0.9730	0.8987	0.7559	0.6641
	17	0.9999	0.9998	0.9996	0.9992	0.9984	0.9970	0.9947	0.9911	0.9857	0.9678	0.9857	0.9370	0.8272	0.7489
	18	1.0000	0.9999	0.9999	0.9997	0.9993	0.9987	0.9976	0.9957	0.9928	0.9823	0.9928	0.9626	0.8826	0.8195
	19	1.0000	1.0000	1.0000	0.9999	0.9997	0.9995	0.9989	0.9980	0.9965	0.9907	0.9965	0.9787	0.9235	0.8752
	20	1.0000	1.0000	1.0000	1.0000	0.9999	0.9998	0.9996	0.9991	0.9984	0.9953	0.9984	0.9884	0.9521	0.9170
	21	1.0000	1.0000	1.0000	1.0000	1.0000	0.9999	0.9998	0.9996	0.9993	0.9977	0.9993	0.9939	0.9712	0.9469
	22	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	0.9999	0.9999	0.9997	0.9990	0.9997	0.9970	0.9833	0.9673
	23	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	0.9999	0.9999	0.9995	0.9999	0.9985	0.9907	0.9805
	24	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	0.9998	1.0000	0.9993	0.9950	0.9888
	25	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	0.9999	1.0000	0.9997	0.9974	0.9938
	26	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	0.9999	0.9987	0.9967
	27	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	0.9999	0.9994	0.9983
	28	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	0.9997	0.9991
	29	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	0.9999	0.9996
	30	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	0.9999	0.9998
	31	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	0.9999
	32	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000


STAT253 Probability and Statistics

The table above gives the probability of that a Poisson random variable X with mean = λ is less than or equal to x. That is, the table gives

$$P(X \le x) = \sum_{r=0}^{x} \lambda^r \frac{e^{-\lambda}}{r!}$$


STAT253 Probability and Statistics

Table of Standard Normal Probabilities for Negative Z-scores



z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
-3.4	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0002
-3.3	0.0005	0.0005	0.0005	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004	0.0003
-3.2	0.0007	0.0007	0.0006	0.0006	0.0006	0.0006	0.0006	0.0005	0.0005	0.0005
-3.1	0.0010	0.0009	0.0009	0.0009	0.0008	0.0008	0.0008	0.0008	0.0007	0.0007
-3.0	0.0013	0.0013	0.0013	0.0012	0.0012	0.0011	0.0011	0.0011	0.0010	0.0010
-2.9	0.0019	0.0018	0.0018	0.0017	0.0016	0.0016	0.0015	0.0015	0.0014	0.0014
-2.8	0.0026	0.0025	0.0024	0.0023	0.0023	0.0022	0.0021	0.0021	0.0020	0.0019
-2.7	0.0035	0.0034	0.0033	0.0032	0.0031	0.0030	0.0029	0.0028	0.0027	0.0026
-2.6	0.0047	0.0045	0.0044	0.0043	0.0041	0.0040	0.0039	0.0038	0.0037	0.0036
-2.5	0.0062	0.0060	0.0059	0.0057	0.0055	0.0054	0.0052	0.0051	0.0049	0.0048
-2.4	0.0082	0.0080	0.0078	0.0075	0.0073	0.0071	0.0069	0.0068	0.0066	0.0064
-2.3	0.0107	0.0104	0.0102	0.0099	0.0096	0.0094	0.0091	0.0089	0.0087	0.0084
-2.2	0.0139	0.0136	0.0132	0.0129	0.0125	0.0122	0.0119	0.0116	0.0113	0.0110
-2.1	0.0179	0.0174	0.0170	0.0166	0.0162	0.0158	0.0154	0.0150	0.0146	0.0143
-2.0	0.0228	0.0222	0.0217	0.0212	0.0207	0.0202	0.0197	0.0192	0.0188	0.0183
-1.9	0.0287	0.0281	0.0274	0.0268	0.0262	0.0256	0.0250	0.0244	0.0239	0.0233
-1.8	0.0359	0.0351	0.0344	0.0336	0.0329	0.0322	0.0314	0.0307	0.0301	0.0294
-1.7	0.0446	0.0436	0.0427	0.0418	0.0409	0.0401	0.0392	0.0384	0.0375	0.0367
-1.6	0.0548	0.0537	0.0526	0.0516	0.0505	0.0495	0.0485	0.0475	0.0465	0.0455
-1.5	0.0668	0.0655	0.0643	0.0630	0.0618	0.0606	0.0594	0.0582	0.0571	0.0559
-1.4	0.0808	0.0793	0.0778	0.0764	0.0749	0.0735	0.0721	0.0708	0.0694	0.0681
-1.3	0.0968	0.0951	0.0934	0.0918	0.0901	0.0885	0.0869	0.0853	0.0838	0.0823
-1.2	0.1151	0.1131	0.1112	0.1093	0.1075	0.1056	0.1038	0.1020	0.1003	0.0985
-1.1	0.1357	0.1335	0.1314	0.1292	0.1271	0.1251	0.1230	0.1210	0.1190	0.1170
-1.0	0.1587	0.1562	0.1539	0.1515	0.1492	0.1469	0.1446	0.1423	0.1401	0.1379
-0.9	0.1841	0.1814	0.1788	0.1762	0.1736	0.1711	0.1685	0.1660	0.1635	0.1611
-0.8	0.2119	0.2090	0.2061	0.2033	0.2005	0.1977	0.1949	0.1922	0.1894	0.1867
-0.7	0.2420	0.2389	0.2358	0.2327	0.2296	0.2266	0.2236	0.2206	0.2177	0.2148
-0.6	0.2743	0.2709	0.2676	0.2643	0.2611	0.2578	0.2546	0.2514	0.2483	0.2451
-0.5	0.3085	0.3050	0.3015	0.2981	0.2946	0.2912	0.2877	0.2843	0.2810	0.2776
-0.4	0.3446	0.3409	0.3372	0.3336	0.3300	0.3264	0.3228	0.3192	0.3156	0.3121
-0.3	0.3821	0.3783	0.3745	0.3707	0.3669	0.3632	0.3594	0.3557	0.3520	0.3483
-0.2	0.4207	0.4168	0.4129	0.4090	0.4052	0.4013	0.3974	0.3936	0.3897	0.3859
-0.1	0.4602	0.4562	0.4522	0.4483	0.4443	0.4404	0.4364	0.4325	0.4286	0.4247
-0.0	0.5000	0.4960	0.4920	0.4880	0.4840	0.4801	0.4761	0.4721	0.4681	0.4641

Table of Standard Normal Probabilities for Positive Z-scores



z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.2	0.9861	0.9864	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
2.4	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	0.9976	0.9977	0.9977	0.9978	0.9979	0.9979	0.9980	0.9981
2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.0	0.9987	0.9987	0.9987	0.9988	0.9988	0.9989	0.9989	0.9989	0.9990	0.9990
3.1	0.9990	0.9991	0.9991	0.9991	0.9992	0.9992	0.9992	0.9992	0.9993	0.9993
3.2	0.9993	0.9993	0.9994	0.9994	0.9994	0.9994	0.9994	0.9995	0.9995	0.9995
3.3	0.9995	0.9995	0.9995	0.9996	0.9996	0.9996	0.9996	0.9996	0.9996	0.9997
3.4	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9998

STA 203 Probability and Statistics
Table Normal Scores
Study use only

Note that the probabilities given in this table represent the area to the LEFT of the z-score.
The area to the RIGHT of a z-score = 1 – the area to the LEFT of the z-score