Question Answering and Chatbots 5.1th Practical exercise – QA-system

Aleksandr Perevalov

aleksandr.perevalov@hs-anhalt.de

October 4, 2021




• Review the task for the Exercise 5.1;


• Review the task for the Exercise 5.1;

- Review the task for the Exercise 5.1;
- Demo Session;


- Review the task for the Exercise 5.1;
- Demo Session;
- Introduction to the Exercise 5.2 (Qanary Framework).

A. Perevalov 5.1th Practical exercise 2 / 9






• Re-train relation prediction model based on the new data (see repository);




- Re-train relation prediction model based on the new data (see repository);
- Implement a NLG component based on templates. You have to create at least one template for every relation from the new data;



- Re-train relation prediction model based on the new data (see repository);
- Implement a NLG component based on templates. You have to create at least one template for every relation from the new data;
- Combine all the components together as it's shown in the Figure above;

A. Perevalov 5.1th Practical exercise 3 / 9



- Re-train relation prediction model based on the new data (see repository);
- Implement a NLG component based on templates. You have to create at least one template for every relation from the new data;
- Combine all the components together as it's shown in the Figure above;
- Connect your Frontend and Backend such that your system can work in Question-Answer mode and prepare some questions for the Demo session.

• Group Python files into several modules (folders);

- Group Python files into several modules (folders);
- Group other files to the related folders: all datasets to data/, all models to bin/ etc.;


- Group Python files into several modules (folders);
- Group other files to the related folders: all datasets to data/, all models to bin/ etc.;
- Files and methods naming: usually in Python methods and files are named_like_this, notLikeThis and Not_This. Not very important issue;

- Group Python files into several modules (folders);
- Group other files to the related folders: all datasets to data/, all models to bin/ etc.;
- Files and methods naming: usually in Python methods and files are named_like_this, notLikeThis and Not_This. Not very important issue;
- Save the models into binary files. Load models when the application is starting.

Any questions?

Let's start the demo!

Qanary Framework



- + You can reuse any component (even from other people);
- + No need to reinvent the wheel;
- Requires more effort to invest at the beginning.

A. Perevalov 5.1th Practical exercise 7 / 9

Plan for the Exercise 5.2: Qanary Integration

- Split your QA system into separate components;
- Define configuration parameters in app.conf file for each component;
- Implement your components. The example of implementation is located within classifier.py in the example;
- Define the data that you would like to save to the triplestore w.r.t your components and adjust the SPARQL insert query;
- Change your backend as it shown in the example (controllers.py) such that it will run Qanary Pipeline and retrieve the final answer;
- Start all components. Check its status here;
- If all components are working correctly start your QA system and test it.
- ? Try to reuse components we will do it later.

A. Perevalov 5.1th Practical exercise 8 / 9

- SPARQL;
- Work with Natural Language (NER);
- Question classification;
- Back-end and Front-end;
- Simple QA system and Qanary Framework;
- Tests for QA system;
- Deploying QA system;
- **8** ...