

NHS RTT Waiting Times Dashboard

KPI and Chart / Visual Requirements

All KPIs and charts below exclude Treatment_Function_Code = 'C_999' (the specialty rollup row), unless the calculation is explicitly a full-table total that does not break down by specialty.


1. Key Performance Indicators (KPIs)

KPI 1 - Total Patient Volume

We need to know the total number of patients currently on an RTT pathway, so we understand the overall scale of demand.

Definition: Sum of all patients across all wait bands (Total All column)

Select sum(Total_All) As Total_Patient from nhs_rtt.nhs WHERE Treatment_Function_Code <> 'C_999';



Total_Patient
11951716

Result: 11,951,716 total patients


Why this matters: This is the baseline denominator every other KPI is measured against - without knowing the total scale of demand, a raw long-waiter count on its own has no context, and management cannot judge whether the backlog is proportionate or alarming.

KPI 2 - Percentage of Patients Treated

This shows what share of all recorded patients have actually completed their treatment pathway (Part_1A + Part_1B), rather than still being on the waiting list (Part_2/Part_2A) or newly referred (Part_3). Paired with the long-waiter percentage, this gives management a fuller “throughput vs. backlog” picture - not just how bad the waiting list is, but how much the system is actually getting done.

Definition: ((Part_1A Total + Part_1B Total) ÷ Total Patients Across All Part Types) × 100

SELECT ((SELECT SUM(Total_All) FROM nhs_rtt.nhs WHERE Treatment_Function_Code <> 'C_999' AND RTT_Part_Type IN ('Part_1A', 'Part_1B'))
/ (SELECT SUM(Total_All) FROM nhs_rtt.nhs WHERE Treatment_Function_Code <> 'C_999'))* 100 AS
Pct_Patients_Treated;



Pct_Patients_Treated
13.6600

Result: 13.66% of recorded pathways were completed within this reporting period

Why this matters: Prevents the dashboard from reading as one-sided bad news. A waiting-list figure alone tells management nothing about throughput - pairing it with a completion rate shows whether the system is actively processing patients, not just accumulating backlog. It also gives essential context for why this figure is naturally low at any single monthly snapshot (most patients are always mid-pathway, not freshly completed).

KPI 3 - Long Waiter Volume (52+ Weeks)

NHS England treats 52-week waits as a critical breach threshold. We need the total count of patients who have waited over 52 weeks, as this is reported nationally and affects funding/scrutiny.

Definition: Sum of all weekly band columns from 'Gt 52 To 53 Weeks' through 'Gt 104 Weeks'

```
SELECT SUM(Gt_52_To_53_Weeks_SUM_1) + SUM(Gt_53_To_54_Weeks_SUM_1) +  
SUM(Gt_54_To_55_Weeks_SUM_1) + SUM(Gt_55_To_56_Weeks_SUM_1) +  
SUM(Gt_56_To_57_Weeks_SUM_1) + SUM(Gt_57_To_58_Weeks_SUM_1) +  
SUM(Gt_58_To_59_Weeks_SUM_1) + SUM(Gt_59_To_60_Weeks_SUM_1) +  
SUM(Gt_60_To_61_Weeks_SUM_1) + SUM(Gt_61_To_62_Weeks_SUM_1) +  
SUM(Gt_62_To_63_Weeks_SUM_1) + SUM(Gt_63_To_64_Weeks_SUM_1) +  
SUM(Gt_64_To_65_Weeks_SUM_1) + SUM(Gt_65_To_66_Weeks_SUM_1) +  
SUM(Gt_66_To_67_Weeks_SUM_1) + SUM(Gt_67_To_68_Weeks_SUM_1) +  
SUM(Gt_68_To_69_Weeks_SUM_1) + SUM(Gt_69_To_70_Weeks_SUM_1) +  
SUM(Gt_70_To_71_Weeks_SUM_1) + SUM(Gt_71_To_72_Weeks_SUM_1) +  
SUM(Gt_72_To_73_Weeks_SUM_1) + SUM(Gt_73_To_74_Weeks_SUM_1) +  
SUM(Gt_74_To_75_Weeks_SUM_1) + SUM(Gt_75_To_76_Weeks_SUM_1) +  
SUM(Gt_76_To_77_Weeks_SUM_1) + SUM(Gt_77_To_78_Weeks_SUM_1) +  
SUM(Gt_78_To_79_Weeks_SUM_1) + SUM(Gt_79_To_80_Weeks_SUM_1) +  
SUM(Gt_80_To_81_Weeks_SUM_1) + SUM(Gt_81_To_82_Weeks_SUM_1) +  
SUM(Gt_82_To_83_Weeks_SUM_1) + SUM(Gt_83_To_84_Weeks_SUM_1) +  
SUM(Gt_84_To_85_Weeks_SUM_1) + SUM(Gt_85_To_86_Weeks_SUM_1) +  
SUM(Gt_86_To_87_Weeks_SUM_1) + SUM(Gt_87_To_88_Weeks_SUM_1) +  
SUM(Gt_88_To_89_Weeks_SUM_1) + SUM(Gt_89_To_90_Weeks_SUM_1) +  
SUM(Gt_90_To_91_Weeks_SUM_1) + SUM(Gt_91_To_92_Weeks_SUM_1) +  
SUM(Gt_92_To_93_Weeks_SUM_1) + SUM(Gt_93_To_94_Weeks_SUM_1) +  
SUM(Gt_94_To_95_Weeks_SUM_1) + SUM(Gt_95_To_96_Weeks_SUM_1) +  
SUM(Gt_96_To_97_Weeks_SUM_1) + SUM(Gt_97_To_98_Weeks_SUM_1) +  
SUM(Gt_98_To_99_Weeks_SUM_1) + SUM(Gt_99_To_100_Weeks_SUM_1) +  
SUM(Gt_100_To_101_Weeks_SUM_1) + SUM(Gt_101_To_102_Weeks_SUM_1) +  
SUM(Gt_102_To_103_Weeks_SUM_1) + SUM(Gt_103_To_104_Weeks_SUM_1) +  
SUM(Gt_104_Weeks_SUM_1) AS Long_Waiters_Over_52_Weeks  
FROM nhs_rtt.nhs  
WHERE Treatment_Function_Code <> 'C_999';
```



Result Grid
Long_Waiters_Over_52_Weeks
223700

Result: 223,700 patients waiting over 52 weeks

Why this matters: This is the exact threshold NHS England itself uses for national reporting, funding decisions, and public scrutiny - tracking it in the same terms means this dashboard's headline figure is directly comparable to official NHS statistics, not an arbitrary internal cut-off.

KPI 4 - Percentage of Long Waiters


Raw counts don't tell us if a provider's long-waiter problem is proportionate to their size. We need a percentage so we can fairly compare a large teaching hospital against a small clinic.

Definition: (Long Waiters Over 52 Weeks ÷ Total Patients) × 100

```

SELECT
  ((SUM(Gt_52_To_53_Weeks_SUM_1) + SUM(Gt_53_To_54_Weeks_SUM_1) +
  SUM(Gt_54_To_55_Weeks_SUM_1) + SUM(Gt_55_To_56_Weeks_SUM_1) +
  SUM(Gt_56_To_57_Weeks_SUM_1) + SUM(Gt_57_To_58_Weeks_SUM_1) +
  SUM(Gt_58_To_59_Weeks_SUM_1) + SUM(Gt_59_To_60_Weeks_SUM_1) +
  SUM(Gt_60_To_61_Weeks_SUM_1) + SUM(Gt_61_To_62_Weeks_SUM_1) +
  SUM(Gt_62_To_63_Weeks_SUM_1) + SUM(Gt_63_To_64_Weeks_SUM_1) +
  SUM(Gt_64_To_65_Weeks_SUM_1) + SUM(Gt_65_To_66_Weeks_SUM_1) +
  SUM(Gt_66_To_67_Weeks_SUM_1) + SUM(Gt_67_To_68_Weeks_SUM_1) +
  SUM(Gt_68_To_69_Weeks_SUM_1) + SUM(Gt_69_To_70_Weeks_SUM_1) +
  SUM(Gt_70_To_71_Weeks_SUM_1) + SUM(Gt_71_To_72_Weeks_SUM_1) +
  SUM(Gt_72_To_73_Weeks_SUM_1) + SUM(Gt_73_To_74_Weeks_SUM_1) +
  SUM(Gt_74_To_75_Weeks_SUM_1) + SUM(Gt_75_To_76_Weeks_SUM_1) +
  SUM(Gt_76_To_77_Weeks_SUM_1) + SUM(Gt_77_To_78_Weeks_SUM_1) +
  SUM(Gt_78_To_79_Weeks_SUM_1) + SUM(Gt_79_To_80_Weeks_SUM_1) +
  SUM(Gt_80_To_81_Weeks_SUM_1) + SUM(Gt_81_To_82_Weeks_SUM_1) +
  SUM(Gt_82_To_83_Weeks_SUM_1) + SUM(Gt_83_To_84_Weeks_SUM_1) +
  SUM(Gt_84_To_85_Weeks_SUM_1) + SUM(Gt_85_To_86_Weeks_SUM_1) +
  SUM(Gt_86_To_87_Weeks_SUM_1) + SUM(Gt_87_To_88_Weeks_SUM_1) +
  SUM(Gt_88_To_89_Weeks_SUM_1) + SUM(Gt_89_To_90_Weeks_SUM_1) +
  SUM(Gt_90_To_91_Weeks_SUM_1) + SUM(Gt_91_To_92_Weeks_SUM_1) +
  SUM(Gt_92_To_93_Weeks_SUM_1) + SUM(Gt_93_To_94_Weeks_SUM_1) +
  SUM(Gt_94_To_95_Weeks_SUM_1) + SUM(Gt_95_To_96_Weeks_SUM_1) +
  SUM(Gt_96_To_97_Weeks_SUM_1) + SUM(Gt_97_To_98_Weeks_SUM_1) +
  SUM(Gt_98_To_99_Weeks_SUM_1) + SUM(Gt_99_To_100_Weeks_SUM_1) +
  SUM(Gt_100_To_101_Weeks_SUM_1) + SUM(Gt_101_To_102_Weeks_SUM_1) +
  SUM(Gt_102_To_103_Weeks_SUM_1) + SUM(Gt_103_To_104_Weeks_SUM_1) +
  SUM(Gt_104_Weeks_SUM_1))
  / SUM(Total_All)) * 100 AS Percentage_of_Long_Waiters
FROM nhs_rtt.nhs
WHERE Treatment_Function_Code <> 'C_999';

```



Percentage_of_Long_Waiters
1.8700

Result: 1.87% of all patients have waited over 52 weeks

***Why this matters:** A percentage is what makes fair comparison possible across the Provider League Table and ICB Comparison charts - without it, large teaching hospitals would always appear “worse” than small clinics purely because they treat more people, masking which providers actually have a disproportionate backlog problem.*

KPI 5 - Extreme Long Waiter Volume (104+ Weeks)

Two-year waits are a serious clinical and reputational risk. We need this tracked separately from the 52-week figure, since these patients require urgent escalation.

Definition: Sum of ‘Gt 104 Weeks SUM 1’ column

Select sum(Gt_104_Weeks_SUM_1) As Extreme_Long_Waiter from nhs_rtt.nhs WHERE Treatment_Function_Code <> 'C_999';

	Extreme_Long_Waiter
▶	2400

Result: approx. 2,400 patients waiting over two years

Why this matters: *A two-year wait is a materially different level of risk and reputational exposure than a one-year wait. Reporting it separately, rather than burying it inside the 52+ figure, ensures the most severe cases cannot be diluted or hidden within a larger, less alarming-looking number.*

KPI 6 - High-Risk Specialty Long-Waiter Count

Tracks how many patients are waiting 52+ weeks specifically within specialties where delay carries serious clinical risk (potential for irreversible harm or life-threatening deterioration) - Cardiology, Cardiothoracic Surgery, Neurosurgery, General Surgery, Urology, Gynaecology, and Respiratory Medicine. This is far more actionable for clinical governance than a generic “long waiters” figure, since it isolates the patients where delay is most dangerous, not just most common.

Definition: Sum of patients waiting 52+ weeks, filtered to only these 7 high-risk specialties

SELECT

```
SUM(Gt_52_To_53_Weeks_SUM_1) + SUM(Gt_53_To_54_Weeks_SUM_1) +
SUM(Gt_54_To_55_Weeks_SUM_1) + SUM(Gt_55_To_56_Weeks_SUM_1) +
SUM(Gt_56_To_57_Weeks_SUM_1) + SUM(Gt_57_To_58_Weeks_SUM_1) +
SUM(Gt_58_To_59_Weeks_SUM_1) + SUM(Gt_59_To_60_Weeks_SUM_1) +
SUM(Gt_60_To_61_Weeks_SUM_1) + SUM(Gt_61_To_62_Weeks_SUM_1) +
SUM(Gt_62_To_63_Weeks_SUM_1) + SUM(Gt_63_To_64_Weeks_SUM_1) +
SUM(Gt_64_To_65_Weeks_SUM_1) + SUM(Gt_65_To_66_Weeks_SUM_1) +
SUM(Gt_66_To_67_Weeks_SUM_1) + SUM(Gt_67_To_68_Weeks_SUM_1) +
SUM(Gt_68_To_69_Weeks_SUM_1) + SUM(Gt_69_To_70_Weeks_SUM_1) +
SUM(Gt_70_To_71_Weeks_SUM_1) + SUM(Gt_71_To_72_Weeks_SUM_1) +
SUM(Gt_72_To_73_Weeks_SUM_1) + SUM(Gt_73_To_74_Weeks_SUM_1) +
SUM(Gt_74_To_75_Weeks_SUM_1) + SUM(Gt_75_To_76_Weeks_SUM_1) +
SUM(Gt_76_To_77_Weeks_SUM_1) + SUM(Gt_77_To_78_Weeks_SUM_1) +
SUM(Gt_78_To_79_Weeks_SUM_1) + SUM(Gt_79_To_80_Weeks_SUM_1) +
SUM(Gt_80_To_81_Weeks_SUM_1) + SUM(Gt_81_To_82_Weeks_SUM_1) +
SUM(Gt_82_To_83_Weeks_SUM_1) + SUM(Gt_83_To_84_Weeks_SUM_1) +
SUM(Gt_84_To_85_Weeks_SUM_1) + SUM(Gt_85_To_86_Weeks_SUM_1) +
SUM(Gt_86_To_87_Weeks_SUM_1) + SUM(Gt_87_To_88_Weeks_SUM_1) +
SUM(Gt_88_To_89_Weeks_SUM_1) + SUM(Gt_89_To_90_Weeks_SUM_1) +
SUM(Gt_90_To_91_Weeks_SUM_1) + SUM(Gt_91_To_92_Weeks_SUM_1) +
SUM(Gt_92_To_93_Weeks_SUM_1) + SUM(Gt_93_To_94_Weeks_SUM_1) +
SUM(Gt_94_To_95_Weeks_SUM_1) + SUM(Gt_95_To_96_Weeks_SUM_1) +
SUM(Gt_96_To_97_Weeks_SUM_1) + SUM(Gt_97_To_98_Weeks_SUM_1) +
SUM(Gt_98_To_99_Weeks_SUM_1) + SUM(Gt_99_To_100_Weeks_SUM_1) +
SUM(Gt_100_To_101_Weeks_SUM_1) + SUM(Gt_101_To_102_Weeks_SUM_1) +
SUM(Gt_102_To_103_Weeks_SUM_1) + SUM(Gt_103_To_104_Weeks_SUM_1) +
SUM(Gt_104_Weeks_SUM_1) AS High_Risk_Long_Waiter_Count
```

FROM nhs_rtt.nhs

WHERE Treatment_Function_Code <> 'C_999' AND Treatment_Function_Name IN('Cardiology Service', 'Cardiothoracic Surgery Service', 'Neurosurgical Service', 'General Surgery Service', 'Urology Service', 'Gynaecology Service', 'Respiratory Medicine Service');

Result Grid	Filter Rows:
High_Risk_Long_Waiter_Count	
61040	

Result: approx. 61,040 high-risk long waiters

Why this matters: A generic long-waiter total treats a delayed dermatology referral the same as a delayed cardiology one, even though the clinical consequences are not remotely equivalent. This KPI gives clinical governance teams a prioritised, risk-weighted list - telling them where delay is most dangerous, not merely where it is most common - which is what actually drives triage and escalation decisions.

11951716 Total Patients	13.66% % Treated	223700 Long Waiters (52+ wks)	1.87% % Long Waiters	2400 Extreme Waiters (104+ w...	61040 High-risk Long Waiters
----------------------------	---------------------	----------------------------------	-------------------------	------------------------------------	---------------------------------

2. Chart / Visual Requirements

Requirement 1 - Provider League Table (Long Waiters)

Top 10 providers by count of 52+ week waiters, descending.


Select Provider_org_name,
SUM(Gt_52_To_53_Weeks_SUM_1) + SUM(Gt_53_To_54_Weeks_SUM_1) +
SUM(Gt_54_To_55_Weeks_SUM_1) + SUM(Gt_55_To_56_Weeks_SUM_1) +
SUM(Gt_56_To_57_Weeks_SUM_1) + SUM(Gt_57_To_58_Weeks_SUM_1) +
SUM(Gt_58_To_59_Weeks_SUM_1) + SUM(Gt_59_To_60_Weeks_SUM_1) +
SUM(Gt_60_To_61_Weeks_SUM_1) + SUM(Gt_61_To_62_Weeks_SUM_1) +
SUM(Gt_62_To_63_Weeks_SUM_1) + SUM(Gt_63_To_64_Weeks_SUM_1) +
SUM(Gt_64_To_65_Weeks_SUM_1) + SUM(Gt_65_To_66_Weeks_SUM_1) +
SUM(Gt_66_To_67_Weeks_SUM_1) + SUM(Gt_67_To_68_Weeks_SUM_1) +
SUM(Gt_68_To_69_Weeks_SUM_1) + SUM(Gt_69_To_70_Weeks_SUM_1) +
SUM(Gt_70_To_71_Weeks_SUM_1) + SUM(Gt_71_To_72_Weeks_SUM_1) +
SUM(Gt_72_To_73_Weeks_SUM_1) + SUM(Gt_73_To_74_Weeks_SUM_1) +
SUM(Gt_74_To_75_Weeks_SUM_1) + SUM(Gt_75_To_76_Weeks_SUM_1) +
SUM(Gt_76_To_77_Weeks_SUM_1) + SUM(Gt_77_To_78_Weeks_SUM_1) +
SUM(Gt_78_To_79_Weeks_SUM_1) + SUM(Gt_79_To_80_Weeks_SUM_1) +
SUM(Gt_80_To_81_Weeks_SUM_1) + SUM(Gt_81_To_82_Weeks_SUM_1) +
SUM(Gt_82_To_83_Weeks_SUM_1) + SUM(Gt_83_To_84_Weeks_SUM_1) +
SUM(Gt_84_To_85_Weeks_SUM_1) + SUM(Gt_85_To_86_Weeks_SUM_1) +
SUM(Gt_86_To_87_Weeks_SUM_1) + SUM(Gt_87_To_88_Weeks_SUM_1) +
SUM(Gt_88_To_89_Weeks_SUM_1) + SUM(Gt_89_To_90_Weeks_SUM_1) +
SUM(Gt_90_To_91_Weeks_SUM_1) + SUM(Gt_91_To_92_Weeks_SUM_1) +
SUM(Gt_92_To_93_Weeks_SUM_1) + SUM(Gt_93_To_94_Weeks_SUM_1) +
SUM(Gt_94_To_95_Weeks_SUM_1) + SUM(Gt_95_To_96_Weeks_SUM_1) +
SUM(Gt_96_To_97_Weeks_SUM_1) + SUM(Gt_97_To_98_Weeks_SUM_1) +
SUM(Gt_98_To_99_Weeks_SUM_1) + SUM(Gt_99_To_100_Weeks_SUM_1) +
SUM(Gt_100_To_101_Weeks_SUM_1) + SUM(Gt_101_To_102_Weeks_SUM_1) +

```

SUM(Gt_102_To_103_Weeks_SUM_1) + SUM(Gt_103_To_104_Weeks_SUM_1) +
SUM(Gt_104_Weeks_SUM_1) AS Waiting
FROM nhs_rtt.nhs
WHERE Treatment_Function_Code <> 'C_999'
GROUP BY Provider_org_name
ORDER BY Waiting DESC
LIMIT 10;

```

Result Grid			Filter Rows:	Export:
	Provider_org_name	Waiting		
►	MID AND SOUTH ESSEX NHS FOUNDATION TRUST	20477		
	UNIVERSITY HOSPITALS SUSSEX NHS FOUNDAT...	8723		
	HULL UNIVERSITY TEACHING HOSPITALS NHS T...	6421		
	EAST KENT HOSPITALS UNIVERSITY NHS FOUN...	4704		
	NORFOLK AND NORWICH UNIVERSITY HOSPIT...	4628		



Why this matters: Gives management a direct, actionable shortlist of exactly which hospitals to prioritise for intervention, rather than an abstract national average that no single person or team is accountable for.

Requirement 2 - Waiting Time Distribution

Grouped week bands (0-18wk, 18-52wk, 52-104wk, 104+wk), showing patient volume per band.

```

SELECT '0-18 Weeks' AS Wait_Band, (SUM(Gt_00_To_01_Weeks_SUM_1) +
SUM(Gt_01_To_02_Weeks_SUM_1) + SUM(Gt_02_To_03_Weeks_SUM_1) +
SUM(Gt_03_To_04_Weeks_SUM_1) + SUM(Gt_04_To_05_Weeks_SUM_1) +
SUM(Gt_05_To_06_Weeks_SUM_1) + SUM(Gt_06_To_07_Weeks_SUM_1) +
SUM(Gt_07_To_08_Weeks_SUM_1) + SUM(Gt_08_To_09_Weeks_SUM_1) +
SUM(Gt_09_To_10_Weeks_SUM_1) + SUM(Gt_10_To_11_Weeks_SUM_1) +
SUM(Gt_11_To_12_Weeks_SUM_1) + SUM(Gt_12_To_13_Weeks_SUM_1) +
SUM(Gt_13_To_14_Weeks_SUM_1) + SUM(Gt_14_To_15_Weeks_SUM_1) +
SUM(Gt_15_To_16_Weeks_SUM_1) + SUM(Gt_16_To_17_Weeks_SUM_1) +
SUM(Gt_17_To_18_Weeks_SUM_1)) AS Patient_Volume
FROM nhs_rtt.nhs
WHERE Treatment_Function_Code <> 'C_999'
UNION ALL
SELECT '18-52 Weeks' AS Wait_Band, (SUM(Gt_18_To_19_Weeks_SUM_1) +
SUM(Gt_19_To_20_Weeks_SUM_1) + SUM(Gt_20_To_21_Weeks_SUM_1) +
SUM(Gt_21_To_22_Weeks_SUM_1) + SUM(Gt_22_To_23_Weeks_SUM_1) +
SUM(Gt_23_To_24_Weeks_SUM_1) + SUM(Gt_24_To_25_Weeks_SUM_1) +
SUM(Gt_25_To_26_Weeks_SUM_1) + SUM(Gt_26_To_27_Weeks_SUM_1) +
SUM(Gt_27_To_28_Weeks_SUM_1) + SUM(Gt_28_To_29_Weeks_SUM_1) +

```

SUM(Gt_29_To_30_Weeks_SUM_1) + SUM(Gt_30_To_31_Weeks_SUM_1) +
SUM(Gt_31_To_32_Weeks_SUM_1) + SUM(Gt_32_To_33_Weeks_SUM_1) +
SUM(Gt_33_To_34_Weeks_SUM_1) + SUM(Gt_34_To_35_Weeks_SUM_1) +
SUM(Gt_35_To_36_Weeks_SUM_1) + SUM(Gt_36_To_37_Weeks_SUM_1) +
SUM(Gt_37_To_38_Weeks_SUM_1) + SUM(Gt_38_To_39_Weeks_SUM_1) +
SUM(Gt_39_To_40_Weeks_SUM_1) + SUM(Gt_40_To_41_Weeks_SUM_1) +
SUM(Gt_41_To_42_Weeks_SUM_1) + SUM(Gt_42_To_43_Weeks_SUM_1) +
SUM(Gt_43_To_44_Weeks_SUM_1) + SUM(Gt_44_To_45_Weeks_SUM_1) +
SUM(Gt_45_To_46_Weeks_SUM_1) + SUM(Gt_46_To_47_Weeks_SUM_1) +
SUM(Gt_47_To_48_Weeks_SUM_1) + SUM(Gt_48_To_49_Weeks_SUM_1) +
SUM(Gt_49_To_50_Weeks_SUM_1) + SUM(Gt_50_To_51_Weeks_SUM_1) +
SUM(Gt_51_To_52_Weeks_SUM_1)) AS Patient_Volume

FROM nhs_rtt.nhs

WHERE Treatment_Function_Code <> 'C_999'

UNION ALL

SELECT '52-104 Weeks' AS Wait_Band, (SUM(Gt_52_To_53_Weeks_SUM_1) +
SUM(Gt_53_To_54_Weeks_SUM_1) + SUM(Gt_54_To_55_Weeks_SUM_1) +
SUM(Gt_55_To_56_Weeks_SUM_1) + SUM(Gt_56_To_57_Weeks_SUM_1) +
SUM(Gt_57_To_58_Weeks_SUM_1) + SUM(Gt_58_To_59_Weeks_SUM_1) +
SUM(Gt_59_To_60_Weeks_SUM_1) + SUM(Gt_60_To_61_Weeks_SUM_1) +
SUM(Gt_61_To_62_Weeks_SUM_1) + SUM(Gt_62_To_63_Weeks_SUM_1) +
SUM(Gt_63_To_64_Weeks_SUM_1) + SUM(Gt_64_To_65_Weeks_SUM_1) +
SUM(Gt_65_To_66_Weeks_SUM_1) + SUM(Gt_66_To_67_Weeks_SUM_1) +
SUM(Gt_67_To_68_Weeks_SUM_1) + SUM(Gt_68_To_69_Weeks_SUM_1) +
SUM(Gt_69_To_70_Weeks_SUM_1) + SUM(Gt_70_To_71_Weeks_SUM_1) +
SUM(Gt_71_To_72_Weeks_SUM_1) + SUM(Gt_72_To_73_Weeks_SUM_1) +
SUM(Gt_73_To_74_Weeks_SUM_1) + SUM(Gt_74_To_75_Weeks_SUM_1) +
SUM(Gt_75_To_76_Weeks_SUM_1) + SUM(Gt_76_To_77_Weeks_SUM_1) +
SUM(Gt_77_To_78_Weeks_SUM_1) + SUM(Gt_78_To_79_Weeks_SUM_1) +
SUM(Gt_79_To_80_Weeks_SUM_1) + SUM(Gt_80_To_81_Weeks_SUM_1) +
SUM(Gt_81_To_82_Weeks_SUM_1) + SUM(Gt_82_To_83_Weeks_SUM_1) +
SUM(Gt_83_To_84_Weeks_SUM_1) + SUM(Gt_84_To_85_Weeks_SUM_1) +
SUM(Gt_85_To_86_Weeks_SUM_1) + SUM(Gt_86_To_87_Weeks_SUM_1) +
SUM(Gt_87_To_88_Weeks_SUM_1) + SUM(Gt_88_To_89_Weeks_SUM_1) +
SUM(Gt_89_To_90_Weeks_SUM_1) + SUM(Gt_90_To_91_Weeks_SUM_1) +
SUM(Gt_91_To_92_Weeks_SUM_1) + SUM(Gt_92_To_93_Weeks_SUM_1) +
SUM(Gt_93_To_94_Weeks_SUM_1) + SUM(Gt_94_To_95_Weeks_SUM_1) +
SUM(Gt_95_To_96_Weeks_SUM_1) + SUM(Gt_96_To_97_Weeks_SUM_1) +
SUM(Gt_97_To_98_Weeks_SUM_1) + SUM(Gt_98_To_99_Weeks_SUM_1) +
SUM(Gt_99_To_100_Weeks_SUM_1) + SUM(Gt_100_To_101_Weeks_SUM_1) +
SUM(Gt_101_To_102_Weeks_SUM_1) + SUM(Gt_102_To_103_Weeks_SUM_1) +
SUM(Gt_103_To_104_Weeks_SUM_1)) AS Patient_Volume

FROM nhs_rtt.nhs

WHERE Treatment_Function_Code <> 'C_999'


UNION ALL

SELECT '104+ Weeks' AS Wait_Band, (SUM(Gt_104_Weeks_SUM_1)) AS Patient_Volume

FROM nhs_rtt.nhs

WHERE Treatment_Function_Code <> 'C_999';

Result Grid			Filter Rows:
	Wait_Band	Patient_Volume	
▶	0-18 Weeks	6423857	
	18-52 Weeks	3365644	
	52-104 Weeks	221300	
	104+ Weeks	2400	



Why this matters: Reveals the overall shape of the backlog at a glance - whether most patients are clustered safely within target (a healthy system with a short tail) or whether there is a significant long tail of extreme waiters (a system under sustained strain). This shape is invisible from any single summary KPI alone.

Requirement 3 - Specialty Breakdown


Bar chart, Long Waiters (52+) by all Treatment Function Names, descending - shows the complete national picture, confirming or challenging whether Cardiology, Cardiothoracic Surgery, etc. are really the worst.

```
SELECT Treatment_Function_Name AS Treatment, SUM(Gt_52_To_53_Weeks_SUM_1) +
SUM(Gt_53_To_54_Weeks_SUM_1) + SUM(Gt_54_To_55_Weeks_SUM_1) +
SUM(Gt_55_To_56_Weeks_SUM_1) + SUM(Gt_56_To_57_Weeks_SUM_1) +
SUM(Gt_57_To_58_Weeks_SUM_1) + SUM(Gt_58_To_59_Weeks_SUM_1) +
SUM(Gt_59_To_60_Weeks_SUM_1) + SUM(Gt_60_To_61_Weeks_SUM_1) +
SUM(Gt_61_To_62_Weeks_SUM_1) + SUM(Gt_62_To_63_Weeks_SUM_1) +
SUM(Gt_63_To_64_Weeks_SUM_1) + SUM(Gt_64_To_65_Weeks_SUM_1) +
SUM(Gt_65_To_66_Weeks_SUM_1) + SUM(Gt_66_To_67_Weeks_SUM_1) +
SUM(Gt_67_To_68_Weeks_SUM_1) + SUM(Gt_68_To_69_Weeks_SUM_1) +
SUM(Gt_69_To_70_Weeks_SUM_1) + SUM(Gt_70_To_71_Weeks_SUM_1) +
SUM(Gt_71_To_72_Weeks_SUM_1) + SUM(Gt_72_To_73_Weeks_SUM_1) +
SUM(Gt_73_To_74_Weeks_SUM_1) + SUM(Gt_74_To_75_Weeks_SUM_1) +
SUM(Gt_75_To_76_Weeks_SUM_1) + SUM(Gt_76_To_77_Weeks_SUM_1) +
SUM(Gt_77_To_78_Weeks_SUM_1) + SUM(Gt_78_To_79_Weeks_SUM_1) +
SUM(Gt_79_To_80_Weeks_SUM_1) + SUM(Gt_80_To_81_Weeks_SUM_1) +
SUM(Gt_81_To_82_Weeks_SUM_1) + SUM(Gt_82_To_83_Weeks_SUM_1) +
SUM(Gt_83_To_84_Weeks_SUM_1) + SUM(Gt_84_To_85_Weeks_SUM_1) +
SUM(Gt_85_To_86_Weeks_SUM_1) + SUM(Gt_86_To_87_Weeks_SUM_1) +
SUM(Gt_87_To_88_Weeks_SUM_1) + SUM(Gt_88_To_89_Weeks_SUM_1) +
SUM(Gt_89_To_90_Weeks_SUM_1) + SUM(Gt_90_To_91_Weeks_SUM_1) +
SUM(Gt_91_To_92_Weeks_SUM_1) + SUM(Gt_92_To_93_Weeks_SUM_1) +
SUM(Gt_93_To_94_Weeks_SUM_1) + SUM(Gt_94_To_95_Weeks_SUM_1) +
SUM(Gt_95_To_96_Weeks_SUM_1) + SUM(Gt_96_To_97_Weeks_SUM_1) +
SUM(Gt_97_To_98_Weeks_SUM_1) + SUM(Gt_98_To_99_Weeks_SUM_1) +
```



```
SUM(Gt_99_To_100_Weeks_SUM_1) + SUM(Gt_100_To_101_Weeks_SUM_1) +
SUM(Gt_101_To_102_Weeks_SUM_1) + SUM(Gt_102_To_103_Weeks_SUM_1) +
SUM(Gt_103_To_104_Weeks_SUM_1) + SUM(Gt_104_Weeks_SUM_1) AS Waiting FROM nhs_rtt.nhs WHERE
Treatment_Function_Code <> 'C_999' GROUP BY Treatment_Function_Name ORDER BY Waiting DESC;
```

Result Grid		
Filter Rows:		
	Treatment	Waiting
▶	Trauma and Orthopaedic Service	46885
	Ear Nose and Throat Service	25456
	Gynaecology Service	23564
	General Surgery Service	16902
	Oral Surgery Service	15799
	Other - Surgical Services	14987
	Urology Service	11031
	Ophthalmology Service	11023
	Other - Medical Services	9346



Why this matters: Tests assumptions against actual evidence rather than national reputation. If the specialties commonly assumed to be worst nationally are not actually the worst in this dataset, that is itself an important, potentially counter-intuitive finding for management - and this chart is what would surface it.

Requirement 4 - Regional (ICB) Comparison

Bar chart, Long Waiters (52+) by Provider Parent Name (ICB) - full ranking across all ICBs.


```
SELECT
  Provider_Parent_Name AS Provider,
```

```

SUM(Gt_52_To_53_Weeks_SUM_1) + SUM(Gt_53_To_54_Weeks_SUM_1) +
SUM(Gt_54_To_55_Weeks_SUM_1) + SUM(Gt_55_To_56_Weeks_SUM_1) +
SUM(Gt_56_To_57_Weeks_SUM_1) + SUM(Gt_57_To_58_Weeks_SUM_1) +
SUM(Gt_58_To_59_Weeks_SUM_1) + SUM(Gt_59_To_60_Weeks_SUM_1) +
SUM(Gt_60_To_61_Weeks_SUM_1) + SUM(Gt_61_To_62_Weeks_SUM_1) +
SUM(Gt_62_To_63_Weeks_SUM_1) + SUM(Gt_63_To_64_Weeks_SUM_1) +
SUM(Gt_64_To_65_Weeks_SUM_1) + SUM(Gt_65_To_66_Weeks_SUM_1) +
SUM(Gt_66_To_67_Weeks_SUM_1) + SUM(Gt_67_To_68_Weeks_SUM_1) +
SUM(Gt_68_To_69_Weeks_SUM_1) + SUM(Gt_69_To_70_Weeks_SUM_1) +
SUM(Gt_70_To_71_Weeks_SUM_1) + SUM(Gt_71_To_72_Weeks_SUM_1) +
SUM(Gt_72_To_73_Weeks_SUM_1) + SUM(Gt_73_To_74_Weeks_SUM_1) +
SUM(Gt_74_To_75_Weeks_SUM_1) + SUM(Gt_75_To_76_Weeks_SUM_1) +
SUM(Gt_76_To_77_Weeks_SUM_1) + SUM(Gt_77_To_78_Weeks_SUM_1) +
SUM(Gt_78_To_79_Weeks_SUM_1) + SUM(Gt_79_To_80_Weeks_SUM_1) +
SUM(Gt_80_To_81_Weeks_SUM_1) + SUM(Gt_81_To_82_Weeks_SUM_1) +
SUM(Gt_82_To_83_Weeks_SUM_1) + SUM(Gt_83_To_84_Weeks_SUM_1) +
SUM(Gt_84_To_85_Weeks_SUM_1) + SUM(Gt_85_To_86_Weeks_SUM_1) +
SUM(Gt_86_To_87_Weeks_SUM_1) + SUM(Gt_87_To_88_Weeks_SUM_1) +
SUM(Gt_88_To_89_Weeks_SUM_1) + SUM(Gt_89_To_90_Weeks_SUM_1) +
SUM(Gt_90_To_91_Weeks_SUM_1) + SUM(Gt_91_To_92_Weeks_SUM_1) +
SUM(Gt_92_To_93_Weeks_SUM_1) + SUM(Gt_93_To_94_Weeks_SUM_1) +
SUM(Gt_94_To_95_Weeks_SUM_1) + SUM(Gt_95_To_96_Weeks_SUM_1) +
SUM(Gt_96_To_97_Weeks_SUM_1) + SUM(Gt_97_To_98_Weeks_SUM_1) +
SUM(Gt_98_To_99_Weeks_SUM_1) + SUM(Gt_99_To_100_Weeks_SUM_1) +
SUM(Gt_100_To_101_Weeks_SUM_1) + SUM(Gt_101_To_102_Weeks_SUM_1) +
SUM(Gt_102_To_103_Weeks_SUM_1) + SUM(Gt_103_To_104_Weeks_SUM_1) +
SUM(Gt_104_Weeks_SUM_1) AS Waiting
FROM nhs_rtt.nhs
WHERE Treatment_Function_Code <> 'C_999'
GROUP BY Provider_Parent_Name
ORDER BY Waiting DESC;

```

Result Grid		Filter Rows:	Export:
Provider	Waiting		
NHS ESSEX INTEGRATED CARE BOARD	22686		
NHS SURREY AND SUSSEX INTEGRATED CARE ...	17849		
NHS GREATER MANCHESTER INTEGRATED CAR...	14765		
NHS HUMBER AND NORTH YORKSHIRE INTEGR...	10842		
NHS WEST AND NORTH LONDON INTEGRATED ...	10714		
NHS CHESHIRE AND MERSEYSIDE INTEGRATED...	10056		
NHS HAMPSHIRE AND ISLE OF WIGHT INTEGRA...	9579		
NHS CENTRAL EAST INTEGRATED CARE BOARD	9432		
NHS NORFOLK AND SUFFOLK INTEGRATED CA...	8436		
NHS SOUTH EAST LONDON INTEGRATED CARE	8160		



Why this matters: Distinguishes a localised capacity problem in one or two regions from a systemic, nationwide issue - these two situations call for completely different responses (targeted regional funding versus national policy change), so telling them apart matters.

Requirement 5 - Interactive Filtering

Slicers: RTT Part Description, Treatment Function Name, Provider Parent Name (ICB).

RTT Part Description

☐ Completed Pathways For Admitted Patients
 ☐ Completed Pathways For Non-Admitted Patients
 ☒ Incomplete Pathways
 ☐ Incomplete Pathways with DTA
 ☐ New RTT Periods - All Patients

Treatment Function Name

☐ Cardiology Service
 ☐ Cardiothoracic Surgery Service
 ☐ Dermatology Service
 ☐ Ear Nose and Throat Service
 ☐ Elderly Medicine Service
 ☐ Gastroenterology Service
 ☐ General Internal Medicine Service
 ☐ General Surgery Service
 ☐ Gynaecology Service
 ☐ Neurology Service
 ☐ Neurosurgical Service
 ☐ Ophthalmology Service
 ☐ Oral Surgery Service

Provider Parent Name

☐ NHS Bath and North East Somerset, Swindon AN...
 ☐ NHS Birmingham and Solihull Integrated Care B...
 ☐ NHS Black Country Integrated Care Board
 ☐ NHS Bristol, North Somerset and South Gloucestershire Integrated Care Board
 ☐ NHS Central East Integrated Care Board
 ☐ NHS Cheshire and Merseyside Integrated Care Board
 ☐ NHS Cornwall and the Isles of Scilly Integrated Care Board
 ☐ NHS Coventry and Warwickshire Integrated Care Board
 ☐ NHS Derby and Derbyshire Integrated Care Board
 ☐ NHS Devon Integrated Care Board
 ☐ NHS Dorset Integrated Care Board
 ☐ NHS Essex Integrated Care Board
 ☐ NHS Gloucestershire Integrated Care Board

Why this matters: Lets any manager or analyst drill into their own area of responsibility (their own ICB, their own specialty) without needing a bespoke report built for them each time - turning one dashboard into many effective views.

Requirement 6 - Data Completeness Table

Provider name, count of null values across weekly columns, sorted descending.

```
SELECT
  Provider_Org_Name,
```


[illegible]

```

IS NULL THEN 1 ELSE 0 END) + (CASE WHEN Gt_75_To_76_Weeks_SUM_1 IS NULL THEN 1 ELSE 0
END) + (CASE WHEN Gt_76_To_77_Weeks_SUM_1 IS NULL THEN 1 ELSE 0 END) + (CASE WHEN
Gt_77_To_78_Weeks_SUM_1 IS NULL THEN 1 ELSE 0 END) + (CASE WHEN Gt_78_To_79_Weeks_SUM_1
IS NULL THEN 1 ELSE 0 END) + (CASE WHEN Gt_79_To_80_Weeks_SUM_1 IS NULL THEN 1 ELSE 0
END) + (CASE WHEN Gt_80_To_81_Weeks_SUM_1 IS NULL THEN 1 ELSE 0 END) + (CASE WHEN
Gt_81_To_82_Weeks_SUM_1 IS NULL THEN 1 ELSE 0 END) + (CASE WHEN Gt_82_To_83_Weeks_SUM_1
IS NULL THEN 1 ELSE 0 END) + (CASE WHEN Gt_83_To_84_Weeks_SUM_1 IS NULL THEN 1 ELSE 0
END) + (CASE WHEN Gt_84_To_85_Weeks_SUM_1 IS NULL THEN 1 ELSE 0 END) + (CASE WHEN
Gt_85_To_86_Weeks_SUM_1 IS NULL THEN 1 ELSE 0 END) + (CASE WHEN Gt_86_To_87_Weeks_SUM_1
IS NULL THEN 1 ELSE 0 END) + (CASE WHEN Gt_87_To_88_Weeks_SUM_1 IS NULL THEN 1 ELSE 0
END) + (CASE WHEN Gt_88_To_89_Weeks_SUM_1 IS NULL THEN 1 ELSE 0 END) + (CASE WHEN
Gt_89_To_90_Weeks_SUM_1 IS NULL THEN 1 ELSE 0 END) + (CASE WHEN Gt_90_To_91_Weeks_SUM_1
IS NULL THEN 1 ELSE 0 END) + (CASE WHEN Gt_91_To_92_Weeks_SUM_1 IS NULL THEN 1 ELSE 0
END) + (CASE WHEN Gt_92_To_93_Weeks_SUM_1 IS NULL THEN 1 ELSE 0 END) + (CASE WHEN
Gt_93_To_94_Weeks_SUM_1 IS NULL THEN 1 ELSE 0 END) + (CASE WHEN Gt_94_To_95_Weeks_SUM_1
IS NULL THEN 1 ELSE 0 END) + (CASE WHEN Gt_95_To_96_Weeks_SUM_1 IS NULL THEN 1 ELSE 0
END) + (CASE WHEN Gt_96_To_97_Weeks_SUM_1 IS NULL THEN 1 ELSE 0 END) + (CASE WHEN
Gt_97_To_98_Weeks_SUM_1 IS NULL THEN 1 ELSE 0 END) + (CASE WHEN Gt_98_To_99_Weeks_SUM_1
IS NULL THEN 1 ELSE 0 END) + (CASE WHEN Gt_99_To_100_Weeks_SUM_1 IS NULL THEN 1 ELSE 0
END) + (CASE WHEN Gt_100_To_101_Weeks_SUM_1 IS NULL THEN 1 ELSE 0 END) + (CASE WHEN
Gt_101_To_102_Weeks_SUM_1 IS NULL THEN 1 ELSE 0 END) + (CASE WHEN
Gt_102_To_103_Weeks_SUM_1 IS NULL THEN 1 ELSE 0 END) + (CASE WHEN
Gt_103_To_104_Weeks_SUM_1 IS NULL THEN 1 ELSE 0 END) + (CASE WHEN Gt_104_Weeks_SUM_1 IS
NULL THEN 1 ELSE 0 END)) AS Null_Count
FROM nhs_rtt.nhs
GROUP BY Provider_Org_Name
ORDER BY Null_Count DESC;

```

Result Grid		Filter Rows:	Exports
	Provider_Org_Name	Null_Count	
▶	IMPERIAL COLLEGE HEALTHCARE NHS TRUST	290710	
	THE NEWCASTLE UPON TYNE HOSPITALS NHS ...	157195	
	ROYAL FREE LONDON NHS FOUNDATION TRUST	154300	
	LONDON NORTH WEST UNIVERSITY HEALTHCA...	154210	
	UNIVERSITY HOSPITALS OF LEICESTER NHS TR...	144056	
	HAMPSHIRE HOSPITALS NHS FOUNDATION TR...	111147	
	WRIGHTINGTON, WIGAN AND LEIGH TEACHIN...	107202	
	SOUTH TEES HOSPITALS NHS FOUNDATION TR...	99923	
	UNIVERSITY HOSPITAL SOUTHAMPTON NHS FO...	98054	



Why this matters: Every KPI and chart above is only as trustworthy as the underlying submissions. This table gives NHS data governance teams a direct, auditable escalation list of exactly which providers are under-reporting, so incomplete data can be flagged and corrected at the source rather than silently understating the true scale of the problem.

Requirement 7 - Patient Journey Breakdown (RTT Pathway Stages)

Five cards, one per stage of the RTT patient journey, showing patient volume at each stage in natural sequence - from new referral through to completed treatment.


Stage	RTT_Part_Type	Short Chart Name
1	Part_3	New Referrals
2	Part_2	Waiting (No Decision Yet)
3	Part_2A	Waiting (Admission Confirmed)
4	Part_1A	Treated – Admitted
5	Part_1B	Treated – Non-Admitted

```

SELECT
  RTT_Part_Type,
  RTT_Part_Description,
  SUM(Total_All) AS Patient_Volume
FROM nhs_rtt.nhs
WHERE Treatment_Function_Code <> 'C_999'
GROUP BY RTT_Part_Type, RTT_Part_Description
ORDER BY
  CASE RTT_Part_Type
    WHEN 'Part_3' THEN 1
    WHEN 'Part_2' THEN 2
    WHEN 'Part_2A' THEN 3
    WHEN 'Part_1A' THEN 4
    WHEN 'Part_1B' THEN 5
  END;

```

RTT_Part_Type	RTT_Part_Description	Patient_Volume
Part_3	New RTT Periods - All Patients	1937561
Part_2	Incomplete Pathways	7178718
Part_2A	Incomplete Pathways with DTA	1203248
Part_1A	Completed Pathways For Admitted Patients	319874
Part_1B	Completed Pathways For Non-Admitted Patients	1312315



Why this matters: Every other requirement focuses on the waiting-list problem in isolation. This one shows the full pipeline end-to-end - new referrals coming in, patients moving through the two waiting stages, and patients exiting via treatment - giving management a single view of flow through the system, not just a snapshot of the backlog at one point in it. It is also what makes KPI 2 (Percentage of Patients Treated) intuitive: seeing the other four stages side by side explains why the completed-pathways share is naturally a minority of the total at any given monthly cut.