

PARAMETRIC INSURANCE · ALGORAND TESTNET



Micro-insurance for AI agents that pay APIs with x402.

- x402 Exact USDC
- On-chain escrow
- Parametric refunds

Agents pay for APIs. Who refunds a 500?

- Agents pay merchants with **x402**
- Humans call support when services break
- A 500 after payment leaves the agent stuck



THE ANSWER

That's why we built ● x500

Parametric micro-insurance for agent API payments —
premium in, refund out when calls fail.

Wrap every insured API call: pay the merchant, bill a premium, refund on failure — automatically.



One path. Algorand settles money. x500 settles risk.

AGENT

● x500

x500-agent-sdk

payOnce · escrow · insured fetch



X500Pool

depositEscrow

X500 NETWORK

Market proxy

Route · classify · bill premium

Facilitator

x402 Exact verify + settle



X500Settler

settleBatch · refunds

Indexer

On-chain sync → API · dashboard

MERCHANT



X500Registry

registerEndpoint

x402 API

Exact USDC resource server

Built on Algorand primitives

 x402 Exact USDC

- x500-agent-sdk — payOnce (402 → sign → retry)
- facilitator — GoPlausible verify + ASA settle
- example/server — Exact merchant scheme

 Smart contracts

- X500Registry — endpoint + SLA + pay-to
- X500Pool — agent escrow premiums
- X500Settler — settleBatch refunds

 algosdk · algod

- dashboard — Pera / Defly / Lute registerEndpoint
- sdk — app call depositEscrow
- indexer — algod simulate + box sync



x500-agent-sdk

Insured fetch, escrow, payOnce on Algorand.

npmjs.com/package/x500-agent-sdk →



Dashboard

Register merchants, track calls, Lora settlements.

dashboard-production-915f.up.railway.app →



Example server

Live x402 weather API — paid Exact USDC route.

example-merchant-production.up.railway.app →



Example agent

An agent that pays + insures every weather call.

chat-production-acf6.up.railway.app →

GETTING STARTED

Open the dashboard

Go to [dashboard-production-915f.up.railway.app](#) — see live endpoints, calls, and pool liquidity.

x500

Overview

Endpoints

Agents

Merchants

Overview

Network activity, pool balances, and recent insured API calls.

19 active endpoints

26 settled calls

Read-only explorer — no wallet required

26

Total calls

65.4%

Breach rate

17 breaches

0.26000000

Premiums collected

HBAR

1.77000000

Refunds issued

HBAR

Network metrics

19

Endpoints

26

Settled calls

17

Total breaches

0

Settlement failures

0

Coverage jobs

Pool liquidity

ENDPOINT	BALANCE
dummy	50.00000000 HBAR
paidservice	0.89950000 HBAR
firetest	0.00950000 HBAR
firetestone	0.00950000 HBAR

N

GETTING STARTED

Start listing your API

Open **Merchants** and click **Register your API** to begin onboarding.

● x500

OverviewEndpointsAgentsMerchants

For merchants

List your API so agents can call it with built-in insurance coverage.

📄

Get your API listed

Register your public endpoint on testnet. Agents discover your service automatically and pay per call with coverage handled by the protocol.

1

Host an HTTP API with a public URL.

2

Choose a slug, set your price, and sign with HashPack.

3

Agents reach your API through x500 — no extra integration.

4

Premiums and refunds settle in HBAR automatically.

Register your API →

N

● x500

Parametric insurance for agent API payments on Hedera testnet. List your API

GETTING STARTED

Review and sign with Pera, Defly, or Lute

Confirm slug, origin, price, and SLA — then publish on Algorand testnet.

x500

OverviewEndpointsAgentsMerchants

Register your API

Connect your wallet to register or update a listing. Slugs are verified before you sign.

Registration

STEP 4 OF 4Review

WALLET

API

TERMS

REVIEW

REVIEW

ACTION

Update listing

WALLET

0.0.6026859

SLUG

service

ORIGIN

https://Od23-122-167-100-93.ngrok-free.app

RESPONSE LIMIT

30s

PRICE

0.01 HBAR

PAYMENTS TO

0.0.6026859

This updates your existing listing — no duplicate registration.

Back

Update on testnet

N

QUICK START

Insure every fetch

Install the SDK, fund escrow once, then call merchants by origin URL — premiums and refunds settle automatically.

```
npm install x500-agent-sdk
```

Requires Node.js 18+

```
import { createX500 } from "x500-agent-sdk";

const x500 = createX500({
  network: "testnet",
  address: process.env.X500_AGENT_ADDRESS!,
  mnemonic: process.env.ALGORAND_AGENT_MNEMONIC!,
});

// 1. Fund insurance escrow once
await x500.setup({ escrowMicroAlgos: 3_000_000n });

// 2. Call a registered merchant by origin URL
const res = await x500.fetch(
  "https://your-merchant.example/paid/weather?city=Paris",
);

console.log(res.status, await res.text());
await x500.close();
```

[Full example agent on GitHub](#) →

Thank you

When agents pay, risk shouldn't be theirs alone.