

String.prototype.match()

The `match()` method retrieves the result of matching a string against a [regular expression](#).

Try it

JavaScript Demo: String.match()

```
1 const paragraph = 'The quick brown fox jumps over the lazy dog. It barked.';
2 const regex = /[A-Z]/g;
3 const found = paragraph.match(regex);
4
5 console.log(found);
6 // expected output: Array ["T", "I"]
7
```

Run ›

Reset

Syntax

`match(regex)`

Parameters

`regex`

A regular expression object, or any object that has a [Symbol.match](#) method.

If `regex` is not a `RegExp` object and does not have a `Symbol.match` method, it is implicitly converted to a [RegExp](#) by using `new RegExp(regex)`.

If you don't give any parameter and use the `match()` method directly, you will get an [Array](#) with an empty string: `[""]`, because this is equivalent to `match(/(?:)/)`.

Return value

An [Array](#) whose contents depend on the presence or absence of the global (`g`) flag, or `null` if no matches are found.

- If the `g` flag is used, all results matching the complete regular expression will be returned, but capturing groups are not included.
- If the `g` flag is not used, only the first complete match and its related capturing groups are returned. In this case, `match()` will return the same result as [RegExp.prototype.exec\(\)](#) (an array with some extra properties).

Description