

Php - Laravel

Activitat ACT610 Instal.lar

Laravel

Marta Llabrés Roldós
2n DAW
M0613 Desenvolupament web en entorn servidor
Curs 25-26

1. per crear aplicació

```
marta@marta-Linux-Mint:~/Documentos/M7-0613-entornServidor$ laravel new ProvantLaravel
```



```
Which starter kit would you like to install?
> ☒ None
  ☐ React
  ☐ Vue
  ☐ Livewire

Which testing framework do you prefer?
> ☒ Pest
  ☐ PHPUnit

Do you want to install Laravel Boost to improve AI assisted coding?
☐ Yes / ☒ No

INFO Application key set successfully.

Which database will your application use?
☐ SQLite
> ☒ MySQL
☐ MariaDB
☐ PostgreSQL
☐ SQL Server (Missing PDO extension)

Default database updated. Would you like to run the default database migrations?
☒ Yes / ☐ No

No security vulnerability advisories found.

Would you like to run npm install and npm run build?
☒ Yes / ☐ No
```

2. al fitxer .env posar la contrasenya de root de la base de dades

```
DB_CONNECTION=mysql
DB_HOST=127.0.0.1
DB_PORT=3306
DB_DATABASE=provantlaravel
DB_USERNAME=root
DB_PASSWORD='Qwerty2526$'
```

3. Entrem a mysql des del terminal amb 'mysql -u root -p' i posem la contrasenya que acabem de crear

```
marta@marta-Linux-Mint:~/Documentos/M7-0613-entornServidor/ProvantLaravel$ mysql -u root -p
Enter password:
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 37
Server version: 8.0.45-0ubuntu0.24.04.1 (Ubuntu)
```

- creem base de dades amb el nom de la base de dades que tenim al fitxer .env

```
mysql> create database provantlaravel;
Query OK, 1 row affected (0,01 sec)
```

- Fer la migració per a que almenys em crei les taules per defecte amb 'php artisan migrate'

```
marta@marta-Linux-Mint:~/Documentos/M7-0613-entornServidor/ProvantLaravel$ php artisan migrate
INFO: Preparing database.
Creating migration table ..... 25.46ms DONE
INFO: Running migrations.
0001_01_01_000000_create_users_table ..... 121.19ms DONE
0001_01_01_000001_create_cache_table ..... 76.39ms DONE
0001_01_01_000002_create_jobs_table ..... 91.93ms DONE
```

- Arrancar l'aplicació amb composer run dev

```
marta@marta-Linux-Mint:~/Documentos/M7-0613-entornServidor/ProvantLaravel$ composer run dev
> Composer\Config::disableProcessTimeout
> npx concurrently -c "#93c5fd,#c4b5fd,#fb7185,#fdba74" "php artisan serve" "php artisan queue:listen --tries=1 --timeout=0" "php artisan pail --timeout=0" "npm run dev" --names=server,queue,logs,vite --kill-others
[vite]
[vite] > dev
[vite] > vite
[queue]
[queue] INFO: Processing jobs from the [default] queue.
[logs]
[logs] INFO: Tailing application logs. Press Ctrl+C to exit
[logs] Use -v|-vv to show more details
[server]
[server] INFO: Server running on [http://127.0.0.1:8000].
[server] Press Ctrl+C to stop the server
[vite]
[vite] VITE v7.3.1 ready in 699 ms
[vite]
[vite] → Local: http://localhost:5173/
[vite] → Network: use --host to expose
[vite]
[vite] LARAVEL v12.49.0 plugin v2.1.0
[vite]
[vite] → APP_URL: http://localhost:8000
[server] 2026-02-04 19:00:28 / ..... ~ 500.52ms
[server] 2026-02-04 19:00:29 /favicon.ico ..... ~ 0.47ms
History restored
marta@marta-Linux-Mint:~/Documentos/M7-0613-entornServidor/ProvantLaravel$
```

- Comprovem que l'aplicacion funciona a localhost:8000

