

TABLE 2 Details for trials of 22 AEDs in the 306 individuals with treatment trials over 12 mo long

AED name	AED	No. of trials	No. of patients	12-mo retention rate (%)	Treatment duration (median months $\pm$ MAD)	Maximum dose (median mg/d)	AED 1 (%)	AED 2 (%)	AED 3 (%)
Valproate	VPA	279	248	86.1	68 $\pm$ 71.5	1200	57.0	20.5	22.5
Lamotrigine	LTG	161	153	83.5	35 $\pm$ 35.6	300	26.9	35.2	37.9
Levetiracetam	LEV	124	122	79	31 $\pm$ 33.4	2000	10.8	26.4	62.8
Carbamazepine	CBZ	64	62	77.1	30 $\pm$ 34.1	800	50.0	22.7	27.3
Topiramate	TPM	60	55	62.7	23 $\pm$ 31.1	200	19.1	13.2	67.6
Clobazam	CLB	33	30	47.1	11 $\pm$ 13.5	20	2.8	11.1	86.1
Phenobarbital	PB	31	29	66.7	39 $\pm$ 106.7	100	37.5	15.6	46.9
Ethosuximide	ESM	27	25	69.2	60 $\pm$ 83.7	750	21.4	21.4	57.1
Phenytoin	PHT	27	24	69.2	48 $\pm$ 66.7	300	18.5	25.9	55.6
Clonazepam	CNZ	25	22	62.5	21 $\pm$ 22.6	4	7.7	26.9	65.4
Zonisamide	ZNS	15	14	86.7	27 $\pm$ 22.2	300	—	—	100
Primidone	PRM	12	12	83.3	60 $\pm$ 29.3	750	14.3	21.4	64.3
Oxcarbazepine	OXC	11	11	83.3	44 $\pm$ 40.4	1350	25.0	41.7	33.3
Acetazolamide	AZM	7	7	0	6 $\pm$ 8.6	500	28.6	—	71.4
Gabapentin	GBP	5	5	0	3 $\pm$ 3.7	1200	—	40.0	60.0
Diazepam	DZP	3	3	—	—	10	66.7	33.3	—
Vigabatrin	VGB	3	3	50	34 $\pm$ 42.9	2000	—	66.7	33.3
Lacosamide	LCM	2	2	100	34 $\pm$ 26.4	350	—	—	100
Piracetam	PIR	2	2	0	1 $\pm$ 0	2400	—	—	100
Tiagabine	TGB	2	2	—	—	—	—	—	100
Bromide	BRM	1	1	—	—	—	100	—	—
Felbamate	FBM	1	1	100	112 $\pm$ 0	1800	—	—	100

Note: The three rightmost columns present the proportions of trials started as the individual's first, second, or third or later AED. Missing data are denoted by (—).

Abbreviations: AED, antiepileptic drug; MAD, median absolute deviation.