

TABLE 2 WORLD EPIDEMIOLOGY OF PEDIATRIC AKI

Country	Year	Study design	AKI diagnostic criteria	Patient characteristics	Number of patients	% RRT*	Incidence (%)	Mortality (%)
Nigeria ⁵⁴	2004	Prospective Single center	Non-standardized definition	0-15 year-old patients admitted with AKI diagnosis	123	53	—	43.9
Thailand ¹⁹	2006	Retrospective Single center	Non-standardized definition	1 month-17 years patients with AKI diagnosis in Thai hospital	311	17.6	—	41.5 63.6 if RRT
New Zealand ¹⁶	2008	Retrospective Single center	Only patients who required RRT	0-15-year-old AKI patients submitted to RRT	226	100	—	11
United States ⁵	2010	Retrospective Single center	RIFLE	31 days-21 years patients admitted to the PICU	3,396	1.2	10	30-32 42.5 if RRT
United States ²⁷	2013	Retrospective Multicentric	Patients diagnosed with AKI by the ICD **	0-18 year-old patients admitted to 4121 hospitals of the country in 2009	2,644,263	8.8	0.39	15.3
China ¹⁸	2013	Prospective Multicentric	AKIN	15 days to 18 year-old patients admitted to 27 hospitals in 2008	388,736	15.1	0.32	3.4
United States ³⁰	2014	Retrospective Single center	KDIGO	Newborns with weight ≤ 1500 g admitted to NNICU from 2008-2011	455	0.55	39.8	14.4
United States ²⁸	2015	Retrospective Single center	KDIGO	1 month-21 year-old patients admitted to the PICU 2003-2012	8260	17.7	11.8	25.3
United States ²⁹	2017	Prospective Multicentric	KDIGO	3 months-25 year old patients admitted to 32 PICUs in 4 continents	4984	1.5	26.9	5.5 11 if stage 2 or 3
Pakistan ³¹	2017	Prospective Single center	pRIFLE	1 month-15 year-old patients with AKI diagnosis admitted in 1 year	116	53	—	5.3
India ³²	2017	Prospective Single center	pRIFLE	2 months-18 year old patients admitted to the PICU in 1 year	380	19	14	36