Aurevix — Demo Video Script v2

Reframed around the **ingest** → **translate** → **deploy** layer. Aurevix meets customers where they are — video, photos, SOPs, CAD — and produces a clean, safety-gated robot program on the other side, with wrap-around support to fine-tune per customer.

1. The Strategic Reframe

The original script led with a single, cinematic input: phone video → robot. That's compelling, but it undersells the product's actual moat, which is **universal ingestion**. Aurevix doesn't just decode video — it decodes *intent*, from whatever format the customer already works in. The script and the on-screen demo must reflect that.

Old spine	Phone video → extract → simulate → deploy
New spine	**Bring what you have → Aurevix translates intent → clean program out → you own it forever**

This matters for the demo: **the on-screen UI must visibly show the intake selector** (video / photos / SOP / CAD file) before jumping to any output. The transformation is the story — not the input format.

2. Video Length — Recommendation Unchanged, Reasoning Updated

CUT	LENGTH	AUDIENCE	WHERE IT LIVES
Hero	75–90 s (first 30 s = standalone)	Cold visitors, ads, social	Homepage hero, top of cold emails
Deep-dive	2.5–3 min, chaptered	Integrators, OEM partners, warm leads	"Watch the full walkthrough" link, sales decks

Key addition: the hero's first 30 seconds must now demonstrate the intake selector — showing at least two input types (e.g. video and SOP) in rapid succession before locking onto the main demo path. This raises the platform's perceived surface area without adding runtime.

3. What to Show — and What to Cut

The new narrative introduces a mandatory opening beat (input diversity) and tightens the existing beats to stay under 90 s. Features are unchanged; their *framing* shifts from feature-tour to transformation proof.

INPUT TYPE	WHAT AUREVIX DOES	HERO ✓	DEEP-DIVE ✓	WHY
Video intake	Intent extraction from video demo	■ Lead	■	The magic. Must still open.
Photo / SOP intake	Quick flash: 'or start from a photo or SOP'	■ 3 s flash	■ full	Platform breadth without runtime cost.
CAD / digital twin import	Model import → motion pre-planned	■	■	Too technical for cold visitors.
Intent extraction panel	'Found 5 task stages' populating	■	■	Shows understanding, not just recording.
3D simulation / replay	Review before hardware moves	■ brief	■ full	The trust beat.
Safety gating	Deploy-readiness score + gate	■ 1 line	■ explained	Differentiator. Answers 'is it safe?'
Multi-brand export	UR / ABB / FANUC / KUKA logos → one task	■	■	The moat.
ROI beat	Hours not weeks / $ saved per cell	■ 1 line	■ with calc	Closes 'why care.'
Wrap-around support CTA	Book a tune-up / design partner note	■ end card	■ chapter	New: positions ongoing relationship.
Tool-changer config	Auto dock/undock on skill switch	■	■	Proof of depth for integrators only.
Execution history table	Operational log	■	■ brief	Warm buyers only.
Billing / settings	—	■	■	Never in a demo video.

4. Hero Script (≈ 85 seconds)

Format: **VISUAL** = what the viewer sees (must work muted). **VO** = voiceover (bonus layer, not load-bearing). **ON-SCREEN TEXT** = burned-in caption (the primary communication channel). Autoplay is silent — every claim must live in text.

0:00–0:07 **The platform hook (standalone 30 s starts here)**	**VISUAL** Split-screen montage: (left) a worker holds up a phone filming a pick-and-place. (right) a brief flash of a photo being dragged in, then an SOP document thumbnail. All three dissolve into the Aurevix intake screen showing the source-type selector: Video · Photos · SOP · CAD. Worker selects 'Video.' No pendant. No laptop. Real factory floor. **VO** *"Whatever you have — a phone video, a photo sequence, a written SOP — Aurevix turns it into a running robot program."* **ON-SCREEN TEXT** **Bring what you have. Aurevix does the rest.**
0:07–0:16 **Intent extraction**	**VISUAL** Console: uploaded video on the left. Right panel: 'Aurevix found 5 task stages' — steps populate one by one: Pick → Rotate → Place → Switch tool → Trigger machine. Each step is in plain English, not code. **VO** *"It reads the demonstration and works out the intent — what to pick, where to place it, what order, what to wait for."* **ON-SCREEN TEXT** **Aurevix understands the task — not just the motion.**
0:16–0:24 **Simulation — the trust beat**	**VISUAL** 3D viewport: generated motion replays smoothly. 'Interpreted intent — Step 1/8' reads in plain English. Viewer sees exactly what the robot will do before it does it. **VO** *"It re-plans that intent for your robot, and you review the whole thing in simulation — before anything physical moves."* **ON-SCREEN TEXT** **Review the plan. Nothing moves until you approve it.**
0:24–0:32 **The payoff (end of standalone 30 s clip)**	**VISUAL** Quick cut: real robot arm executing the same task on the line. Motion visibly matches the simulation. Side-by-side or matched cut — the proof is in the visual continuity. **VO** *"From a phone video to a running robot. Hours — not weeks of integrator time."* **ON-SCREEN TEXT** **From video to running robot — in hours, not weeks.**

0:32–0:45

Reason to believe #1 Multi-brand — the moat

VISUAL

Cross-vendor callout panel: UR · ABB · FANUC · KUKA · Techman · Yaskawa logos. Console shows: 'Task imported from UR10e → re-planned for ABB GoFa.' One task, two robots, zero rework.

VO

"Teach it once on any brand you own — Universal Robots, ABB, FANUC, KUKA, Techman, Yaskawa — and redeploy without starting over."

ON-SCREEN TEXT

One task. Any robot brand. Yours to keep.

0:45–0:57

Reason to believe #2 Ownership — the pain point

VISUAL

Split visual: integrator invoice struck through on the left. Right: worker edits a task step in the console — confident, no code, no pendant. The edit takes seconds.

VO

"Every change used to mean calling the integrator, waiting, and paying again. Now your team owns it. No pendant. No code. No per-task fees. And if you need us to tune it — we're right there."

ON-SCREEN TEXT

Your team owns the program. We're here when you need us.

0:57–1:09

Reason to believe #3 Safety gating — the differentiator

VISUAL

Deploy-readiness score with the gate: scored green with 'Safety-aware: ISO 10218 / ISO/TS 15066 referenced' and 'Human verified: deployment gated for review' callouts. Gate is explicitly not automatic — the worker clicks Approve.

VO

"And it's built for the factory floor — every program is scored for readiness and gated for your team's review. Aurevix assists; it never overrides."

ON-SCREEN TEXT

Built to be checked. Gated for human approval.

1:09–1:18

Business case — ROI

VISUAL

ROI view: 'Annual savings per cell' with figure. 'Hours, not weeks' stat. Clean, single number — not a cluttered calculator.

VO

"Programming that took weeks, done in an afternoon — and the savings show up on every cell."

ON-SCREEN TEXT

See the savings per cell. Built for your robot, your task, your floor.

1:18–1:25 **Close + CTA**	VISUAL Clean end card: Aurevix mark. Brand line. Single CTA button. URL. NO pricing, NO settings, NO second CTA. VO *"Aurevix. Bring us your robot and your task — video, photos, SOP, whatever you have — and we'll show you live."* ON-SCREEN TEXT **Show it once. It runs on repeat. → Request a demo | agenticconvergent.com**

***Total:** ≈ **85 seconds.** If the hero creeps past 90 s, cut the ROI beat (1:09–1:18) — never trim the opening 30 s or the safety beat.*

5. Deep-Dive / Partner Cut — What to Add (≈ 2.5–3 min)

Open with the hero as-is (85 s), then add these chaptered sections:

Chapter 1: Photo & SOP ingestion (≈ 30 s)

Walk through a real intake from a photo sequence and separately a PDF SOP. Show the step-parser producing the same intent graph. Key line: 'No video? No problem. Start from what you have on the floor today.'

Chapter 2: CAD / digital twin import (≈ 25 s)

Import a CAD model, show the motion pre-planner using geometry. Key line: 'Already have a digital twin? Aurevix works from that too — no re-teaching required.'

Chapter 3: Multi-step + conditional logic (≈ 25 s)

Show a machine-tend sequence with a signal-wait and an IF condition. Proves it handles production complexity, not toy tasks.

Chapter 4: Tool-changer (≈ 25 s)

Configure tool stations once; Aurevix auto-inserts dock/undock moves. Specific 'wow' for integrators.

Chapter 5: Code export + compatibility (≈ 25 s)

Show exported native code (URScript, RAPID, FANUC TP) + PDF report. Flash the compatibility matrix: robot brands, gripper types, ROS 2 / Isaac Sim / I/O. 'See the actual code. No black box.'

Chapter 6: ROI calculator, interactive (≈ 20 s)

Adjust an input live; savings update. 'Download as PDF.' Arms the internal champion.

Chapter 7: Wrap-around support (≈ 20 s)

NEW: Brief beat showing the support touchpoints — fine-tuning calls, design partner track, ongoing optimization. Key line: 'We don't hand you the keys and disappear. We tune it with you.'

Chapter 8: Honest boundaries (≈ 15 s)

'Aurevix does not replace your safety PLC, light curtains, or approval workflow.' One calm beat. Builds trust with serious buyers.

End on the same card as the hero + a partner-specific CTA: **'Become a design partner'** or **'Book a technical walkthrough.'**

6. Production Notes

Design for muted autoplay. Every key claim must appear as on-screen text. The VO is a bonus, not the signal carrier.

Open on the intake selector, not the output. The new hook is 'bring what you have' — which means the first visual is the intake screen with multiple source types visible, then the worker choosing. Get to the platform breadth before you get to the result.

Show two input types in the first 7 seconds. A 3-second montage (video → photo → SOP thumbnail → intake screen) is enough to establish 'any format' without burning runtime. Don't narrate it — show it.

Match simulation to reality. The cut from 3D replay (0:16–0:24) to the real robot (0:24–0:32) is the proof moment. Make the motions visibly match. A bad match undercuts the whole video.

Keep claims hedged and specific. 'Hours, not weeks,' 'for supported robots and workflows,' 'gated for review.' The site already does this well — the video must match, or it oversells a safety product.

Ownership language beats integrator-bashing. The line is 'your team owns it — and we're here when you need us.' This positions Aurevix as amplifier, not replacement. Don't make enemies of integrators who may be watching.

Wrap-around support must appear. Even in the hero, the end card CTA and the VO close should reference 'bring us your task.' This is the on-ramp to the support relationship — don't bury it in the deep-dive only.

One CTA in the hero. 'Request a demo.' Save 'design partner' for the deep-dive.

Captions burned in. Accessibility + silent autoplay + DE/US/UK/CN audiences.

Length discipline. Hero creeping past 90 s? Cut the ROI beat. Never cut the opening 30 s or the safety beat.

7. Pre-Publish Checklist

AREA	CHECK
HERO — INPUT	Intake selector appears in the first 7 seconds showing ≥ 2 input types.
HERO — MUTED	First 30 s work as a standalone clip tested muted.
HERO — TEXT	Every claim has on-screen text, not just VO.

AREA	CHECK
HERO — LENGTH	Hero is ≤ 90 s; deep-dive is separate and chaptered.
HERO — BEATS	Multi-brand, safety gating, and ownership each get exactly one clear beat.
HERO — OWNERSHIP	End VO includes 'and we're here when you need us' (wrap-around signal).
HERO — END CARD	Brand line + single CTA + URL. No pricing. No settings.
HERO — SAFETY	'Aurevix assists, never overrides' present in hero (one line).
DEEP-DIVE	Photo/SOP ingestion chapter is present and comes before tool-changer.
DEEP-DIVE	CAD import chapter present for partners.
DEEP-DIVE	Wrap-around support beat present as its own chapter.
DEEP-DIVE	Honest boundaries beat present ('does not replace your safety PLC').
BOTH	Simulation visibly matches real robot execution — matched cut or side-by-side.
BOTH	Captions burned in. No external subtitle file dependency.