## **jQuery Library**

jQuery Library, Selectors, DOM Manipulation, Events, Plugins





SoftUni Team
Technical Trainers







**Software University** 

http://softuni.bg

## **Table of Contents**



- 1. jQuery Overview
- 2. jQuery Selectors
- 3. DOM Manipulation
- 4. Handling Events
- 5. jQuery Plugins



### Have a Question?





## What is jQuery?



- jQuery is a cross-browser JavaScript library
  - Dramatically simplifies DOM manipulation
  - Simplifies AJAX calls and working with RESTful services
  - Free, open-source software: <a href="https://jquery.com">https://jquery.com</a>

```
<script src="https://code.jquery.com/jquery-
3.1.1.min.js"></script>
```

Load jQuery from its official CDN

```
$('li').css('background', '#DDD');
```

## Why jQuery?



- Very popular
  - 83 547 613 live sites use jQuery (73.3% of all websites)
  - http://trends.builtwith.com/javascript/jQuery
- Easy to learn
- Large community
- Cross-browser support
- Official web site: <a href="http://jquery.com">http://jquery.com</a>

## Using jQuery from CDN



```
<script src="https://code.jquery.com/jquery-
3.1.1.min.js" integrity="sha256-
hVVnYaiADRTO2PzUGmuLJr8BLUSjGIZsDYGmIJLv2b8=
"crossorigin="anonymous"></script>
```

```
$(function() {
    $("a").on('click', (event) => {
        alert("Link forbidden!");
        event.preventDefault();
    });
});
```

## Using jQuery from Local Script



```
<script src="jquery-3.1.1.min.js"></script>
This is a <a href="https://softuni.bg">link</a>.
$(function() {
                                                   ☐ jQuery Exam × \
  $("body *").on('click', function(event) {
                                                   \leftarrow \rightarrow \mathbf{C} \bigcirc jquery-local.html
    $(this).fadeOut();
    $(document.body).append(
                                                   This is a <u>link</u>.
      'Removed: ' + $(this).text() + '<br>');
                                                     one
    event.preventDefault();

    three

    event.stopPropagation();
                                                   Removed: [object HTMLLIElement]
  });
```

## Selection with jQuery



jQuery selectors return a collection matched items

Even if there is only one item

```
$('div') // document.getElementsByTagName('div');
$('.menu-item') // document.getElementsByClassName('.menu-
item');
$('#navigation') // document.getElementById('navigation');
$('ul.menu li') // document.querySelectorAll('ul.menu li');
```

http://learn.jquery.com/using-jquery-core/selecting-elements/

Selected elements can be processed as a group

```
$('div').css('background', 'blue'); // Make all DIVs blue
```

## **jQuery Selectors**



DOM elements selection in jQuery is much like as in JavaScript

\$('\*') // Selects all elements

- All selector
- Class selector
- \$('.class') // Selects all elements by class name
- Element selector
- \$('section') // Selects all elements by tag
  name

Id selector

- \$('#id') // Selects a element by given id
- Multi-selector
- \$('selector1, selector2') // Combined
  selector

## Filter Selectors in jQuery




```
$('li:even') // Even 
                              $('li:odd') // Odd <Li>
                             $('li:last') // Last 
$('li:first') // First 
$('li:first-child') // Selects the first child of 
$('li:has(p)') // Selects all holding  inside
$('li:contains("Sofia")') // Selects holding given text
$('li:eq(2)') // Selects the third  element
$('li:not(:checked)') // Elements not matching the selector
```

#### **Problem: Text from List**




- An HTML page holds a list of text items + [Extract Text] button
- Write a JS function to display all list items, separated by ","



#### **Problem: Text from List – HTML**




```
first item
 second item
 third item
<button onclick="extractText()">
 Extract Text
</button>
<div id="result"></div>
```



#### **Solution: Text from List**



```
function extractText() {
  let items = $("ul#items li")
    .toArray()
    .map(li => li.textContent)
    .join(", ");
  $("#result").text(items);
```




Check your solution here: <a href="https://judge.softuni.bg/Contests/329">https://judge.softuni.bg/Contests/329</a>

#### **Problem: Search in List**



- A HTML page holds a list of towns + search box + [Search] button
- Write a JS function to highlight all towns holding the search text



#### **Problem: Search in List – HTML**



```
Х
d="towns">

○ Search in | x

  Sofia
                                             C Q search-in-list.html
  Pleven

    Sofia

  Varna

    Pleven

    Varna

  Plovdiv

    Plovdiv

Ы
                                                          Search
<input type="text" id="searchText" />
<button onclick="search()">Search
<div id="result"></div>
```

#### **Solution: Search in List**



```
function search() {
  let searchText = $('#searchText').val();
  let matchedElements =
       $(`#towns li:contains('${searchText}')`);
  $("#towns li").css('font-weight', '');
  matchedElements.css('font-weight', 'bold');
  $("#result").text(matchedElements.length
       + ' maches found.');
```



# Adding and Removing DOM Elements Altering the DOM with jQuery

## Adding Elements with jQuery



- Select the parent element, then use:
  - append() / prepend()
  - appendTo() / prependTo()

```
<div id="wrapper">
    <div>Hello, student!</div>
    <div>Goodbye, student!</div>
</div>
```

```
<h1>Greetings</h1>
▼<div id="wrapper">
 ▼<div>
     "Hello, student!"
     It's party time :)
   </div>
 ▼<div>
    "Goodbye, student!"
     It's party time :)
   </div>
 </div>
```

```
$('#wrapper div').append("It's party time :)");
```

```
$('<h1>Greetings</h1>').prependTo('body');
```

## **Creating / Removing Elements**



```
let div = $('<div>');
div.text('I am a new div.');
div.css('background', 'blue');
div.css('color', 'white');
$(document.body).append(div);
```


```
let paragraph = $('Some text');
paragraph.appendTo(div);
```

```
$('div').remove();
```

#### **Problem: Countries Table**



- You are given a HTML table holding countries with their capital
- Implement add / delete / move up / move down actions for the table rows
- Initially add these countries:
  - Bulgaria / Sofia
  - Germany / Berlin
  - Russia / Moscow



#### **Problem: Countries Table – HTML**



```
<style>
 td, th { background: #DDD; padding: 5px 10px }
 input[type='text'] { width: 60px }
 a { margin-left: 5px }
</style>
CountryCapitalAction
 <input type="text" id="newCountryText" />
   <input type="text" id="newCapitalText" />
   <a href="#" id="createLink">[Create]</a>
 <script>$(() => initializeTable())</script>
```

#### **Solution: Countries Table – Initialize Table**



```
function initializeTable() {
  $("#createLink").on('click', createCountry);
  addCountryToTable("Bulgaria", "Sofia");
  addCountryToTable("Germany", "Berlin");
  addCountryToTable("Russia", "Moscow");
  fixRowLinks();
// Functions addCountryToTable(country, capital),
createCountry(), moveRowUp(), moveRowDown(), deleteRow(),
fixRowLinks()come here ...
```

## Solution: Countries Table – Create Country



```
function createCountry() {
  let country = $('#newCountryText').val();
  let capital = $('#newCapitalText').val();
  addCountryToTable(country, capital, true);
  $('#newCountryText').val('');
  $('#newCapitalText').val('');
  fixRowLinks();
```

## Solution: Countries Table – Add Country Row



```
function addCountryToTable(country, capital) {
  let row = $('')
    .append($(">").text(country))
    .append($(">").text(capital))
    .append($(">")
      .append($("<a href='#'>[Up]</a>").on('click', moveRowUp))
      .append($("<a href='#'>[Down]</a>").on('click', moveRowDown))
      .append($("<a href='#'>[Delete]</a>").on('click', deleteRow)));
  row.css('display', 'none');
  $("#countriesTable").append(row);
  row.fadeIn();
```

## Solution: Countries Table – Row Up



```
function moveRowUp() {
  let row = $(this).parent().parent();
  row.fadeOut(function() {
    row.insertBefore(row.prev());
    row.fadeIn();
    fixRowLinks();
  });
```

#### Solution: Countries Table – Row Down



```
function moveRowDown() {
  let row = $(this).parent().parent();
  row.fadeOut(function() {
    row.insertAfter(row.next());
    row.fadeIn();
    fixRowLinks();
  });
```

#### **Solution: Countries Table – Delete Row**




```
function deleteRow() {
  let row = $(this).parent().parent();
  row.fadeOut(function() {
    row.remove();
    fixRowLinks();
  });
}
```

#### **Solution: Countries Table – Fix Row Links**



```
function fixRowLinks() {
 // Show all links in the table
  $('#countriesTable a').css('display', 'inline');
 // Hide [Up] link in first table data row
  let tableRows = $('#countriesTable tr');
  $(tableRows[2]).find("a:contains('Up')")
    .css('display', 'none');
 // Hide the [Down] link in the last table row
  $(tableRows[tableRows.length - 1]).find("a:contains('Down')")
    .css('display', 'none');
```



## Handling Events with Ease jQuery Events

## jQuery Events: Attach / Remove



Attaching events on certain elements

```
$('a.button').on('click', buttonClicked);
function buttonClicked() {
   $('.selected').removeClass('selected');
   $(this).addClass('selected');
   // "this" is the event source (the hyperlink clicked)
}
```

Removing event handler from certain elements

```
$('a.button').off('click', buttonClicked);
```

#### **Problem: Link Buttons – HTML**



```
link-buttons.html
<head>
              <link rel="stylesheet" href="link-buttons.css" />
              <script src="jquery-3.1.1.min.js"></script>
              <script src="link-buttons.js"></script>
</head>
<body onload="attachEvents()">

    Select / Deselect Lin × 
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
   \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
    \
   \
    \
    \
    \
    \
    \
    \
    \
    \
   \
   \

   \
   \

   \
   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

  \\

   \

   \

   \

   \

   \

   \

   \

   \

   \

   \

              <a class="button">Sofia</a>
                                                                                                                                                                                                                                                                ← → C Q link-buttons.html
              <a class="button">Plovdiv</a>
              <a class="button">Varna</a>
                                                                                                                                                                                                                                                                                                                                                                                                            Varna
                                                                                                                                                                                                                                                                                                                                ✓ Plovdiv
                                                                                                                                                                                                                                                                             Sofia
</body>
```

#### **Problem: Link Buttons – CSS**



#### link-buttons.css a.button { a.button.selected { border: 1px solid #CCC; color: #111; background: #EEE; font-weight: bold; padding: 5px 10px; border: 1px solid #AAA; border-radius: 5px; background: #BBB; color: #333; a.button.selected::before { text-decoration: none; display: inline-block; content: "\2713\20\20"; margin: 5px; a:hover {cursor: pointer;}

## Solution: Link Buttons – JavaScript



```
link-buttons.js
function attachEvents() {
 $('a.button').on('click', buttonClicked);
  function buttonClicked() {
    $('.selected').removeClass('selected');
   $(this).addClass('selected');
    // "this" is the event source (the hyperlink clicked)
```

## jQuery Events: Multiple



- Handling events on multiple elements
  - Add a handler on the parent element


```
function onListItemClick() {
   $('.selected').removeClass('selected');
   $(this).addClass('selected');
}

$('ul').on('click', 'li', onListItemClick);
```

#### **Problem: Selectable Towns**



- An HTML page listing towns
  - Clicking on a town should select
  - / deselect it
  - A button shows all selected towns



```
<style>li { display: inline-block }</style>
SofiaVarna...
<br/><button id="showTownsButton">Show Towns</button>
<div id="selectedTowns"></div>
<script>$(()=>attachEvents())</script>
```

#### **Solution: Selectable Towns – Click Towns**



```
function attachEvents() {
  $('#items').on('click', 'li', function() {
    let li = $(this);
    if (li.attr('data-selected')) {
                                                 Attach attribute
      li.removeAttr('data-selected');
                                               'data-selected' = 'true'
                                               to each selected < !!>
      li.css('background', '');
    } else {
      li.attr('data-selected', 'true');
      li.css('background', '#DDD');
  });
```

### **Solution: Selectable Towns – Show Towns**



```
$('#showTownsButton').on('click', function() {
  let selLi = $('#items li[data-selected=true]');
  let towns = selLi.toArray()
    .map(li => li.textContent).join(', ');
  $('#selectedTowns')
     .text("Selected towns: " + towns);
});
```

Check your solution here: <a href="https://judge.softuni.bg/Contests/329">https://judge.softuni.bg/Contests/329</a>



## **jQuery Plugins**





- jQuery has many ready-to-use plugins
  - E.g. the jQueryUI library for UI controls
- Plugins for UI
  - Tabs <a href="https://jqueryui.com/tabs/">https://jqueryui.com/tabs/</a>

```
$('#tabs-holder').tabs();
```

- Arrangeable elements (with drag and drop)
  - https://jqueryui.com/sortable/#display-grid

```
$('#grid').sortable();
```





### **Creating jQuery Plugins**



```
(function($) {
  $.fn.highlight = function(className) {
    $(this).on("mouseover", function() {
      $(this).addClass(className);
    });
    $(this).on("mouseout", function() {
      $(this).removeClass(className);
    });
                      $(".item").highlight('big');
}(jQuery));
```

### Using the Highlight jQuery Plugin



```
<style>
  .item { border: 1px solid #DDD }
  .big { font-size: 1.5em; font-weight: bold; }
</style>
<span class="item">First</span>
                                              [] jQuery Highlight Plu ×
                                                C | Q jquery-highlight-plugin.html
<span class="item">Second</span>
<span class="item">Third</span>
                                             First Second Third
<script>$(".item").highlight('big');
</script>
```



# Live Exercises in Class (Lab) Practice: Using jQuery

### Summary



- jQuery is very powerful on DOM manipulation
  - Very popular library, run on 83 547 613 sites
- Select + edit DOM elements:

```
$('p.red').css('background', 'blue');
```

Create elements:

```
$('<h1>Hello</h1>').appendTo('body');
```

Handle events:

```
$('#items').click(function() { ... });
```



# Questions?











**SoftUni** 





### **SoftUni Diamond Partners**





























### **SoftUni Organizational Partners**













# Trainings @ Software University (SoftUni)



- Software University High-Quality Education and Employment Opportunities
  - softuni.bg
- Software University Foundation
  - http://softuni.foundation/
- Software University @ Facebook
  - facebook.com/SoftwareUniversity
- Software University Forums
  - forum.softuni.bg









#### License



This course (slides, examples, demos, videos, homework, etc.) is licensed under the "<u>Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International</u>" license

