

1.

URI	http://18.233.100.5:3001/ChocoAndino/fauna
METHOD	GET
REQUEST	
PARAMS	n/a
BODY	<pre> _id: ObjectId("62cf0ac43415ba4a9455e427") scientific_name: "Hypsiboas picturatus" url_image: "https://i.ibb.co/123dx7L/20210704-085515.jpg" vulgar_name: "Rana de Árbol de Imbabura" description: " Los machos miden de 46 a 53 mm (1,8 a 2,1 pulgadas) date: "04/07/2021 08:55" type: "animal" id: 3 _id: ObjectId("62cf0ac43415ba4a9455e428") scientific_name: "Oruga" url_image: "https://i.ibb.co/kyjvg8/115.jpg" vulgar_name: "Oruga" description: " Oruga de la polilla. La oruga es un animal invertebrado que pertenece..." date: "20/03/2019" type: "animal" id: 4 _id: ObjectId("62cf0ac43415ba4a9455e429") scientific_name: "Tarantula" url_image: "https://i.ibb.co/0MvBcR/20190302-222435.jpg" vulgar_name: "Tarantula" description: "Una de las arañas más grandes de la familia Ilicósidos (date: "02/03/2019" type: "animal" id: 5 _id: ObjectId("62cf0ac43415ba4a9455e426") scientific_name: "Thalurania furcata" url_image: "https://i.ibb.co/FyBcJYY/20190501-083843.jpg" vulgar_name: "Picaflor" description: "El macho mide entre 9,5 5 y 10,5 cm6 y la hembra 8 date: "01/05/2019 08:38" type: "animal" id: 2 </pre>
TYPE	JSON
RESPONSE	200
PARAMS	N/A
TYPE	JSON
DESCRIPTION	Show all wildlife json that exist in the database wing

2.

URI	http://18.233.100.5:3001/ChocoAndino/fauna/{id}
METHOD	GET
REQUEST	
PARAMS	n/a
TYPE	JSON
RESPONSE	200
PARAMS	N/A
BODY	<pre> _id: ObjectId("62cf0ac43415ba4a9455e426") scientific_name: "Thalurania furcata" url_image: "https://i.ibb.co/FyBcJYY/20190501-083843.jpg" vulgar_name: "Picaflor" description: "El macho mide entre 9,5 5 y 10,5 cm6 y la hembra 8 cm. El macho ti..." date: "01/05/2019 08:38" type: "animal" id: 2 </pre>
TYPE	JSON

DESCRIPTION	show all the attributes of an object in the collection
--------------------	--

3.

URI	http://18.233.100.5:3001/ChocoAndino/fauna/add
METHOD	POST
REQUEST	
PARAMS	n/a
BODY	<pre>{ "_id": ObjectId("62cf0ec43415ba4a9455e427"), "scientific_name": "Hypsiboas picturatus", "url_image": "https://i.ibb.co/123dx7L/20210704-085515.jpg", "vulgar_name": "Rana de Árbol de Inabura", "description": " Los machos miden de 46 a 53 mm (1,8 a 2,1 pulgadas)", "date": "04/07/2021 08:55", "type": "animal", "id": 3 }</pre>
TYPE	JSON
RESPONSE	200
PARAMS	N/A
TYPE	JSON
DESCRIPTION	Add a new item to the fauna collection

4.

URI	http://18.233.100.5:3001/ChocoAndino/fauna/delete/{id}
METHOD	Delete
REQUEST	
PARAMS	{id}
BODY	Message:{remove}
TYPE	JSON
RESPONSE	200
PARAMS	N/A
TYPE	JSON
DESCRIPTION	delete an object from the collection given its id

5.

URI	http://18.233.100.5:3001/ChocoAndino/fauna/update/{id}
METHOD	PUT
REQUEST	
PARAMS	{id}
BODY	<pre>{ "_id": ObjectId("62cf124974bc25e925eb920d"), "user": "Martin", "mail": "nubeos17@gmail.com", "password": "1234", "dni": "1726252453", "type": "user", "active": true }</pre>
TYPE	JSON
RESPONSE	200
PARAMS	N/A
BODY	

TYPE	JSON
DESCRIPTION	

6.

URI	http://18.233.100.5:3001/ ChocoAndino/users
METHOD	GET
REQUEST	
PARAMS	n/a
BODY	<pre> _id: ObjectId("62cf124974bc25e925eb920d") user: "Martin" mail: "nubeos17@gmail.com" password: "1234" dni: "1726252453" type: "user" active: true _id: ObjectId("62cf124974bc25e925eb920d") user: "Martin" mail: "nubeos17@gmail.com" password: "1234" dni: "1726252453" type: "user" active: true </pre>
TYPE	JSON
RESPONSE	200
PARAMS	N/A
BODY	[Users(user)]
TYPE	JSON
DESCRIPTION	Show all users of the collection that is in the database

7.

URI	http://18.233.100.5:3001/ ChocoAndino/users/{user}
METHOD	GET
REQUEST	
PARAMS	{id}
TYPE	JSON
RESPONSE	200
PARAMS	N/A
BODY	<pre> _id: ObjectId("62cf124974bc25e925eb920d") user: "Martin" mail: "nubeos17@gmail.com" password: "1234" dni: "1726252453" type: "user" active: true </pre>
TYPE	JSON
DESCRIPTION	display a user's data when their username is passed

8.

URI	http://18.233.100.5:3001/ChocoAndino/add/{user}
METHOD	POST
REQUEST	
PARAMS	n/a
BODY	It is the new user that will be created in the system in json format . eg. <pre>{ "user": "PepeBotellas" "mail": "nubeos17@gmail.com" "password": "1234" "dni": "1726252453" "type": "user" "active": true }</pre>
TYPE	JSON
RESPONSE	200
PARAMS	N/A
TYPE	JSON
DESCRIPTION	Is the new user that will be created in the system in json format

9.

URI	http://18.233.100.5:3001/ChocoAndino/delete/{user}
METHOD	DELETE
REQUEST	
PARAMS	{user}
BODY	<pre>_id: ObjectId("62cf124974bc25e925eb920d") user: "Martin" mail: "nubeos17@gmail.com" password: "1234" dni: "1726252453" type: "user" active: true</pre>
TYPE	JSON
RESPONSE	200
PARAMS	N/A
TYPE	JSON
DESCRIPTION	Is the user profile name to delete. eg {Martin}

10.

URI	http://18.233.100.5:3001/ChocoAndino/update/{user}
METHOD	PUT
REQUEST	
PARAMS	{user}

BODY	<code>_id: ObjectId("62cf124974bc25e925eb920d") user: "Martin" mail: "nubeos17@gmail.com" password: "1234" dni: "1726252453" type: "user" active: true</code>
TYPE	JSON
RESPONSE	200
PARAMS	N/A
TYPE	JSON
DESCRIPTION	Is the user profile name to update. eg {Martin}

11.

URI	http://18.233.100.5:3001/ChocoAndino/AboutData/
METHOD	GET
REQUEST	
PARAMS	
BODY	<code>_id: ObjectId("6293ae8b6c19874f28f743ce") title_1: "¿Cómo se registran las imágenes de la fauna del Chocó Andino?" title_2: "¿Cómo funciona la página web?" how_register: "Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis ipsum e..." how_do_web: "La web está dividida en cuatro secciones: Inicio, Repositorio, Conócen..." id: "1"</code>
TYPE	JSON
RESPONSE	200
PARAMS	N/A
TYPE	JSON
DESCRIPTION	return information

12.

URI	http://18.233.100.5:3001/ChocoAndino/AboutData/update/{id}
METHOD	PUT
REQUEST	
PARAMS	
BODY	
TYPE	JSON
RESPONSE	200
PARAMS	N/A
TYPE	JSON
DESCRIPTION	id is an integer that is the primary key to update About Data